

3506(c)(2)(A)), provides the general public and Federal agencies with an opportunity to comment on proposed, revised, and continuing collections of information. This helps the Department assess the impact of its information collection requirements and minimize the public's reporting burden. It also helps the public understand the Department's information collection requirements and provide the requested data in the desired format. ED is soliciting comments on the proposed information collection request (ICR) that is described below. The Department of Education is especially interested in public comment addressing the following issues: (1) Is this collection necessary to the proper functions of the Department; (2) will this information be processed and used in a timely manner; (3) is the estimate of burden accurate; (4) how might the Department enhance the quality, utility, and clarity of the information to be collected; and (5) how might the Department minimize the burden of this collection on the respondents, including through the use of information technology. Please note that written comments received in response to this notice will be considered public records.

Title of Collection: Safer Schools and Campuses Best Practices Clearinghouse.
OMB Control Number: 1810-NEW.

Type of Review: A new information collection.

Respondents/Affected Public: State, Local, and Tribal Governments *Total Estimated Number of Annual Responses:* 300.

Total Estimated Number of Annual Burden Hours: 450.

Abstract: On January 21, 2021 the President issued Executive Order (E.O.) 14000 to assist members of the educational community in each State in safely reopening schools for face-to-face instruction and ensuring schools remain open. E.O. 14000 directs the Department to make widely available and easily accessible a variety of resources from the field and Federal agencies and technical assistance to support their dissemination and use. The hub for these resources will be the Clearinghouse described in E.O. 14000. The Department's Office of Elementary and Secondary Education (OESE) will lead development and implementation of the Clearinghouse in partnership with other ED offices and relevant Federal agencies. At the heart of the Clearinghouse will be the lessons learned and best practices collected from schools, districts, States, and institutions of higher education from across the country.

Additional information: It will address three major topics related to operating safely during the COVID-19 pandemic:

- **Safe and Healthy Environments:** School and campus approaches to implementing the Centers for Disease Control and Prevention's (CDC) recommended mitigation strategies and preparing for and sustaining in-person operations safely. This includes recommendations across all grade and age levels of students served, with focus both on reopening buildings for the first time as well as keeping them open safely.

- **Providing Supports to Students:** School and campus strategies to meet student social, emotional, mental health, academic, financial, and other needs, including access to food and other basic needs. This includes a specific focus on the most vulnerable learners and ensuring that resources provided by schools and campuses will be able to connect with and meet the needs of those disconnected from learning.

- **Teacher, Faculty, and Staff Well-Being, Professional Development, and Supports:** School and campus strategies to address the social, emotional, health, and other needs of teachers, faculty, and staff.

In order to quickly categorize, review, and approve submissions for inclusion in the Clearinghouse, the Department would like to request that voluntary submissions include the following information: (1) Contact information; (2) Topic (e.g., safe and healthy environments; providing supports for students; teacher, faculty, and staff well-being, professional development, and supports); (3) Target audience (e.g., early childhood, PreK-12, postsecondary); (4) A short description (two to three sentences); (5) What makes it a lesson learned or best practice (e.g., it is based on local data regarding number of cases of COVID in the community, State or Federal guidance, research), including a summary of the impact and any evidence of positive outcomes and clarification of the type of setting the practice has been used in (e.g., rural/urban/suburban, public/private/proprietary, 2-year or 4-year higher education institution, Historically Black College or University/Tribally Controlled College or University/Minority Serving Institution; other educational settings such as correctional facilities); and (6) Whether there is a focus on racial equity and/or another equity focus, such as a focus on historically underserved populations including students with disabilities; English learners; students from low-

income backgrounds; first-generation college students; students experiencing homelessness; students in or formerly in foster care; Lesbian, Gay, Bisexual, Transgender, Queer, Intersex, Asexual (LGBTQIA) students; undocumented students; student veterans and military-connected students; student parents; and international students.

Dated: March 15, 2021.

Kate Mullan,

PRA Coordinator, Strategic Collections and Clearance Governance and Strategy Division, Office of Chief Data Officer, Office of Planning, Evaluation and Policy Development.

[FR Doc. 2021-05676 Filed 3-18-21; 8:45 am]

BILLING CODE 4000-01-P

DEPARTMENT OF ENERGY

[Case Number 2020-009; EERE-2020-BT-WAV-0025]

Energy Conservation Program: Decision and Order Granting a Waiver to Heat Transfer Products Group from the Department of Energy Walk-in Coolers and Walk-In Freezers Test Procedure

AGENCY: Office of Energy Efficiency and Renewable Energy, Department of Energy.

ACTION: Notification of decision and order.

SUMMARY: The U.S. Department of Energy ("DOE") gives notification of a Decision and Order (Case Number 2020-009) that grants to Heat Transfer Products Group ("HTPG") a waiver from specified portions of the DOE test procedure for determining the energy efficiency of specified carbon dioxide ("CO₂") direct expansion unit coolers. Under the Decision and Order, HTPG is required to test and rate the specified basic models of its CO₂ direct expansion unit coolers in accordance with the alternate test procedure set forth in the Decision and Order.

DATES: The Decision and Order is effective on March 19, 2021. The Decision and Order will terminate upon the compliance date of any future amendment to the test procedure for walk-in refrigeration systems located at title 10 of the Code of Federal Regulations ("CFR"), part 431, subpart R, appendix C that addresses the issues presented in this waiver. At such time, HTPG must use the relevant test procedure for these CO₂ direct expansion unit coolers for any testing to demonstrate compliance with the applicable standards, and any other representations of energy use.

FOR FURTHER INFORMATION CONTACT:

Ms. Lucy deButts, U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Building Technologies Office, EE-5B, 1000 Independence Avenue SW, Washington, DC 20585-0121. Email: AS_Waiver_Requests@ee.doe.gov.

Mr. Michael Kido, U.S. Department of Energy, Office of the General Counsel, Mail Stop GC-33, Forrestal Building, 1000 Independence Avenue SW, Washington, DC 20585-0103. Telephone: (202) 586-8145. Email: Michael.Kido@hq.doe.gov.

SUPPLEMENTARY INFORMATION: In accordance with § 431.401(f)(2) of Title 10 of the Code of Federal Regulations (10 CFR 431.401(f)(2)), DOE gives notification of the issuance of its Decision and Order as set forth below. The Decision and Order grants HTPG a waiver from the applicable test procedure at 10 CFR part 431, subpart R, appendix C for specified basic models of CO₂ direct expansion unit coolers, and provides that HTPG must test and rate such CO₂ direct expansion unit coolers using the alternate test procedure specified in the Decision and Order. HTPG's representations concerning the energy efficiency of the specified basic models must be based on testing according to the provisions and restrictions in the alternate test procedure set forth in the Decision and Order, and the representations must fairly disclose the test results. Distributors, retailers, and private labelers are held to the same requirements when making representations regarding the energy efficiency of this equipment. (42 U.S.C. 6314(d))

Consistent with 10 CFR 431.401(j), not later than May 18, 2021, any manufacturer currently distributing in commerce in the United States CO₂ direct expansion unit coolers employing a technology or characteristic that results in the same need for a waiver from the applicable test procedure must submit a petition for waiver. Manufacturers not currently distributing such products/equipment in commerce in the United States must petition for and be granted a waiver prior to the distribution in commerce of CO₂ direct expansion unit coolers in the United States. 10 CFR 431.401(j). Manufacturers may also submit a request for interim waiver pursuant to the requirements of 10 CFR 431.401.

Case # 2020-009**Decision and Order****I. Background and Authority**

The Energy Policy and Conservation Act, as amended ("EPCA"),¹ authorizes the U.S. Department of Energy ("DOE") to regulate the energy efficiency of a number of consumer products and certain industrial equipment. (42 U.S.C. 6291-6317) Title III, Part C² of EPCA established the Energy Conservation Program for Certain Industrial Equipment, which sets forth a variety of provisions designed to improve energy efficiency for certain types of industrial equipment. This equipment includes walk-in cooler and walk-in freezer (collectively, "walk-in") refrigeration systems, the focus of this document. (42 U.S.C. 6311(1)(G))

The energy conservation program under EPCA consists essentially of four parts: (1) Testing, (2) labeling, (3) Federal energy conservation standards, and (4) certification and enforcement procedures. Relevant provisions of EPCA include definitions (42 U.S.C. 6311), test procedures (42 U.S.C. 6314), labeling provisions (42 U.S.C. 6315), energy conservation standards (42 U.S.C. 6313), and the authority to require information and reports from manufacturers (42 U.S.C. 6316).

The Federal testing requirements consist of test procedures that manufacturers of covered equipment must use as the basis for: (1) Certifying to DOE that their equipment complies with the applicable energy conservation standards adopted pursuant to EPCA (42 U.S.C. 6316(a); 42 U.S.C. 6295(s)), and (2) making representations about the efficiency of that equipment (42 U.S.C. 6314(d)). Similarly, DOE must use these test procedures to determine whether the equipment complies with relevant standards promulgated under EPCA. (42 U.S.C. 6316(a); 42 U.S.C. 6295(s))

Under 42 U.S.C. 6314, EPCA sets forth the criteria and procedures DOE is required to follow when prescribing or amending test procedures for covered equipment. EPCA requires that any test procedures prescribed or amended under this section must be reasonably designed to produce test results which reflect energy efficiency, energy use or estimated annual operating cost of covered equipment during a representative average use cycle and requires that test procedures not be unduly burdensome to conduct. (42

U.S.C.6314(a)(2)) The test procedure for walk-in refrigeration systems is set forth in the Code of Federal Regulations ("CFR") at 10 CFR part 431, subpart R, appendix C, *Uniform Test Method for the Measurement of Net Capacity and AWEF of Walk-In Cooler and Walk-In Freezer Refrigeration Systems* ("Appendix C").

Any interested person may submit a petition for waiver from DOE's test procedure requirements. 10 CFR 431.401(a)(1). DOE will grant a waiver from the test procedure requirements if DOE determines either that the basic model(s) for which the waiver was requested contains a design characteristic that prevents testing of the basic model according to the prescribed test procedures, or that the prescribed test procedures evaluate the basic model in a manner so unrepresentative of its true energy consumption characteristics as to provide materially inaccurate comparative data. 10 CFR 431.401(f)(2). DOE may grant the waiver subject to conditions, including adherence to alternate test procedures. *Id.*

As soon as practicable after the granting of any waiver, DOE will publish in the **Federal Register** a notice of proposed rulemaking to amend its regulations so as to eliminate any need for the continuation of such waiver. 10 CFR 431.401(l). As soon thereafter as practicable, DOE will publish in the **Federal Register** a final rule to that effect. *Id.* When DOE amends the test procedure to address the issues presented in a waiver, the waiver will automatically terminate on the date on which use of that test procedure is required to demonstrate compliance. 10 CFR 431.401(h)(3).

II. HTPG's Petition for Waiver: Assertions and Determinations

By letter dated July 6, 2020, HTPG filed a petition for waiver and a petition for interim waiver from the DOE test procedure applicable to CO₂ direct expansion unit coolers set forth in Appendix C. HTPG claimed that the test conditions described in the Air-Conditioning, Heating, and Refrigeration Institute ("AHRI") Standard 1250-2009, Standard for Performance Rating of Walk-In Coolers and Freezers ("AHRI 1250-2009") (for walk-in refrigerator unit coolers and freezer unit coolers tested alone), as incorporated by Appendix C with modification, cannot be achieved by the specified basic models and are not consistent with operation of HTPG's CO₂ direct expansion unit coolers. HTPG asserted that the prescribed test procedure is not appropriate for HTPG's CO₂ direct expansion unit coolers and the test

¹ All references to EPCA in this document refer to the statute as amended through the Energy Act of 2020, Public Law 116-260 (Dec. 27, 2020).

² For editorial reasons, upon codification in the U.S. Code, Part C was redesignated as Part A-1.

conditions are not achievable, since CO₂ refrigerant has a critical temperature of 87.8 °F³ and the current DOE test procedure requires a liquid inlet saturation temperature of 105 °F and liquid inlet subcooling of 9 °F. HTPG suggested that the test conditions should be more consistent with typical operating conditions for a transcritical CO₂ booster system.

HTPG's suggested test procedure specifies using modified liquid inlet saturation and liquid inlet subcooling temperatures of 38 °F and 5 °F, respectively, for both walk-in refrigerator unit coolers and walk-in freezer unit coolers. Additionally, because the subject units are used in transcritical CO₂ booster systems, HTPG recommended that the calculations in AHRI 1250–2009, section 7.9 should be used to determine the annual walk-in energy factor ("AWEF") and net capacity for unit coolers matched to parallel rack systems, as required under the DOE test procedure. This section of AHRI 1250–2009 is prescribed by the DOE test procedure for determining AWEF for all unit coolers tested alone (see section 3.3.1 of Appendix C). Finally, HTPG also recommended that AHRI 1250–2009, Table 17, EER for Remote Commercial Refrigerated Display Merchandisers and Storage Cabinets, should be used to determine power consumption of CO₂ direct expansion unit cooler systems, as required under the DOE test procedure.

On December 23, 2020, DOE published a notification that announced its receipt of the petition for waiver and granted HTPG an interim waiver. 85 FR 83927 ("Notification of Petition for Waiver"). In the Notification of Petition for Waiver, DOE acknowledged the difference in critical pressure and temperature between traditional

refrigerants (such as R404A) and CO₂ as used in HTPG's direct expansion unit coolers. 85 FR 83927, 83929. DOE also noted that the transcritical nature of CO₂ generally requires a more complex refrigeration cycle design to approach the efficiency of traditional refrigerant cycles during operation in high temperature conditions. *Id.*

In the Notification of Petition for Waiver, DOE also solicited comments from interested parties on all aspects of the petition and the specified alternate test procedure. 85 FR 83927, 83827. DOE received no substantive comments⁴ in response to the Notification of Petition for Waiver.

For the reasons explained here and in the Notification of Petition for Waiver, absent a waiver, the basic models identified by HTPG in its petition cannot be tested and rated for energy consumption on a basis representative of their true energy consumption characteristics. DOE has reviewed the recommended procedure suggested by HTPG and concludes that it will allow for the accurate measurement of the energy use of the CO₂ direct expansion unit coolers, while alleviating the testing issues associated with HTPG's implementation of DOE's applicable walk-in refrigeration systems test procedure for the specified basic models.

Thus, DOE is requiring that HTPG test and rate specified CO₂ direct expansion unit cooler basic models according to the alternate test procedure specified in this Decision and Order, which is identical to the procedure provided in the interim waiver.

This Decision and Order applies only to the basic models listed and does not extend to any other basic models. DOE evaluates and grants waivers for only those basic models specifically set out

in the petition, not future models that may be manufactured by the petitioner. HTPG may request that DOE extend the scope of this waiver to include additional basic models that employ the same technology as those listed in this waiver. 10 CFR 431.401(g). HTPG may also submit another petition for waiver from the test procedure for additional basic models that employ a different technology and meet the criteria for test procedure waivers. 10 CFR 431.401(a)(1).

DOE notes that it may modify or rescind the waiver at any time upon DOE's determination that the factual basis underlying the petition for waiver is incorrect, or upon a determination that the results from the alternate test procedure are unrepresentative of the basic models' true energy consumption characteristics. 10 CFR 431.401(k)(1). Likewise, HTPG may request that DOE rescind or modify the waiver if the company discovers an error in the information provided to DOE as part of its petition, determines that the waiver is no longer needed, or for other appropriate reasons. 10 CFR 431.401(k)(2).

III. Order

After careful consideration of all the material that was submitted by HTPG, HTPG's consumer-facing materials, including websites and product specification sheets for the basic models listed in HTPG's petition, as well as other industry information pertaining to the subject basic models listed by HTPG, it is *ordered* that:

(1) HTPG must, as of the date of publication of this Order in the **Federal Register**, test and rate the following CO₂ direct expansion unit cooler basic models with the alternate test procedure as set forth in paragraph (2):

RUSSELL-BRANDED BASIC MODEL NUMBERS

RL6A041ADAF	RL6A041DDAF	RL6A052ADAF	RL6A052DDAF	RL6A066ADAF	RL6A066DDAF
RL6A073ADAF	RL6A073DDAF	RL6A094ADAF	RL6A094DDAF	RL6A117ADAF	PL6A117DDAF
RL6A130ADAF	RL6A130DDAF	RL6A141ADAF	RL6A141DDAF	RL6A161ADAF	RL6A161DDAF
RL6A181ADAF	RL6A181DDAF	RL6A195ADAF	RL6A195DDAF	RL6A235ADAF	RL6A235DDAF
RL6A260ADAF	RL6A260DDAF	RL6A295ADAF	RL6A295DDAF	RL6A330ADAF	RL6A330DDAF
RL6A390ADAF	RL6A390DDAF	RL6E035DDAF	RL6E042DDAF	RL6E049DDAF	RL6E066DDAF
RL6E077DDAF	RL6E090DDAF	RL6E105DDAF	RL6E121DDAF	RL6E142DDAF	RL6E162DDAF
RL6E182DDAF	RL6E200DDAF	RL6E200EDAF	RL6E244DDAF	RL6E244EDAF	RL6E281DDAF
RL6E281EDAF	RL4E027DDAF	RL4E032DDAF	RL4E038DDAF	RL4E051DDAF	RL4E064DDAF
RL4E080DDAF	RL4E094DDAF	RL4E110DDAF	RL4E125DDAF	RL4E141DDAF	RL4E155DDAF
RL4E155EDAF	RL4E195DDAF	RL4E195EDAF	RL4E230DDAF	RL4E230EDAF	
RM6A182ADAF	RM6A182DDAF	RM6A182FADF	RM6A220ADAF	RM6A220DDAF	RM6A220FADF
RM6A276ADAF	RM6A276DDAF	RM6A276FADF	RM6A370ADAF	RM6A370DDAF	RM6A370FADF
RM6A442ADAF	RM6A442DDAF	RM6A442FADF	RM6A549ADAF	RM6A549DDAF	RM6A549FADF

³ The test procedure specifies the unit cooler refrigerant inlet condition in terms of a saturation temperature (the temperature at which it completes the condensation process in a condenser) and the subcooling temperature (additional reduction in temperature lower than the specified saturation

temperature). For CO₂, the critical temperature above which there cannot exist separate liquid and gas phases is below the saturation condition specified in the test procedure—hence, the specified condition cannot be achieved.

⁴ One comment was received, but it did not contain any content. The comment only stated the docket number for the notification of petition for waiver and grant of an interim waiver.

RUSSELL-BRANDED BASIC MODEL NUMBERS—Continued

RM6A658ADAF	RM6A658DDAF	RM6A658FADF	RM6E153DDAF	RM6E153EDAF	RM6E153FADF
RM6E153GADF	RM6E184DDAF	RM6E184EDAF	RM6E184FADF	RM6E184GADF	RM6E311DDAF
RM6E311EDAF	RM6E311FADF	RM6E311GADF	RM6E374DDAF	RM6E374EDAF	RM6E374FADF
RM6E374GADF	RM6E469EDAF	RM6E469FADF	RM6E469GADF	RM6E564EDAF	RM6E564FADF
RM6E564GADF	RM4E110DDAF	RM4E110EDAF	RM4E110FADF	RM4E110GADF	RM4E143DDAF
RM4E143EDAF	RM4E143FADF	RM4E143GADF	RM4E232DDAF	RM4E232EDAF	RM4E232FADF
RM4E232GADF	RM4E288DDAF	RM4E288EDAF	RM4E288FADF	RM4E288GADF	RM4E336EDAF
RM4E336FADF	RM4E336GADF	RM4E419EDAF	RM4E419FADF	RM4E419GADF	
RV6A043ADAF	RV6A043DDAF	RV6A053ADAF	RV6A053DDAF	RV6A085ADAF	RV6A085DDAF
RV6A106ADAF	RV6A106DDAF	RV6A129ADAF	RV6A129DDAF	RV6A158ADAF	RV6A158DDAF
RV6A176ADAF	RV6A176DDAF	RV6A218ADAF	RV6A218DDAF	RV6A271ADAF	RV6A271DDAF
RV6E043DDAF	RV6E053DDAF	RV6E085DDAF	RV6E106DDAF	RV6E129DDAF	RV6E158DDAF
RV6E176DDAF	RV6E218DDAF	RV6E271DDAF			
ASLA25048ADAF	ASLA25048DDAF	ASLA25061ADAF	ASLA25061DDAF	ASLA35073ADAF	ASLA35073DDAF
ASLA45098ADAF	ASLA45098DDAF	ASLA55122ADAF	ASLA55122DDAF	ASLA65158ADAF	ASLA65158DDAF
ASLE25048DDAF	ASLE25058DDAF	ASLE35070DDAF	ASLE45094DDAF	ASLE55117DDAF	ASLE65150DDAF
RE6A041ADAF	RE6A041DDAF	RE6A070ADAF	RE6A070DDAF	RE6A084ADAF	RE6A084DDAF
RE6A104ADAF	RE6A104DDAF	RE6A128ADAF	RE6A128DDAF	RE6A141ADAF	RE6A141DDAF
RE6A169ADAF	RE6A169DDAF	RE6A204ADAF	RE6A204DDAF	RE6A258ADAF	RE6A258DDAF
RE6E037DDAF	RE6E045DDAF	RE6E075DDAF	RE6E089DDAF	RE6E108DDAF	RE6E125DDAF
RE6E137DDAF	RE6E182DDAF	RE6E221DDAF	RE6E278DDAF	RE4E037DDAF	RE4E075DDAF
RE4E107DDAF	RE4E149DDAF	RE4E186DDAF	RE4E234DDAF		
RH6A031DDAF	RH6A031FADF	RH6A043DDAF	RH6A043FADF	RH6A052DDAF	RH6A052FADF
RH6A063DDAF	RH6A063FADF	RH6A087DDAF	RH6A087FADF	RH6A105DDAF	RH6A105FADF
RH6A132DDAF	RH6A132FADF	RH6A156DDAF	RH6A156FADF	RH6A175DDAF	RH6A175FADF
RH6A209DDAF	RH6A209FADF	RH6E033DDAF	RH6E033EDAF	RH6E033FADF	RH6E033GADF
RH6E044DDAF	RH6E044EDAF	RN6E044FADF	RH6E044GADF	RH6E053DDAF	RH6E053EDAF
RH6E053FADF	RH6E053GADF	RH6E066DDAF	RH6E066EDAF	RH6E066FADF	RH6E066GADF
RH6E089DDAF	RH6E089EDAF	RH6E089FADF	RH6E089GADF	RH6E109DDAF	RH6E109EDAF
RH6E109FADF	RH6E109GADF	RH6E134DDAF	RH6E134EDAF	RH6E134FADF	RH6E134GADF
RH6E163DDAF	RH6E163EDAF	RH6E163FADF	RH6E163GADF	RH6E199DDAF	RH6E199EDAF
RH6E199FADF	RH6E199GADF	RH4E035DDAF	RH4E035EDAF	RH4E035FADF	RH4E035GADF
RH4E044DDAF	RH4E044EDAF	RH4E044FADF	RH4E044GADF	RH4E071DDAF	RH4E071EDAF
RH4E071FADF	RH4E071GADF	RH4E087DDAF	RH4E087EDAF	RH4E087FADF	RH4E087GADF
RH4E107DDAF	RH4E107EDAF	RH4E107FADF	RH4E107GADF	RH4E131DDAF	RH4E131EDAF
RH4E131FADF	RH4E131GADF	RH4E167DDAF	RH4E167EDAF	RH4E167FADF	RH4E167GADF

(2) The alternate test procedure for the HTPG basic models listed in paragraph (1) of this Order is the test procedure for walk-in refrigeration systems prescribed by DOE at 10 CFR part 431, subpart R, appendix C (“Appendix C”), except that the liquid inlet saturation temperature test condition and liquid inlet

subcooling temperature test condition shall be modified to 38 °F and 5 °F, respectively, for both walk-in refrigerator unit coolers and walk-in freezer unit coolers, as detailed below. All other requirements of Appendix C and DOE’s other relevant regulations remain applicable.

In Appendix C, under section 3.1. *General modifications: Test Conditions and Tolerances*, revise section 3.1.5., to read as follows:

3.1.5. Tables 15 and 16 shall be modified to read as follows:

TABLE 15—REFRIGERATOR UNIT COOLER

Test description	Unit cooler air entering dry-bulb, °F	Unit cooler air entering relative humidity, %	Saturated suction temp, °F	Liquid inlet saturation temp, °F	Liquid inlet subcooling temp, °F	Compressor capacity	Test objective
Off Cycle Fan Power	35	<50	Compressor Off ..	Measure fan input power during compressor off cycle.
Refrigeration Capacity Suction A	35	<50	25	38	5	Compressor On ..	Determine Net Refrigeration Capacity of Unit Cooler.

Note: Superheat to be set according to equipment specification in equipment or installation manual. If no superheat specification is given, a default superheat value of 6.5 °F shall be used. The superheat setting used in the test shall be reported as part of the standard rating.

TABLE 16—FREEZER UNIT COOLER

Test description	Unit cooler air entering dry-bulb, °F	Unit cooler air entering relative humidity, %	Saturated suction temp, °F	Liquid inlet saturation temp, °F	Liquid inlet subcooling temp, °F	Compressor capacity	Test objective
Off Cycle Fan Power	−10	<50	Compressor Off ..	Measure fan input power during compressor off cycle.
Refrigeration Capacity Suction A	−10	<50	−20	38	5	Compressor On ..	Determine Net Refrigeration Capacity of Unit Cooler.

TABLE 16—FREEZER UNIT COOLER—Continued

Test description	Unit cooler air entering dry-bulb, °F	Unit cooler air entering relative humidity, %	Saturated suction temp, °F	Liquid inlet saturation temp, °F	Liquid inlet subcooling temp, °F	Compressor capacity	Test objective
Defrost	−10	Various	Compressor Off ..	Test according to Appendix C Section C11.

Note: Superheat to be set according to equipment specification in equipment or installation manual. If no superheat specification is given, a default superheat value of 6.5 °F shall be used. The superheat setting used in the test shall be reported as part of the standard rating.

(3) *Representations.* HTPG may not make representations about the energy efficiency of a basic model listed in paragraph (1) of this Order for compliance or marketing, unless the basic model has been tested in accordance with the provisions set forth above and such representations fairly disclose the results of such testing.

(4) This waiver shall remain in effect according to the provisions of 10 CFR 431.401.

(5) DOE issues this waiver on the condition that the statements, representations, and information provided by HTPG are valid. If HTPG makes any modifications to the controls or configurations of these basic models, such modifications will render the waiver invalid with respect to that basic model, and HTPG will either be required to use the current Federal test method or submit a new application for a test procedure waiver. DOE may rescind or modify this waiver at any time if it determines the factual basis underlying the petition for waiver is incorrect, or the results from the alternate test procedure are unrepresentative of a basic model's true energy consumption characteristics. 10 CFR 431.401(k)(1). Likewise, HTPG may request that DOE rescind or modify the waiver if HTPG discovers an error in the information provided to DOE as part of its petition, determines that the waiver is no longer needed, or for other appropriate reasons. 10 CFR 431.401(k)(2).

(6) HTPG remains obligated to fulfill any applicable requirements set forth at 10 CFR part 429.

Signing Authority

This document of the Department of Energy was signed on March 15, 2021, by Kelly Speakes-Backman, Principal Deputy Assistant Secretary and Acting Assistant Secretary for Energy Efficiency and Renewable Energy, pursuant to delegated authority from the Secretary of Energy. That document with the original signature and date is maintained by DOE. For administrative purposes only, and in compliance with requirements of the Office of the Federal Register, the undersigned DOE Federal Register Liaison Officer has been

authorized to sign and submit the document in electronic format for publication, as an official document of the Department of Energy. This administrative process in no way alters the legal effect of this document upon publication in the **Federal Register**.

Signed in Washington, DC, on March 16, 2021.

Treena V. Garrett,

Federal Register Liaison Officer, U.S. Department of Energy.

[FR Doc. 2021-05736 Filed 3-18-21; 8:45 am]

BILLING CODE 6450-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings #1

Take notice that the Commission received the following exempt wholesale generator filings:

Docket Numbers: EG21-107-000.

Applicants: Citadel Solar, LLC.

Description: Citadel Solar, LLC submits Self-Certification of Exempt Wholesale Generator Status.

Filed Date: 3/11/21.

Accession Number: 20210311-5226.

Comments Due: 5 p.m. ET 4/1/21.

Docket Numbers: EG21-108-000.

Applicants: Assembly Solar II, LLC.

Description: Notice of Self-Certification of Exempt Wholesale Generator Status of Assembly Solar II, LLC.

Filed Date: 3/12/21.

Accession Number: 20210312-5154.

Comments Due: 5 p.m. ET 4/2/21.

Take notice that the Commission received the following electric rate filings:

Docket Numbers: ER10-2739-030; ER20-660-005; ER10-1892-017; ER16-1652-018.

Applicants: LS Power Marketing, LLC, Bolt Energy Marketing, LLC, Columbia Energy LLC, LifeEnergy, LLC.

Description: Triennial Market Power Analysis for Central Region of LS Power Marketing, LLC, et al.

Filed Date: 3/12/21.

Accession Number: 20210312-5099.

Comments Due: 5 p.m. ET 5/11/21.

Docket Numbers: ER15-704-021

Applicants: Pacific Gas and Electric Company.

Description: Compliance filing: CCSF Compliance filing to update Intervening Facilities (Mar 11, 2021) to be effective 7/1/2015.

Filed Date: 3/11/21.

Accession Number: 20210311-5204.

Comments Due: 5 p.m. ET 4/1/21.

Docket Numbers: ER20-756-001.

Applicants: North Jersey Energy Associates, A Limited Partnership.

Description: Report Filing: Refund Report under EL20-24 to be effective N/A.

Filed Date: 3/11/21.

Accession Number: 20210311-5169.

Comments Due: 5 p.m. ET 4/1/21.

Docket Numbers: ER20-1090-000.

Applicants: NorthWestern Corporation.

Description: NorthWestern Corporation, South Dakota submits Response to Deficiency Letter.

Filed Date: 3/12/21.

Accession Number: 20210312-5054.

Comments Due: 5 p.m. ET 4/2/21.

Docket Numbers: ER21-963-000.

Applicants: Silverstrand Grid, LLC. *Description:* Supplement to January 28, 2021 Silverstrand Grid, LLC tariff filing.

Filed Date: 3/12/21.

Accession Number: 20210312-5077.

Comments Due: 5 p.m. ET 3/22/21.

Docket Numbers: ER21-1299-001.

Applicants: Black Hills Colorado Electric, LLC.

Description: Compliance filing: Supplemental Report Regarding WECC Soft Offer Cap to be effective N/A.

Filed Date: 3/12/21.

Accession Number: 20210312-5222.

Comments Due: 5 p.m. ET 4/2/21.

Docket Numbers: ER21-1332-000.

Applicants: Rubicon NYP Corp. *Description:* Tariff Cancellation:

Notice of Cancellation to be effective 3/30/2021.

Filed Date: 3/12/21.

Accession Number: 20210312-5001.

Comments Due: 5 p.m. ET 4/2/21.

Docket Numbers: ER21-1333-000.

Applicants: Pacific Gas and Electric Company.

Description: § 205(d) Rate Filing: SMUD Work Performance Agreement