

Submit written comments and recommendations to OMB for the proposed information collection within 30 days of publication of this notice to [www.reginfo.gov/public/do/PRAMain](http://www.reginfo.gov/public/do/PRAMain). Find this particular information collection by selecting “Currently under 30-day Review—Open for Public Comments” or by using the search function.

**FOR FURTHER INFORMATION CONTACT:**

Muntasir Ali, Sector Policies and Program Division (D243-05), Office of Air Quality Planning and Standards, U.S. Environmental Protection Agency, Research Triangle Park, North Carolina 27711; telephone number: (919) 541-0833; email address: [ali.muntasir@epa.gov](mailto:ali.muntasir@epa.gov).

**SUPPLEMENTARY INFORMATION:**

Supporting documents, which explain in detail the information that the EPA will be collecting, are available in the public docket for this ICR. The docket can be viewed online at <https://www.regulations.gov>, or in person, at the EPA Docket Center, WJC West Building, Room 3334, 1301 Constitution Ave. NW, Washington, DC. The telephone number for the Docket Center is 202-566-1744. For additional information about EPA’s public docket, visit: <http://www.epa.gov/dockets>.

**Abstract:** The National Emission Standards for Hazardous Air Pollutants (NESHAP) for Coke Oven Batteries (40 CFR part 63, subpart L) were proposed on December 4, 1992; promulgated on October 27, 1993; and amended on April 15, 2005. These regulations apply to all coke oven batteries, whether existing, new, reconstructed, rebuilt, or restarted. It also applies to all batteries using conventional by-product recovery processes, non-recovery processes, or any new recovery processes. New facilities include those that commenced construction or reconstruction after the date of proposal. This information is being collected to assure compliance with 40 CFR part 63, subpart L.

**Form Numbers:** None.

**Respondents/affected entities:**

Owners or operators of iron and steel integrated plants that produce coke for their operations and merchant plants that produce furnace and foundry coke for sale on the open market.

**Respondent’s obligation to respond:** Mandatory (40 CFR part 63, subpart L).

**Estimated number of respondents:** 14 (total).

**Frequency of response:** Semiannually.

**Total estimated burden:** 58,200 hours (per year). Burden is defined at 5 CFR 1320.3(b).

**Total estimated cost:** \$6,880,000 (per year), which includes \$0 in annualized

capital/startup and/or operation & maintenance costs.

**Changes in the Estimates:** The decrease in burden from the most-recently approved ICR is due to a decrease in the number of sources. There is an adjustment decrease in labor hours from the most-recently approved ICR. This decrease reflects revisions to the number of existing respondents that are subject to 40 CFR part 63, subpart L, and that are anticipated to reconstruct or close batteries subject to these standards. This decrease is not due to any program changes. Since there are no changes in the regulatory requirements and there is no significant industry growth, there are also no changes in the capital/startup or operation and maintenance (O&M) costs.

**Courtney Kerwin,**

*Director, Regulatory Support Division.*

[FR Doc. 2022-02616 Filed 2-7-22; 8:45 am]

**BILLING CODE 6560-50-P**

**ENVIRONMENTAL PROTECTION AGENCY**

[FRL 9531-01-R1]

**Notice of Availability of Draft NPDES Medium Wastewater Treatment Facilities General Permit for Massachusetts**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice of availability of draft NPDES general permit MAG590000.

**SUMMARY:** The Director of the Water Division, U.S. Environmental Protection Agency—Region 1 (EPA), is providing a Notice of Availability for the Draft National Pollutant Discharge Elimination System (NPDES) Medium Wastewater Treatment Facilities General Permit (Medium WWTF GP) for discharges to certain waters of the Commonwealth of Massachusetts. This Draft NPDES Medium WWTF GP (“Draft General Permit”) establishes effluent limitations and requirements, effluent and ambient monitoring requirements, reporting requirements, and standard conditions for 44 eligible facilities that are currently covered by individual NPDES permits (see Attachment E of the Draft General Permit for a list of eligible WWTFs). The Draft General Permit is available on EPA Region 1’s website at <https://www.epa.gov/npdes-permits/region-1-draft-medium-wastewater-treatment-facilities-general-permit-massachusetts>. The Fact Sheet for the Draft General Permit sets forth principal facts and the significant factual, legal, methodological, and policy questions

considered in the development of the Draft General Permit and is also available at this website.

**DATES:** Comments must be received on or before April 11, 2022.

**ADDRESSES:** Written comments on the Draft General Permit may be mailed to U.S. EPA Region 1, Water Division, Attn: Michele Duspiva, 5 Post Office Square, Suite 100, Mail Code 06-4, Boston, Massachusetts 02109-3912, or sent via email to: [Duspiva.Michele@epa.gov](mailto:Duspiva.Michele@epa.gov). Due to the COVID-19 National Emergency, if comments are submitted in hard copy form, please also email a copy to the EPA contact above.

**FOR FURTHER INFORMATION CONTACT:**

Additional information concerning the Draft General Permit may be obtained from Michele Duspiva, U.S. EPA Region 1, Water Division, 5 Post Office Square, Suite 100, Mail Code 06-4, Boston, MA 02109-3912; telephone: 617-918-1682; email: [Duspiva.Michele@epa.gov](mailto:Duspiva.Michele@epa.gov). Following U.S. Centers for Disease Control and Prevention (CDC) and U.S. Office of Personnel Management (OPM) guidance and specific state guidelines impacting our regional offices, EPA’s workforce has been directed to telework to help prevent transmission of the coronavirus. While in this workforce telework status, there are practical limitations on the ability of Agency personnel to allow the public to review the administrative record in person at the EPA Boston office. However, any electronically available documents that are part of the administrative record can be requested from the EPA contact above.

**SUPPLEMENTARY INFORMATION:**

*Public Comment Information:*

Interested persons may submit written comments on the Draft General Permit to EPA Region 1 at the address listed above. In reaching a final decision on this Draft General Permit, the Regional Administrator will respond to all significant comments and make responses available to the public on EPA Region 1’s website. All comments must be postmarked or delivered by the close of the public comment period.

*General Information:* The Draft General Permit includes effluent limitations and requirements for eligible facilities based on technology and/or water quality considerations of the unique discharges from these facilities. The effluent limits established in the Draft General Permit ensure that the surface water quality standards of the receiving water(s) will be attained and/or maintained.

*Obtaining Authorization:* To obtain coverage under the General Permit, facilities meeting the eligibility

requirements outlined in Part I of this General Permit may submit a notice of intent (NOI) in accordance with Part IV of this General Permit and 40 CFR 122.28(b)(2)(i) & (ii). The contents of the NOI shall include at a minimum, the legal name and address of the owner or operator, the facility name and address, type of facility or discharges, the receiving stream(s) and be signed by the operator in accordance with the signatory requirements of 40 CFR 122.22. Alternately, based on 40 CFR 122.28(b)(2)(vi), the Director may notify a discharger that it is covered by a general permit, even if the discharger has not submitted an NOI to be covered. EPA has determined that the facilities identified in Attachment E of the Draft General Permit all meet the eligibility requirements for coverage under the Draft General Permit and may be authorized to discharge under the General Permit by this type of notification.

**Other Legal Requirements:** Endangered Species Act (ESA): In accordance with the ESA, EPA has updated the provisions and necessary actions and documentation related to potential impacts to endangered species from WWTFs seeking coverage under the Draft General Permit. Concurrently with the public notice of the Draft General Permit, EPA will initiate an informal consultation with the National Oceanic and Atmospheric Administration, National Marine Fisheries Service (NOAA Fisheries) under ESA section 7, through the submission of a letter and biological assessment (BA) summarizing the results of EPA’s assessment of the potential effects to endangered and threatened species and their critical habitats under NOAA Fisheries jurisdiction as a result of EPA’s issuance of the Draft General Permit. In this

document, EPA has made a preliminary determination that the proposed issuance of the Draft General Permit is not likely to adversely affect the shortnose sturgeon, Atlantic sturgeon, or designated critical habitat for Atlantic sturgeon, as well as coastal protected whales and sea turtles. EPA will request that NOAA Fisheries review this submittal and inform EPA whether it concurs with this preliminary finding.

In addition, EPA has concluded that the Medium WWTF GP is consistent with activities analyzed in the USFWS January 5, 2016, Programmatic Biological Opinion (PBO) regarding the threatened northern long-eared bat.

**Essential Fish Habitat (EFH):** Under the 1996 Amendments (Pub. L. 104–267) to the Magnuson-Stevens Fishery Conservation and Management Act (16 U.S.C. 1801 *et seq.* (1998)), EPA is required to consult with NOAA Fisheries if EPA’s actions or proposed actions that it funds, permits or undertakes “may adversely impact any essential fish habitat.” 16 U.S.C. 1855(b). EPA has determined that the permit action may adversely affect the EFH of designated species. The Draft General Permit has been conditioned to minimize any impacts that reduce the quality and/or quantity of EFH. Additional mitigation is not warranted under Section 305(b)(2) of the Magnuson-Stevens Act. Concurrent with the public notice of the Draft General Permit, EPA will initiate consultation with NOAA Fisheries by providing this determination for their review.

**National Historic Preservation Act (NHPA):** Facilities which adversely affect properties listed or eligible for listing in the National Registry of Historic Places under the NHPA are not authorized to discharge under the Draft General Permit. Based on the nature and location of the discharges, EPA has

determined that all facilities eligible for authorization under the Draft General Permit do not have the potential to affect a property that is either listed or eligible for listing on the National Register of Historic Places.

**Coastal Zone Management Act (CZMA):** The CZMA, 16 U.S.C. 1451 *et seq.*, and its implementing regulations (15 CFR part 930) require a determination that any federally licensed activity affecting the coastal zone with an approved Coastal Zone Management Program (CZMP) is consistent with the CZMA. Concurrent with the public notice of the Draft General Permit, EPA will request that the Executive Office of Environmental Affairs, MA CZM, provide a consistency concurrence that the proposed Draft General Permit is consistent with the MA CZMPs.

**Authority:** This action is being taken under the Clean Water Act, 33 U.S.C. 1251 *et seq.*

**Deborah Szaro,**  
*Acting Regional Administrator, EPA Region 1.*

[FR Doc. 2022–02525 Filed 2–7–22; 8:45 am]

**BILLING CODE 6560–50–P**

**FEDERAL DEPOSIT INSURANCE CORPORATION**

**Notice of Termination of Receiverships**

The Federal Deposit Insurance Corporation (FDIC or Receiver), as Receiver for each of the following insured depository institutions, was charged with the duty of winding up the affairs of the former institutions and liquidating all related assets. The Receiver has fulfilled its obligations and made all dividend distributions required by law.

**NOTICE OF TERMINATION OF RECEIVERSHIPS**

Fund	Receivership name	City	State	Termination date
10248 .....	TierOne Bank .....	Lincoln .....	NE	02/01/2022
10312 .....	Darby Bank and Trust Company .....	Vidalia .....	GA	02/01/2022
10537 .....	First City Bank of Florida .....	Fort Walton Beach .....	FL	02/01/2022

The Receiver has further irrevocably authorized and appointed FDIC-Corporate as its attorney-in-fact to execute and file any and all documents that may be required to be executed by the Receiver which FDIC-Corporate, in its sole discretion, deems necessary, including but not limited to releases, discharges, satisfactions, endorsements, assignments, and deeds. Effective on the

termination dates listed above, the Receiverships have been terminated, the Receiver has been discharged, and the Receiverships have ceased to exist as legal entities.

(Authority: 12 U.S.C. 1819)

Federal Deposit Insurance Corporation.

Dated at Washington, DC, on February 3, 2022.

**James P. Sheesley,**  
*Assistant Executive Secretary.*

[FR Doc. 2022–02564 Filed 2–7–22; 8:45 am]

**BILLING CODE 6714–01–P**