

on Federal Contracts or Orders greater than \$6,500,000 (as adjusted for inflation in accordance with 41 U.S.C. 1908), but not exceeding \$10,000,000, upon a signed certification of a Federal contracting officer that the SBA guarantee is necessary. The certification must be either express mailed to SBA, Office of Surety Guarantees, 409 Third Street SW, Washington, DC 20416 or sent by email to suretybonds@sba.gov, and include the following additional information:

- (i) Name, address and telephone number of the small business;
- (ii) Offer or Contract number and brief description of the contract; and
- (iii) Estimated Contract value and date of anticipated award determination.

* * * * *

§ 115.14 [Amended]

- 4. Amend § 115.14 in paragraph (a)(3) by removing “\$1000” and adding in its place “\$10,000”.
- 5. Amend § 115.19 by revising paragraph (f)(2)(i) to read as follows:

§ 115.19 Denial of liability.

* * * * *

(f) * * *

(2)(i) For purposes of paragraph (f)(1)(ii) of this section, work under a Contract is considered to have begun when a Principal takes any action related to the contract or bond that would have exposed its Surety to liability under applicable law had a bond been Executed (or approved, if the Surety is legally bound by such approval) at the time.

* * * * *

§ 115.30 [Amended]

- 6. Amend § 115.30:
 - a. In paragraph (d)(2)(i) by removing “\$400,000” and adding in its place “\$500,000”;
 - b. In paragraph (d)(2)(ii)(D) by removing “\$1,000” and adding in its place “\$2,500”; and
 - c. In paragraph (d)(2)(ii)(E) by removing “demolition,”.

§ 115.32 [Amended]

- 7. Amend § 115.32 in paragraphs (d)(2) and (3) by removing “\$40” wherever it appears and adding in its place “\$250”.

§ 115.33 [Amended]

- 8. Amend § 115.33:
 - a. In paragraph (d)(1) by removing the phrase “Surety Bond Guarantee Underwriting Review” (SBA Form 994B)” and adding in its place the phrase “Surety Bond Guarantee Agreement” (Form 990)”;

■ b. In paragraph (d)(2) by removing the phrase “a Surety Bond Guarantee Underwriting Review (SBA Form 994B) and” in the first sentence, and removing the phrase “these forms” in the second sentence and adding in its place the phrase “this form”.

- 9. Amend § 115.64 by adding a new last sentence to read as follows:

§ 115.64 Timeliness requirement.

* * * For purposes of this section, work has commenced under a Contract when a Principal takes any action related to the contract or bond that would have exposed its Surety to liability under applicable law had a bond been Executed (or approved, if the Surety is legally bound by such approval) at the time.

§ 115.67 [Amended]

- 10. Amend § 115.67 by removing “\$40” wherever it appears and adding in its place “\$250”.

Isabella Casillas Guzman,

Administrator.

[FR Doc. 2022-16875 Filed 8-5-22; 8:45 am]

BILLING CODE 8026-03-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 25

[Docket No. FAA-2021-0631; Special Conditions No. 25-813-SC]

Special Conditions: Dassault Aviation Model Falcon 6X Airplane; Flight Envelope Protection: Normal Load-Factor (g) Limiting

AGENCY: Federal Aviation Administration (FAA), DOT.
ACTION: Final special conditions; request for comments.

SUMMARY: These special conditions are issued for the Dassault Aviation (Dassault) Model Falcon 6X airplane. This airplane will have a novel or unusual design feature when compared to the state of technology envisioned in the airworthiness standards for transport category airplanes. This design feature is an electronic flight-control system (EFCS) that incorporates full-time, normal load-factor limiting, designed to prevent the pilot from inadvertently or intentionally exceeding the positive or negative airplane limit load factor. The applicable airworthiness regulations do not contain adequate or appropriate safety standards for this design feature. These special conditions contain the additional safety

standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

DATES: This action is effective on Dassault on August 8, 2022. Send comments on or before September 22, 2022.

ADDRESSES: Send comments identified by Docket No. FAA-2021-0631 using any of the following methods:

- *Federal eRegulations Portal:* Go to <https://www.regulations.gov/> and follow the online instructions for sending your comments electronically.
- *Mail:* Send comments to Docket Operations, M-30, U.S. Department of Transportation (DOT), 1200 New Jersey Avenue SE, Room W12-140, West Building Ground Floor, Washington, DC 20590-0001.
- *Hand Delivery or Courier:* Take comments to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.
- *Fax:* Fax comments to Docket Operations at 202-493-2251.

Privacy: Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in title 14, Code of Federal Regulations (14 CFR) 11.35, the FAA will post all comments received without change to <https://www.regulations.gov/>, including any personal information you provide. The FAA will also post a report summarizing each substantive verbal contact received about these special conditions.

Confidential Business Information: Confidential Business Information (CBI) is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to these special conditions contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to these special conditions, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as “PROPIN.” The FAA will treat such marked submissions as confidential under the FOIA, and the indicated comments will not be placed in the public docket of these special conditions. Send submissions containing CBI to Troy Brown, Performance and Environment Section,

AIR-625, Technical Innovation Policy Branch, Policy and Innovation Division, Aircraft Certification Service, Federal Aviation Administration, 1801 S Airport Rd., Wichita, KS 67209-2190; telephone and fax 405-666-1050; email troy.a.brown@faa.gov. Comments the FAA receives, which are not specifically designated as CBI, will be placed in the public docket for these special conditions.

Docket: Background documents or comments received may be read at <https://www.regulations.gov/> at any time. Follow the online instructions for accessing the docket or go to Docket Operations in Room W12-140 of the West Building Ground Floor at 1200 New Jersey Avenue SE, Washington, DC, between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT: Troy Brown, Performance and Environment Section, AIR-625, Technical Innovation Policy Branch, Policy and Innovation Division, Aircraft Certification Service, Federal Aviation Administration, 1801 S Airport Rd., Wichita, KS 67209-2190; telephone and fax 405-666-1050; email troy.a.brown@faa.gov.

SUPPLEMENTARY INFORMATION:

The substance of these special conditions has been published in the **Federal Register** for public comment in several prior instances with no substantive comments received. Therefore, the FAA finds that, pursuant to § 11.38(b), new comments are unlikely, and notice and comment prior to this publication are unnecessary.

Comments Invited

The FAA invites interested people to take part in this rulemaking by sending written comments, data, or views. The most helpful comments reference a specific portion of the special conditions, explain the reason for any recommended change, and include supporting data.

The FAA will consider all comments received by the closing date for comments. The FAA may change these special conditions based on the comments received.

Background

On July 1, 2012, Dassault Aviation applied for a type certificate for its new Model Falcon 5X airplane. However, Dassault has decided not to release an airplane under the model designation Falcon 5X, instead choosing to change that model designation to Falcon 6X.

In February of 2018, due to engine supplier issues, Dassault extended the type certificate application date for its Model Falcon 5X airplane under new

Model Falcon 6X. This airplane is a twin-engine business jet with seating for 19 passengers, and has a maximum takeoff weight of 77,460 pounds.

Type Certification Basis

Under the provisions of 14 CFR 21.17, Dassault must show that the Model Falcon 6X airplane meets the applicable provisions of 14 CFR part 25, as amended by amendments 25-1 through 25-146.

If the Administrator finds that the applicable airworthiness regulations (e.g., 14 CFR part 25) do not contain adequate or appropriate safety standards for the Dassault Model Falcon 6X airplane because of a novel or unusual design feature, special conditions are prescribed under the provisions of § 21.16.

Special conditions are initially applicable to the model for which they are issued. Should the type certificate for that model be amended later to include any other model that incorporates the same novel or unusual design feature, these special conditions would also apply to the other model under § 21.101.

In addition to the applicable airworthiness regulations and special conditions, the Dassault Model Falcon 6X airplane must comply with the fuel-vent and exhaust-emission requirements of 14 CFR part 34, and the noise-certification requirements of 14 CFR part 36.

The FAA issues special conditions, as defined in 14 CFR 11.19, in accordance with § 11.38, and they become part of the type certification basis under § 21.17(a)(2).

Novel or Unusual Design Features

The Dassault Aviation Model Falcon 6X airplane will incorporate the following novel or unusual design feature:

An EFCS that incorporates full-time, normal load-factor limiting, designed to prevent the pilot from inadvertently or intentionally exceeding the positive or negative airplane limit load factor.

Discussion

The normal load-factor limit on the Model Falcon 6X is unique in that traditional airplanes with conventional, mechanical-linkage flight-control systems are limited, in the pitch axis, only by the elevator surface area and deflection limit. The elevator control power is normally derived for adequate controllability and maneuverability at the most critical longitudinal pitching moment. The result is that for conventional, mechanical-linkage airplanes, a significant portion of the

flight envelope maneuverability, in excess of limit structural design values, is possible. With the normal load-factor limit engaged, the Dassault Model Falcon 6X airplane will not exhibit this excess maneuverability.

Part 25 does not specify requirements nor does any FAA policy require the applicant to demonstrate maneuver control that impose any handling qualities requirements beyond the design limit structural loads. Nevertheless, some pilots are accustomed to the availability of this excess maneuver capacity in case of extreme emergencies, such as upset recoveries or collision avoidance.

These special conditions contain the additional safety standards that the Administrator considers necessary to establish a level of safety equivalent to that established by the existing airworthiness standards.

Applicability

As discussed above, these special conditions are applicable to the Dassault Model Falcon 6X airplane. Should Dassault apply at a later date for a change to the type certificate to include another model incorporating the same novel or unusual design feature, these special conditions would apply to that model as well.

Conclusion

This action affects only a certain novel or unusual design feature on one model of airplane. It is not a rule of general applicability.

List of Subjects in 14 CFR Part 25

Aircraft, Aviation safety, Reporting and recordkeeping requirements.

Authority Citation

The authority citation for these special conditions is as follows:

Authority: 49 U.S.C. 106(f), 106(g), 40113, 44701, 44702, 44704.

The Special Conditions

■ Accordingly, pursuant to the authority delegated to me by the Administrator, the following special conditions are issued as part of the type certification basis for Dassault Model Falcon 6X airplanes.

In addition to the requirements of § 25.143(a), and in the absence of other limiting factors, the following apply:

(a) The positive limiting load factor must not be less than:

(1) 2.5g for the electronic flight-control system (EFCS) normal state with the high-lift devices retracted up to V_{MO}/M_{MO} . The positive limiting load factor may be gradually reduced down to 2.25g above V_{MO}/M_{MO} .

(2) 2.0g for the EFCS normal state with the high-lift devices extended.

(b) The negative limiting load factor must be equal to or more negative than:

(1) Minus 1.0g for the EFCS normal state with the high-lift devices retracted.

(2) 0.0g for the EFCS normal state with high-lift devices extended.

(c) Maximum, reachable, positive load-factor wings level may be limited by flight-control system characteristics or flight envelope protections (other than load-factor protection) provided that:

(1) The required values are readily achievable in turns, and

(2) Wings level pitch-up responsiveness is satisfactory.

(d) Maximum achievable negative load factor may be limited by flight-control system characteristics or flight envelope protections (other than load-factor protection) provided that:

(1) Pitch-down responsiveness is satisfactory

(2) From level flight, 0g is readily achievable or, alternatively, a satisfactory* trajectory change is readily achievable at operational speeds.

* For the FAA to consider a trajectory change as satisfactory, the applicant should propose and justify a pitch rate that provides sufficient maneuvering capability in the most critical scenarios.

(e) Compliance demonstration with the above requirements may be performed without ice accretion on the airframe.

Issued in Kansas City, Missouri, on August 2, 2022.

Patrick R. Mullen,

Manager, Technical Innovation Policy Branch, Policy and Innovation Division, Aircraft Certification Service.

[FR Doc. 2022-16904 Filed 8-5-22; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 97

[Docket No. 31440; Amdt. No. 4019]

Standard Instrument Approach Procedures, and Takeoff Minimums and Obstacle Departure Procedures; Miscellaneous Amendments

AGENCY: Federal Aviation Administration (FAA), DOT.

ACTION: Final rule.

SUMMARY: This rule establishes, amends, suspends, or removes Standard Instrument Approach Procedures (SIAPS) and associated Takeoff Minimums and Obstacle Departure

procedures (ODPs) for operations at certain airports. These regulatory actions are needed because of the adoption of new or revised criteria, or because of changes occurring in the National Airspace System, such as the commissioning of new navigational facilities, adding new obstacles, or changing air traffic requirements. These changes are designed to provide safe and efficient use of the navigable airspace and to promote safe flight operations under instrument flight rules at the affected airports.

DATES: This rule is effective August 8, 2022. The compliance date for each SIAP, associated Takeoff Minimums, and ODP is specified in the amendatory provisions.

The incorporation by reference of certain publications listed in the regulations is approved by the Director of the Federal Register as of August 8, 2022.

ADDRESSES: Availability of matters incorporated by reference in the amendment is as follows:

For Examination

1. U.S. Department of Transportation, Docket Ops-M30. 1200 New Jersey Avenue SE, West Bldg., Ground Floor, Washington, DC 20590-0001.

2. The FAA Air Traffic Organization Service Area in which the affected airport is located;

3. The office of Aeronautical Information Services, 6500 South MacArthur Blvd., Oklahoma City, OK 73169 or,

4. The National Archives and Records Administration (NARA). For information on the availability of this material at NARA, email fr.inspection@nara.gov or go to: <https://www.archives.gov/federal-register/cfr/ibr-locations.html>.

Availability

All SIAPS and Takeoff Minimums and ODPs are available online free of charge. Visit the National Flight Data Center at nfdc.faa.gov to register. Additionally, individual SIAP and Takeoff Minimums and ODP copies may be obtained from the FAA Air Traffic Organization Service Area in which the affected airport is located.

FOR FURTHER INFORMATION CONTACT: Thomas J. Nichols, Flight Procedures and Airspace Group, Flight Technologies and Procedures Division, Flight Standards Service, Federal Aviation Administration. Mailing Address: FAA Mike Monroney Aeronautical Center, Flight Procedures and Airspace Group, 6500 South MacArthur Blvd., Registry Bldg. 29,

Room 104, Oklahoma City, OK 73169. Telephone (405) 954-4164.

SUPPLEMENTARY INFORMATION: This rule amends 14 CFR part 97 by establishing, amending, suspending, or removes SIAPS, Takeoff Minimums and/or ODPs. The complete regulatory description of each SIAP and its associated Takeoff Minimums or ODP for an identified airport is listed on FAA form documents which are incorporated by reference in this amendment under 5 U.S.C. 552(a), 1 CFR part 51, and 14 CFR part 97.20. The applicable FAA Forms 8260-3, 8260-4, 8260-5, 8260-15A, 8260-15B, when required by an entry on 8260-15A, and 8260-15C.

The large number of SIAPS, Takeoff Minimums and ODPs, their complex nature, and the need for a special format make publication in the **Federal Register** expensive and impractical. Further, airmen do not use the regulatory text of the SIAPS, Takeoff Minimums or ODPs, but instead refer to their graphic depiction on charts printed by publishers or aeronautical materials. Thus, the advantages of incorporation by reference are realized and publication of the complete description of each SIAP, Takeoff Minimums and ODP listed on FAA form documents is unnecessary. This amendment provides the affected CFR sections and specifies the typed of SIAPS, Takeoff Minimums and ODPs with their applicable effective dates. This amendment also identifies the airport and its location, the procedure, and the amendment number.

Availability and Summary of Material Incorporated by Reference

The material incorporated by reference is publicly available as listed in the **ADDRESSES** section.

The material incorporated by reference describes SIAPS, Takeoff Minimums and/or ODPs as identified in the amendatory language for Part 97 of this final rule.

The Rule

This amendment to 14 CFR part 97 is effective upon publication of each separate SIAP, Takeoff Minimums and ODP as amended in the transmittal. Some SIAP and Takeoff Minimums and textual ODP amendments may have been issued previously by the FAA in a Flight Data Center (FDC) Notice to Airmen (NOTAM) as an emergency action of immediate flights safety relating directly to published aeronautical charts.

The circumstances that created the need for some SIAP and Takeoff Minimums and ODP amendments may require making them effective in less