

[docs-filing/efiling/filing-req.pdf](#). For other information, call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Dated: August 5, 2022.

Kimberly D. Bose,
Secretary.

[FR Doc. 2022-17260 Filed 8-10-22; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

Combined Notice of Filings

Take notice that the Commission has received the following Natural Gas Pipeline Rate and Refund Report filings:

Filings Instituting Proceedings

Docket Numbers: RP22-1108-000.

Applicants: Empire Pipeline, Inc.

Description: § 4(d) Rate Filing; Empire Housekeeping August 2022 to be effective 9/8/2022.

Filed Date: 8/4/22.

Accession Number: 20220804-5073.

Comment Date: 5 p.m. ET 8/16/22.

Docket Numbers: RP22-1109-000.

Applicants: National Fuel Gas Supply Corporation.

Description: § 4(d) Rate Filing; Housekeeping August 2022 to be effective 9/8/2022.

Filed Date: 8/4/22.

Accession Number: 20220804-5076.

Comment Date: 5 p.m. ET 8/16/22.

Docket Numbers: RP22-1110-000.

Applicants: Pine Prairie Energy Center, LLC.

Description: § 4(d) Rate Filing; PPEC Revisions to FERC Gas Tariff to be effective 9/7/2022.

Filed Date: 8/4/22.

Accession Number: 20220804-5099.

Comment Date: 5 p.m. ET 8/16/22.

Docket Numbers: RP22-1111-000.

Applicants: Adelpia Gateway, LLC.

Description: § 4(d) Rate Filing; Adelpia NRA filing August 2022 to be effective 8/5/2022.

Filed Date: 8/5/22.

Accession Number: 20220805-5026.

Comment Date: 5 p.m. ET 8/17/22.

Any person desiring to intervene or protest in any of the above proceedings must file in accordance with Rules 211 and 214 of the Commission's Regulations (18 CFR 385.211 and 385.214) on or before 5:00 p.m. Eastern time on the specified comment date. Protests may be considered, but intervention is necessary to become a party to the proceeding.

The filings are accessible in the Commission's eLibrary system ([https://](https://elibrary.ferc.gov/idmws/search/fercgensearch.asp)

elibrary.ferc.gov/idmws/search/fercgensearch.asp) by querying the docket number.

eFiling is encouraged. More detailed information relating to filing requirements, interventions, protests, service, and qualifying facilities filings can be found at: <http://www.ferc.gov/docs-filing/efiling/filing-req.pdf>. For other information, call (866) 208-3676 (toll free). For TTY, call (202) 502-8659.

Dated: August 5, 2022.

Kimberly D. Bose,
Secretary.

[FR Doc. 2022-17259 Filed 8-10-22; 8:45 am]

BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Project No. 15281-000]

Solia 1 Hydroelectric, LLC; Notice of Preliminary Permit Application Accepted for Filing and Soliciting Comments, Motions To Intervene, and Competing Applications

On June 22, 2022, Solia 1 Hydroelectric, LLC, filed an application for a preliminary permit, pursuant to section 4(f) of the Federal Power Act (FPA), proposing to study the feasibility of the St. Lawrence County Pumped Storage Project to be located about 1 mile southwest of the City of Pyrites in St. Lawrence County, New York. The sole purpose of a preliminary permit, if issued, is to grant the permit holder priority to file a license application during the permit term. A preliminary permit does not authorize the permit holder to perform any land-disturbing activities or otherwise enter upon lands or waters owned by others without the owners' express permission.

The proposed project would consist of the following: (1) a new upper reservoir with a surface area of 120 acres and a storage capacity of 4,500 acre-feet at a maximum pool elevation of 605 feet mean sea level created through construction of a new rock-fill dam; (2) a new lower reservoir consisting of eight concentric circular tunnels with a storage capacity of 4,500 acre-feet at a depth of 2,500 feet below the ground surface; (3) a new 100-foot outside diameter, 18-foot inside diameter "morning glory" shaped vertical intake located in the upper reservoir; (4) a new 2,800-foot-long, 16-foot-diameter penstock connecting the upper reservoir and the underground powerhouse; (5) a new 200-foot-long, 70-foot-wide, 130-foot-high underground powerhouse

containing two 333-megawatt (MW) reversible pump-turbines with a total installed capacity of 666 MW; (6) a new 200- to 500-foot-long, 230-kilovolt (kV) or 765-kV transmission line connecting the underground transformer gallery and the new substation to the existing grid; (7) a new 200-foot-long, 200-foot-wide substation; (8) a new pumping facility for providing initial filling water and makeup water obtained from the Grass River located within the eastern part of the project boundary; and (9) appurtenant facilities. The proposed project would have an annual generation of 1,450 gigawatt-hours.

Applicant Contact: Douglas Spaulding, Nelson Energy, 8441 Wayzata Blvd., Suite 101, Golden Valley, MN 55426; phone: (952) 544-8133.

FERC Contact: Woohee Choi; email: woohee.choi@ferc.gov; phone: (202) 502-6336.

Deadline for filing comments, motions to intervene, competing applications (without notices of intent), or notices of intent to file competing applications: 60 days from the issuance of this notice. Competing applications and notices of intent must meet the requirements of 18 CFR 4.36.

The Commission strongly encourages electronic filing. Please file comments, motions to intervene, notices of intent, and competing applications using the Commission's eFiling system at <https://ferconline.ferc.gov/efiling.aspx>. Commenters can submit brief comments up to 6,000 characters, without prior registration, using the eComment system at <https://ferconline.ferc.gov/QuickComment.aspx>. You must include your name and contact information at the end of your comments. For assistance, please contact FERC Online Support. In lieu of electronic filing, you may submit a paper copy. Submissions sent via the U.S. Postal Service must be addressed to: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 888 First Street NE, Room 1A, Washington, DC 20426. Submissions sent via any other carrier must be addressed to: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 12225 Wilkins Avenue, Rockville, Maryland 20852. The first page of any filing should include docket number P-15281-000.

More information about this project, including a copy of the application, can be viewed or printed on the "eLibrary" link of the Commission's website at <http://www.ferc.gov/docs-filing/elibrary.asp>. Enter the docket number (P-15281) in the docket number field to access the document. For assistance, contact FERC Online Support.

Dated: August 5, 2022.
Kimberly D. Bose,
Secretary.
[FR Doc. 2022-17255 Filed 8-10-22; 8:45 am]
BILLING CODE 6717-01-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

[Project No. 3451-047]

Beaver Falls Municipal Authority; Notice of Application Tendered for Filing With the Commission and Soliciting Additional Study Requests and Establishing Procedural Schedule for Relicensing and a Deadline for Submission of Final Amendments

Take notice that the following hydroelectric application has been filed with the Commission and is available for public inspection.

- a. Type of Application: New Major License.
b. Project No.: 3451-047.
c. Date filed: August 1, 2022.
d. Applicant: Beaver Falls Municipal Authority (Beaver Falls).
e. Name of Project: Townsend Water Power Project.
f. Location: On the Beaver River, in the Borough of New Brighton in Beaver County, Pennsylvania.
g. Filed Pursuant to: Federal Power Act 16 U.S.C. 791(a)-825(r).
h. Applicant Contact: James Riggio, General Manager, Beaver Falls Municipal Authority, PO Box 400, Beaver Falls, PA 15010; (724) 846-2400.
i. FERC Contact: Emily Carter at (202) 502-6512, or Emily.Carter@ferc.gov.
j. Cooperating agencies: Federal, state, local, and Tribal agencies with jurisdiction and/or special expertise with respect to environmental issues that wish to cooperate in the preparation of the environmental document should follow the instructions for filing such requests described in item l below.
k. Pursuant to section 4.32(b)(7) of 18 CFR of the Commission's regulations, if any resource agency, Indian Tribe, or person believes that an additional scientific study should be conducted in order to form an adequate factual basis for a complete analysis of the application on its merit, the resource agency, Indian Tribe, or person must file a request for a study with the

Commission not later than 60 days from the date of filing of the application, and serve a copy of the request on the applicant.

l. Deadline for filing additional study requests and requests for cooperating agency status: September 30, 2022.

The Commission strongly encourages electronic filing. Please file additional study requests and requests for cooperating agency status using the Commission's eFiling system at https://ferconline.ferc.gov/ferconline.aspx. For assistance, please contact FERC Online Support at FERCONlineSupport@ferc.gov, (866) 208-3676 (toll free), or (202) 502-8659 (TTY). In lieu of electronic filing, you may submit a paper copy. Submissions sent via the U.S. Postal Service must be addressed to: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 888 First Street NE, Room 1A, Washington, DC 20426. Submissions sent via any other carrier must be addressed to: Kimberly D. Bose, Secretary, Federal Energy Regulatory Commission, 12225 Wilkins Avenue, Rockville, Maryland 20852. All filings must clearly identify the project name and docket number on the first page: Townsend Water Power Project (P-3451-047).

m. The application is not ready for environmental analysis at this time.

n. The Townsend Water Power Project consists of the following existing facilities: (1) a 450-foot-long and 13-foot-high dam, constructed of rock-filled timber cribs encased in concrete, with a crest elevation 699.3 feet National Geodetic Vertical Datum of 1929 (NGVD29); (2) an approximately 25-acre reservoir with a gross storage capacity of 200 acre-feet at normal water surface elevation of 698.62 feet NGVD29; (3) a short entrance channel excavated in rock near the left dam abutment that directs water to an intake structure with trashracks and fish deflector; (4) a 52-foot-long by 46-foot-wide concrete powerhouse; (5) two double-regulated open-pit type turbine-generator units each rated at 2,500 kilowatts (kW) for a total installed capacity of 5,000 kW; (6) an approximately 230-foot-long tailrace, excavated in rock at a normal tailwater elevation of 681.17 feet NGVD29; (7) a 500-foot-long, 23-kilovolt (kV) transmission line owned by Duquesne Light Company; (8) 4.16-kV generator leads, a 60-foot-long section of 5-kV underground cable leading to a 4.16/23-kV transformer in an outdoor substation; and (9) appurtenant facilities. The average annual generation was 19,524 megawatt-hours for the period from 2015 to 2019.

The Townsend Water Power Project operates in a run-of-river mode with a continuous minimum flow of 304 cubic feet per second (cfs), or inflow, whichever is less. The flow for operating a single unit is 600 cfs and minimum river flow for the project operation is 904 cfs. There is minimal to no available usable storage behind the dam and if river flow is less than 904 cfs, all water is spilled over the dam. The project is typically operated automatically, but manual operation may occur during dynamic high-water events. The project is returned to automatic operation when flow decreases.

o. A copy of the application can be viewed on the Commission's website at http://www.ferc.gov, using the "eLibrary" link. Enter the docket number, excluding the last three digits in the docket number field, to access the document (P-3451). For assistance, contact FERC at FERCONlineSupport@ferc.gov, or call toll-free, (866) 208-3676 or (202) 502-8659 (TTY).

You may also register online at http://www.ferc.gov/docs-filing/esubscription.asp to be notified via email of new filings and issuances related to this or other pending projects. For assistance, contact FERC Online Support.

p. Procedural schedule and final amendments: The application will be processed according to the following preliminary schedule. Revisions to the schedule will be made as appropriate.

Table with 2 columns: Milestone, Target date. Rows include Issue Deficiency Letter, Request Additional Information, Issue Acceptance Letter, Issue Scoping Document 1, Issue Scoping Document 2, Issue Notice of Ready for Environmental Analysis.

Final amendments to the application must be filed with the Commission no later than 30 days from the issuance date of the notice of ready for environmental analysis.

Dated: August 5, 2022.
Kimberly D. Bose,
Secretary.
[FR Doc. 2022-17256 Filed 8-10-22; 8:45 am]
BILLING CODE 6717-01-P