

Comments

You may access the information collection instrument with instructions or additional information by visiting the Federal eRulemaking Portal site at: <https://www.regulations.gov> and entering USCIS-2007-0016 in the search box. All submissions will be posted, without change, to the Federal eRulemaking Portal at <https://www.regulations.gov>, and will include any personal information you provide. Therefore, submitting this information makes it public. You may wish to consider limiting the amount of personal information that you provide in any voluntary submission you make to DHS. DHS may withhold information provided in comments from public viewing that it determines may impact the privacy of an individual or is offensive. For additional information, please read the Privacy Act notice that is available via the link in the footer of <https://www.regulations.gov>.

Written comments and suggestions from the public and affected agencies should address one or more of the following four points:

(1) Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the agency, including whether the information will have practical utility;

(2) Evaluate the accuracy of the agency's estimate of the burden of the proposed collection of information, including the validity of the methodology and assumptions used;

(3) Enhance the quality, utility, and clarity of the information to be collected; and

(4) Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated, electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses.

Overview of This Information Collection

(1) *Type of Information Collection:* Revision of a Currently Approved Collection.

(2) *Title of the Form/Collection:* Request for Certification of Military or Naval Service.

(3) *Agency form number, if any, and the applicable component of the DHS sponsoring the collection:* N-426; USCIS.

(4) *Affected public who will be asked or required to respond, as well as a brief abstract:* Primary: Individuals or

households. The Form N-426 is used by naturalization applicants to document honorable service in the U.S. Armed Forces. The form is filed with U.S. Citizenship and Immigration Services (USCIS) when the respondent applies for naturalization with USCIS Form N-400, Application for Naturalization (OMB Control Number 1615-0052). The Department of Defense (DOD) record centers or personnel offices verify and certify the applicant's military or naval service information provided on Form N-426. USCIS reviews the form as part of the process to determine the applicant's eligibility for naturalization.

(5) *An estimate of the total number of respondents and the amount of time estimated for an average respondent to respond:* The estimated total number of respondents for the information collection N-426 is 10,000 and the estimated hour burden per response is 0.50 hours.

(6) *An estimate of the total public burden (in hours) associated with the collection:* The total estimated annual hour burden associated with this collection is 5,000 hours.

(7) *An estimate of the total public burden (in cost) associated with the collection:* The estimated total annual cost burden associated with this collection of information is \$245,000.

Dated: August 9, 2022.

Jerry L. Rigdon,

Deputy Chief, Regulatory Coordination Division, Office of Policy and Strategy, U.S. Citizenship and Immigration Services, Department of Homeland Security.

[FR Doc. 2022-17415 Filed 8-12-22; 8:45 am]

BILLING CODE 9111-97-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6327-N-01]

Notice of Annual Factors for Determining Administrative Fees for the Section 8 Housing Choice Voucher, Mainstream, and Moderate Rehabilitation Programs for Calendar Year 2021

AGENCY: Office of the Assistant Secretary for Public and Indian Housing, HUD.

ACTION: Notice.

SUMMARY: As required by Section 8(q) of the U.S. Housing Act of 1937, this **Federal Register** notice announces the per unit, monthly fee rates used to determine the on-going administrative fees for public housing agencies (PHAs) administering the Housing Choice Voucher (HCV), Mainstream, and

Moderate Rehabilitation programs, including the Moderate Rehabilitation Single Room Occupancy program, for calendar year (CY) 2021. PHAs use administrative fees to cover costs associated with administering the HCV Program. Publishing the CY 2021 fees allow PHAs to budget appropriately and is important for PHA record keeping purposes. Additionally, publishing this notice retroactively allows PHAs to continue portability billing for families that ported in CY 2021. This notice follows HUD's previous publication of the rates on HUD's website and makes no changes to those rates.

FOR FURTHER INFORMATION CONTACT:

Miguel A. Fontánez, Director, Housing Voucher Financial Management Division, Office of Public Housing and Voucher Programs, Office of Public and Indian Housing, Department of Housing and Urban Development, 451 Seventh Street SW, Room 4222, Washington, DC 20410-8000, telephone number 202-402-2934. (This is not a toll-free number). Hearing- or speech-impaired individuals may call TTY number 1 (800) 877-8337.

SUPPLEMENTARY INFORMATION:

A. Background

This Notice provides the methodology used to determine the CY 2021 administrative fee rates by area, which HUD uses to determine administrative fees for the HCV, Mainstream, and Moderate Rehabilitation programs, including the Moderate Rehabilitation Single Room Occupancy programs. The HCV program is the federal government's major program for assisting very low-income families, the elderly, and the disabled to afford decent, safe, and sanitary housing in the private market. Mainstream Vouchers are tenant-based vouchers serving households that include a non-elderly person with a disability, available to PHAs through a competitive Notice of Funding Opportunity (NOFO), and noncompetitively through CARES Act authorization. The Moderate Rehabilitation program provides project-based rental assistance for low-income families. The program was repealed in 1991 and no new projects are authorized for development. Assistance is limited to properties previously rehabilitated pursuant to a Housing Assistance Payment (HAP) contract between an owner and a PHA.

B. CY 2021 Methodology

For CY 2021, in accordance with the 2021 Consolidated Appropriations Act (Pub. L. 116-260, 134 Stat. 1182), administrative fees are determined

based on vouchers leased as of the first day of each month. This data is extracted from the Voucher Management System (VMS) at the close of each reporting cycle and validated prior to use. For the Moderate Rehabilitation program, including the Single Room Occupancy program, administrative fees are earned based on the units under a Housing Assistance Payment (HAP) contract.

In the attached table, two fee rates are provided for each PHA. The first rate, Column A, applies to the first 7,200 voucher unit months leased in CY 2021. The second rate, Column B, applies to all remaining voucher unit months leased in CY 2021. In years prior to 2010, Column C applied to all voucher unit months leased in dwelling units owned by the PHA. For CY 2021, as in recent years, there are no Column C administrative fee rates. Fees for leasing PHA-owned units are determined in the same manner as for all other voucher leasing using the same Column A and Column B rates as for all other voucher leasing.

In some cases, the fee rates calculated for CY 2021 are lower than those established for CY 2020. In these cases, the affected PHAs are held harmless at the CY 2020 fee rates.

The fee rates for each PHA generally cover the fees for areas in which the PHA has the greatest proportion of its participants, based on Public Housing Information Center (PIC) data submitted by the PHA. In some cases, PHAs have participants in more than one fee area. If such a PHA chooses, the PHA may request HUD establish a blended fee rate proportionately to all areas in which participants are located. Once a blended rate is established, it is used to determine the PHA's fee eligibility for all months in CY 2021. The 2021 HCV Funding Implementation Notice described how to apply for blended fee rates and the deadline date for submitting such requests. The notice can be accessed through the following link: <https://www.hud.gov/sites/dfiles/PIH/documents/pih2020-04.pdf>.

PHAs operating over large geographic areas, defined as multiple counties, may request a higher administrative fee rate if eligible under the criteria described in the CY 2019 Implementation Notice. The 2021 HCV Funding Implementation Notice described when to apply for higher fee rates and the deadline date for such requests. Higher administrative fee rates differ from blended administrative fee rates in how they are calculated. Requests for higher administrative rates must clearly demonstrate that the PHA's published rate cannot cover their projected

expenses. Next, a breakeven rate is calculated to ensure the PHA receives sufficient funds to cover their expenses while also ensuring the administrative fee reserves do not grow.

This notice identifies the monthly per-voucher-unit fee rates to be used to determine PHA administrative fee eligibility for the programs identified in this notice. These fee rates remain posted on the Department's website at: http://portal.hud.gov/hudportal/HUD?src=/program_offices/public_indian_housing/programs/hcv, under Program Related Information.

Direct questions concerning this notice should be directed to the PHA's assigned representative at the Financial Management Center or the Financial Management Division at PIHFinancialManagementDivision@hud.gov.

C. Moving to Work (MTW) Agencies

In cases where an MTW Agency has an alternative formula for calculating HCV administrative fees in Attachment A of its MTW Agreement, HUD calculates the HCV administrative fees in accordance with the MTW Agreement provision.

PHA	A rate	B rate
AK901	\$105.58	\$98.55
AL001	70.47	65.77
AL002	71.58	66.82
AL004	69.54	64.90
AL005	73.06	68.19
AL006	69.54	64.90
AL007	69.54	64.90
AL008	68.62	64.05
AL011	68.62	64.05
AL012	69.54	64.90
AL014	68.62	64.05
AL047	71.60	66.84
AL048	69.54	64.90
AL049	69.54	64.90
AL050	69.54	64.90
AL052	68.62	64.05
AL053	68.62	64.05
AL054	69.54	64.90
AL060	68.62	64.05
AL061	69.54	64.90
AL063	70.47	65.77
AL068	69.54	64.90
AL069	70.47	65.77
AL072	70.47	65.77
AL073	68.79	64.20
AL075	68.62	64.05
AL077	69.54	64.90
AL086	70.47	65.77
AL090	68.62	64.05
AL091	68.62	64.05
AL099	68.62	64.05
AL105	68.62	64.05
AL107	68.62	64.05
AL112	68.62	64.05
AL114	68.62	64.05
AL115	68.62	64.05
AL116	68.62	64.05
AL118	68.62	64.05
AL121	68.62	64.05

PHA	A rate	B rate
AL124	68.79	64.20
AL125	70.47	65.77
AL129	69.54	64.90
AL131	69.54	64.90
AL138	69.54	64.90
AL139	69.54	64.90
AL152	69.54	64.90
AL154	68.62	64.05
AL155	68.62	64.05
AL160	68.62	64.05
AL165	72.62	67.78
AL169	71.58	66.82
AL171	68.62	64.05
AL172	69.54	64.90
AL174	68.62	64.05
AL177	68.62	64.05
AL181	68.62	64.05
AL192	68.62	64.05
AL202	71.58	66.82
AR002	72.66	67.83
AR003	67.37	62.88
AR004	72.66	67.83
AR006	72.66	67.83
AR010	64.07	59.80
AR012	64.07	59.80
AR015	67.59	63.08
AR016	64.07	59.80
AR017	66.60	62.16
AR020	64.07	59.80
AR024	70.49	65.79
AR031	66.60	62.16
AR033	64.07	59.80
AR034	66.60	62.16
AR035	64.07	59.80
AR037	64.07	59.80
AR039	64.07	59.80
AR041	72.66	67.83
AR042	66.60	62.16
AR045	64.07	59.80
AR052	64.07	59.80
AR066	64.07	59.80
AR068	64.07	59.80
AR082	64.07	59.80
AR104	66.60	62.16
AR117	64.07	59.80
AR121	64.07	59.80
AR131	66.60	62.16
AR152	64.07	59.80
AR161	64.07	59.80
AR163	66.60	62.16
AR166	64.07	59.80
AR170	72.66	67.83
AR175	72.66	67.83
AR176	64.07	59.80
AR177	64.07	59.80
AR181	66.60	62.16
AR194	67.37	62.88
AR197	64.07	59.80
AR200	64.07	59.80
AR210	64.07	59.80
AR211	64.07	59.80
AR213	64.07	59.80
AR214	64.07	59.80
AR215	64.07	59.80
AR223	64.07	59.80
AR224	64.07	59.80
AR225	64.07	59.80
AR232	66.60	62.16
AR240	64.07	59.80
AR241	66.97	62.51
AR247	64.07	59.80
AR252	72.66	67.83
AR257	64.07	59.80
AR264	70.49	65.79

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
AR265	64.07	59.80	CA074	132.51	123.69	CO888	74.71	69.72
AR266	64.07	59.80	CA075	132.51	123.69	CO911	80.87	75.48
AZ001	76.57	71.46	CA076	129.40	120.75	CO921	80.87	75.48
AZ003	76.57	71.46	CA077	118.48	110.57	CT001	102.92	96.06
AZ004	75.70	70.64	CA079	132.51	123.69	CT002	110.32	102.97
AZ005	76.57	71.46	CA082	132.51	123.69	CT003	97.01	90.53
AZ006	83.71	78.14	CA084	94.45	88.15	CT004	106.93	99.80
AZ008	61.13	57.06	CA085	129.24	120.64	CT005	97.01	90.53
AZ009	76.57	71.46	CA086	90.28	84.25	CT006	87.62	81.78
AZ010	76.57	71.46	CA088	129.24	120.64	CT007	110.32	102.97
AZ013	85.07	79.40	CA092	132.51	123.69	CT008	97.01	90.53
AZ021	76.57	71.46	CA093	132.51	123.69	CT009	97.01	90.53
AZ023	64.42	60.12	CA094	132.51	123.69	CT010	87.62	81.78
AZ025	75.70	70.64	CA096	92.33	86.17	CT011	106.93	99.80
AZ028	76.57	71.46	CA102	132.51	123.69	CT013	97.01	90.53
AZ031	76.57	71.46	CA103	132.51	123.69	CT015	102.92	96.06
AZ032	76.57	71.46	CA104	132.51	123.69	CT017	102.92	96.06
AZ033	75.70	70.64	CA105	132.51	123.69	CT018	95.23	88.88
AZ034	62.91	58.71	CA106	92.33	86.17	CT019	110.32	102.97
AZ035	85.07	79.40	CA108	118.48	110.57	CT020	110.32	102.97
AZ037	62.91	58.71	CA110	123.69	123.69	CT023	97.01	90.53
AZ041	83.71	78.14	CA111	132.51	123.69	CT024	87.62	81.78
AZ043	102.52	95.69	CA114	132.51	123.69	CT026	97.01	90.53
AZ045	63.35	59.12	CA116	118.48	110.57	CT027	102.92	96.06
AZ880	76.57	71.46	CA117	132.51	123.69	CT028	97.01	90.53
AZ901	83.71	78.14	CA118	132.51	123.69	CT029	106.93	99.80
CA001	132.51	123.69	CA119	132.51	123.69	CT030	102.92	96.06
CA002	132.51	123.69	CA120	132.51	123.69	CT031	85.76	80.04
CA003	132.51	123.69	CA121	132.51	123.69	CT032	97.01	90.53
CA004	132.51	123.69	CA123	132.51	123.69	CT033	97.01	90.53
CA005	100.64	93.93	CA125	115.04	107.37	CT036	97.01	90.53
CA006	92.33	86.17	CA126	132.51	123.69	CT038	97.01	90.53
CA007	100.64	93.93	CA128	100.64	93.93	CT039	97.01	90.53
CA008	100.98	94.25	CA131	115.04	107.37	CT040	97.01	90.53
CA011	132.51	123.69	CA132	118.48	110.57	CT041	97.01	90.53
CA014	132.51	123.69	CA136	132.51	123.69	CT042	106.93	99.80
CA019	105.71	98.67	CA143	96.08	89.68	CT047	87.62	81.78
CA021	129.40	120.75	CA144	87.64	81.79	CT048	97.01	90.53
CA022	105.71	98.67	CA149	100.64	93.93	CT049	97.01	90.53
CA023	86.76	80.98	CA151	100.64	93.93	CT051	97.01	90.53
CA024	96.56	90.13	CA155	118.48	110.57	CT052	102.92	96.06
CA026	97.24	90.74	CO001	80.87	75.48	CT053	97.01	90.53
CA027	105.71	98.67	CO002	74.71	69.72	CT058	87.62	81.78
CA028	92.33	86.17	CO005	84.45	78.82	CT061	87.62	81.78
CA030	86.10	80.37	CO006	72.29	67.47	CT063	106.93	99.80
CA031	132.51	123.69	CO016	91.77	85.64	CT067	106.93	99.80
CA032	132.51	123.69	CO019	80.87	75.48	CT068	97.01	90.53
CA033	114.17	106.54	CO024	72.29	67.47	CT901	97.01	90.53
CA035	132.51	123.69	CO028	75.44	70.42	DC001	119.93	111.95
CA039	96.08	89.68	CO031	72.29	67.47	DC880	119.93	111.95
CA041	115.04	107.37	CO034	86.96	81.17	DE001	95.93	89.53
CA043	88.74	82.81	CO035	74.99	70.00	DE002	81.97	76.51
CA044	100.64	93.93	CO036	80.87	75.48	DE003	95.93	89.53
CA048	76.15	71.07	CO040	111.64	104.20	DE005	95.93	89.53
CA052	132.51	123.69	CO041	86.96	81.17	DE901	81.97	76.51
CA053	83.34	77.78	CO043	84.45	78.82	FL001	77.34	72.19
CA055	115.04	107.37	CO045	72.29	67.47	FL002	81.65	76.20
CA056	132.51	123.69	CO048	80.87	75.48	FL003	81.65	76.20
CA058	132.51	123.69	CO049	80.87	75.48	FL004	85.28	79.59
CA059	132.51	123.69	CO050	80.87	75.48	FL005	110.80	103.42
CA060	132.51	123.69	CO051	94.61	88.30	FL007	81.85	76.40
CA061	87.64	81.79	CO052	80.87	75.48	FL008	89.61	83.64
CA062	132.51	123.69	CO057	80.87	75.48	FL009	86.52	80.75
CA063	118.48	110.57	CO058	80.87	75.48	FL010	103.74	96.83
CA064	114.71	107.06	CO061	91.77	85.64	FL011	67.96	63.43
CA065	115.04	107.37	CO070	91.77	85.64	FL013	110.95	103.57
CA066	115.04	107.37	CO071	75.44	70.42	FL015	72.67	67.82
CA067	132.51	123.69	CO072	80.87	75.48	FL017	110.80	103.42
CA068	132.51	123.69	CO079	84.45	78.82	FL018	66.39	61.96
CA069	92.33	86.17	CO087	111.64	104.20	FL019	78.72	73.49
CA070	80.20	74.86	CO090	74.99	70.00	FL020	78.72	73.49
CA071	132.51	123.69	CO095	106.75	99.63	FL021	86.52	80.75
CA072	132.51	123.69	CO101	72.29	67.47	FL022	81.85	76.40
CA073	115.04	107.37	CO103	86.96	81.17	FL023	89.61	83.64

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
FL024	81.85	76.40	GA264	89.08	83.13	IL035	76.95	71.82
FL025	78.72	73.49	GA269	89.08	83.13	IL037	64.32	60.03
FL026	67.96	63.43	GA285	73.06	68.19	IL038	64.32	60.03
FL028	103.74	96.83	GA901	89.08	83.13	IL039	68.67	64.10
FL030	81.85	76.40	GQ901	122.03	113.90	IL040	64.32	60.03
FL031	64.53	60.23	HI002	122.57	114.40	IL043	64.32	60.03
FL032	66.92	62.45	HI003	135.89	126.84	IL050	64.37	60.08
FL033	85.28	79.59	HI004	135.90	126.85	IL051	70.69	65.98
FL034	81.65	76.20	HI005	138.05	128.86	IL052	64.32	60.03
FL035	66.39	61.96	HI901	135.89	126.84	IL053	64.37	60.08
FL037	77.34	72.19	IA002	68.84	64.25	IL054	100.65	93.93
FL041	86.98	81.19	IA004	72.37	67.55	IL056	100.65	93.93
FL045	86.98	81.19	IA015	68.84	64.25	IL057	64.32	60.03
FL046	66.39	61.96	IA018	72.49	67.66	IL059	64.32	60.03
FL047	85.84	80.13	IA020	81.99	76.53	IL061	65.08	60.74
FL049	64.53	60.23	IA022	83.57	78.01	IL074	69.71	65.05
FL053	66.92	62.45	IA023	73.28	68.40	IL076	64.32	60.03
FL057	64.53	60.23	IA024	79.38	74.08	IL079	64.32	60.03
FL060	83.59	78.02	IA030	68.84	64.25	IL082	64.32	60.03
FL062	81.65	76.20	IA038	79.69	74.38	IL083	72.28	67.46
FL063	73.37	68.48	IA042	68.84	64.25	IL084	68.23	63.68
FL066	110.80	103.42	IA045	76.02	70.96	IL085	65.67	61.30
FL068	110.80	103.42	IA047	68.84	64.25	IL086	68.23	63.68
FL069	66.39	61.96	IA049	68.84	64.25	IL087	64.32	60.03
FL070	73.37	68.48	IA050	79.69	74.38	IL088	64.32	60.03
FL071	67.96	63.43	IA056	68.84	64.25	IL089	79.77	74.45
FL072	81.85	76.40	IA057	68.84	64.25	IL090	100.65	93.93
FL073	72.67	67.82	IA084	68.84	64.25	IL091	64.32	60.03
FL075	81.65	76.20	IA087	73.46	68.56	IL092	100.65	93.93
FL079	103.74	96.83	IA098	72.52	67.70	IL095	75.44	70.41
FL080	86.52	80.75	IA100	68.84	64.25	IL096	64.32	60.03
FL081	103.74	96.83	IA107	68.84	64.25	IL101	100.65	93.93
FL083	86.52	80.75	IA108	68.84	64.25	IL103	100.65	93.93
FL092	66.92	62.45	IA113	79.69	74.38	IL104	79.48	74.18
FL093	85.28	79.59	IA114	68.84	64.25	IL107	100.65	93.93
FL102	66.39	61.96	IA117	73.28	68.40	IL116	100.65	93.93
FL104	81.65	76.20	IA119	68.84	64.25	IL117	70.69	65.98
FL105	89.61	83.64	IA120	81.99	76.53	IL120	64.32	60.03
FL106	85.28	79.59	IA122	68.84	64.25	IL122	72.28	67.46
FL110	66.39	61.96	IA124	68.84	64.25	IL123	64.32	60.03
FL113	81.85	76.40	IA125	68.84	64.25	IL124	79.48	74.18
FL116	103.74	96.83	IA126	76.02	70.96	IL126	64.37	60.08
FL119	86.52	80.75	IA127	68.84	64.25	IL130	100.65	93.93
FL123	81.42	75.99	IA128	68.84	64.25	IL131	76.02	70.96
FL128	85.84	80.13	IA129	68.84	64.25	IL136	100.65	93.93
FL132	86.66	80.91	IA130	68.84	64.25	IL137	101.52	94.74
FL136	103.74	96.83	IA131	81.99	76.53	IL901	100.65	93.93
FL137	81.65	76.20	IA132	79.69	74.38	IN002	55.79	52.07
FL139	67.96	63.43	ID005	71.57	66.80	IN003	61.62	57.52
FL141	89.33	83.37	ID013	88.94	83.01	IN004	57.40	53.57
FL144	110.95	103.57	ID016	88.94	83.01	IN005	57.40	53.57
FL145	110.80	103.42	ID021	88.94	83.01	IN006	68.13	63.59
FL147	66.39	61.96	ID901	74.09	69.14	IN007	59.94	55.95
FL201	85.28	79.59	IL002	100.65	93.93	IN009	55.79	52.07
FL202	64.53	60.23	IL003	79.48	74.18	IN010	75.23	70.22
FL881	110.80	103.42	IL004	72.43	67.60	IN011	75.23	70.22
FL888	81.65	76.20	IL006	70.94	66.21	IN012	64.25	59.97
GA001	73.06	68.19	IL009	76.02	70.96	IN015	60.65	56.61
GA002	73.06	68.19	IL010	76.02	70.96	IN016	59.56	55.59
GA004	73.06	68.19	IL011	64.37	60.08	IN017	68.13	63.59
GA006	89.08	83.13	IL012	68.54	63.97	IN018	55.79	52.07
GA007	73.06	68.19	IL014	76.95	71.82	IN019	59.42	55.45
GA009	73.06	68.19	IL015	69.71	65.05	IN020	60.65	56.61
GA010	89.08	83.13	IL016	64.32	60.03	IN021	57.40	53.57
GA011	89.08	83.13	IL018	76.02	70.96	IN022	61.07	57.01
GA023	73.06	68.19	IL020	76.02	70.96	IN023	64.25	59.97
GA062	69.28	64.66	IL022	72.28	67.46	IN025	64.25	59.97
GA078	89.08	83.13	IL024	100.65	93.93	IN026	59.55	55.58
GA095	89.08	83.13	IL025	100.65	93.93	IN029	75.23	70.22
GA116	89.08	83.13	IL026	100.65	93.93	IN031	55.79	52.07
GA188	89.08	83.13	IL028	72.43	67.60	IN032	56.79	53.00
GA228	89.08	83.13	IL030	69.71	65.05	IN035	57.40	53.57
GA232	89.08	83.13	IL032	76.95	71.82	IN037	59.56	55.59
GA237	89.08	83.13	IL034	70.94	66.21	IN041	55.79	52.07

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
IN043	55.79	52.07	KY140	71.16	66.42	LA207	69.98	65.31
IN047	55.79	52.07	KY141	56.37	52.62	LA211	71.71	66.93
IN048	55.79	52.07	KY142	65.11	60.77	LA212	69.41	64.79
IN050	55.79	52.07	KY157	56.37	52.62	LA213	74.71	69.74
IN055	56.79	53.00	KY160	56.37	52.62	LA214	69.98	65.31
IN056	58.40	54.50	KY161	65.11	60.77	LA215	69.41	64.79
IN058	62.17	58.04	KY163	56.37	52.62	LA220	69.41	64.79
IN060	59.55	55.58	KY169	56.37	52.62	LA222	69.41	64.79
IN062	59.89	55.91	KY171	64.25	59.97	LA229	69.41	64.79
IN067	55.79	52.07	KY901	71.16	66.42	LA230	73.31	68.43
IN071	65.80	61.40	LA001	74.89	69.89	LA232	69.41	64.79
IN073	55.79	52.07	LA002	73.31	68.43	LA233	69.41	64.79
IN078	58.40	54.50	LA003	80.86	75.47	LA238	74.89	69.89
IN079	68.13	63.59	LA004	69.98	65.31	LA241	69.41	64.79
IN080	68.13	63.59	LA005	69.98	65.31	LA242	69.41	64.79
IN086	55.79	52.07	LA006	69.98	65.31	LA246	69.41	64.79
IN091	55.79	52.07	LA009	80.86	75.47	LA247	69.41	64.79
IN092	55.79	52.07	LA012	74.89	69.89	LA248	69.41	64.79
IN094	57.54	53.70	LA013	74.89	69.89	LA253	71.71	66.93
IN100	60.65	56.61	LA023	69.98	65.31	LA257	69.41	64.79
IN901	68.13	63.59	LA024	69.41	64.79	LA258	69.41	64.79
KS001	67.77	63.24	LA029	69.98	65.31	LA266	69.98	65.31
KS002	64.34	60.06	LA031	69.41	64.79	LA888	73.31	68.43
KS004	69.32	64.69	LA032	69.98	65.31	LA889	74.89	69.89
KS006	60.45	56.42	LA033	69.41	64.79	LA903	74.89	69.89
KS017	60.45	56.42	LA036	69.41	64.79	MA001	125.22	116.88
KS038	60.45	56.42	LA037	74.71	69.74	MA002	135.35	126.32
KS041	60.45	56.42	LA046	69.98	65.31	MA003	135.35	126.32
KS043	67.77	63.24	LA057	69.98	65.31	MA005	125.22	116.88
KS053	71.11	66.37	LA063	69.98	65.31	MA006	121.78	113.67
KS062	60.45	56.42	LA067	69.41	64.79	MA007	125.22	116.88
KS063	61.09	57.01	LA074	69.41	64.79	MA008	125.22	116.88
KS068	67.77	63.24	LA086	69.41	64.79	MA010	125.22	116.88
KS073	69.32	64.69	LA094	74.89	69.89	MA012	125.22	116.88
KS091	60.45	56.42	LA097	69.41	64.79	MA013	135.35	126.32
KS149	60.45	56.42	LA101	80.86	75.47	MA014	135.35	126.32
KS159	60.45	56.42	LA103	74.89	69.89	MA015	135.35	126.32
KS161	60.45	56.42	LA104	69.98	65.31	MA016	135.35	126.32
KS162	67.77	63.24	LA111	69.41	64.79	MA017	135.35	126.32
KS165	60.45	56.42	LA114	69.41	64.79	MA018	121.78	113.67
KS166	60.45	56.42	LA115	69.41	64.79	MA019	135.35	126.32
KS167	61.09	57.01	LA120	69.98	65.31	MA020	135.35	126.32
KS168	64.34	60.06	LA122	69.98	65.31	MA022	135.35	126.32
KS170	60.45	56.42	LA125	69.41	64.79	MA023	135.35	126.32
KY001	64.25	59.97	LA128	69.41	64.79	MA024	125.22	116.88
KY003	57.43	53.60	LA129	69.98	65.31	MA025	135.35	126.32
KY004	71.16	66.42	LA132	69.41	64.79	MA026	125.22	116.88
KY007	56.37	52.62	LA159	69.41	64.79	MA027	135.35	126.32
KY008	56.37	52.62	LA163	69.41	64.79	MA028	135.35	126.32
KY009	64.25	59.97	LA165	69.98	65.31	MA029	125.22	116.88
KY011	71.40	66.64	LA166	69.41	64.79	MA031	135.35	126.32
KY012	59.56	55.59	LA169	69.41	64.79	MA032	135.35	126.32
KY015	73.07	68.19	LA171	69.98	65.31	MA033	135.35	126.32
KY017	56.37	52.62	LA172	69.98	65.31	MA034	125.22	116.88
KY021	56.37	52.62	LA173	69.98	65.31	MA035	125.22	116.88
KY022	56.37	52.62	LA174	69.98	65.31	MA036	135.35	126.32
KY026	56.37	52.62	LA178	69.98	65.31	MA037	125.22	116.88
KY027	56.37	52.62	LA181	74.89	69.89	MA039	125.22	116.88
KY035	56.37	52.62	LA182	69.41	64.79	MA040	135.35	126.32
KY040	56.37	52.62	LA184	73.31	68.43	MA041	125.22	116.88
KY047	56.37	52.62	LA186	69.98	65.31	MA042	135.35	126.32
KY053	56.37	52.62	LA187	74.89	69.89	MA043	125.22	116.88
KY056	56.37	52.62	LA188	69.41	64.79	MA044	135.35	126.32
KY061	71.16	66.42	LA189	69.98	65.31	MA045	135.35	126.32
KY071	62.67	58.49	LA190	73.31	68.43	MA046	135.66	126.63
KY086	56.37	52.62	LA192	69.41	64.79	MA047	135.66	126.63
KY107	56.37	52.62	LA194	71.71	66.93	MA048	135.35	126.32
KY121	56.37	52.62	LA195	69.41	64.79	MA050	125.22	116.88
KY132	62.43	58.27	LA196	69.98	65.31	MA051	125.22	116.88
KY133	73.07	68.19	LA199	80.86	75.47	MA053	135.35	126.32
KY135	73.07	68.19	LA202	80.86	75.47	MA054	135.35	126.32
KY136	73.07	68.19	LA204	80.86	75.47	MA055	135.35	126.32
KY137	56.37	52.62	LA205	80.86	75.47	MA056	135.35	126.32
KY138	56.37	52.62	LA206	69.98	65.31	MA057	135.35	126.32

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
MA059	135.35	126.32	MA901	135.35	126.32	MI061	62.43	58.27
MA060	125.22	116.88	MD001	89.44	83.47	MI063	57.84	53.98
MA061	135.35	126.32	MD002	89.44	83.47	MI064	82.40	76.91
MA063	135.35	126.32	MD003	119.93	111.95	MI066	65.28	60.93
MA065	135.35	126.32	MD004	119.93	111.95	MI070	62.04	57.89
MA066	125.22	116.88	MD006	70.16	65.47	MI073	65.28	60.93
MA067	135.35	126.32	MD007	119.93	111.95	MI074	62.43	58.27
MA069	135.35	126.32	MD014	80.38	75.02	MI080	64.20	59.93
MA070	135.35	126.32	MD015	119.93	111.95	MI084	62.04	57.89
MA072	135.35	126.32	MD016	95.93	89.53	MI087	62.04	57.89
MA073	135.35	126.32	MD018	89.44	83.47	MI089	69.16	64.55
MA074	135.35	126.32	MD019	80.14	74.79	MI093	65.28	60.93
MA075	135.35	126.32	MD021	101.45	94.69	MI094	57.84	53.98
MA076	125.22	116.88	MD022	119.93	111.95	MI096	69.16	64.55
MA077	125.22	116.88	MD023	89.44	83.47	MI097	69.16	64.55
MA078	125.22	116.88	MD024	119.93	111.95	MI100	69.16	64.55
MA079	135.35	126.32	MD025	89.44	83.47	MI112	57.84	53.98
MA080	125.22	116.88	MD027	89.44	83.47	MI115	65.28	60.93
MA081	125.22	116.88	MD028	70.16	65.47	MI117	57.84	53.98
MA082	125.22	116.88	MD029	95.93	89.53	MI119	57.84	53.98
MA084	125.22	116.88	MD032	89.44	83.47	MI120	60.28	56.27
MA085	125.22	116.88	MD033	89.44	83.47	MI121	62.43	58.27
MA086	125.22	116.88	MD034	89.44	83.47	MI132	57.84	53.98
MA087	125.22	116.88	MD901	119.93	111.95	MI139	69.16	64.55
MA088	125.22	116.88	ME001	68.87	64.28	MI157	69.16	64.55
MA089	135.35	126.32	ME002	68.87	64.28	MI167	66.31	61.89
MA090	135.35	126.32	ME003	109.42	102.14	MI168	66.31	61.89
MA091	135.35	126.32	ME004	68.87	64.28	MI186	57.84	53.98
MA092	135.35	126.32	ME005	78.30	73.07	MI194	66.31	61.89
MA093	135.35	126.32	ME006	83.67	78.08	MI198	65.28	60.93
MA094	123.75	115.51	ME007	78.30	73.07	MI880	66.31	61.89
MA095	135.66	126.63	ME008	72.41	67.57	MI901	69.16	64.55
MA096	123.75	115.51	ME009	79.48	74.19	MN001	95.35	88.99
MA098	135.35	126.32	ME011	96.27	89.84	MN002	95.35	88.99
MA099	135.35	126.32	ME015	109.42	102.14	MN003	70.53	65.83
MA100	125.22	116.88	ME018	79.48	74.19	MN007	70.53	65.83
MA101	135.35	126.32	ME019	87.71	81.84	MN008	65.30	60.95
MA105	125.22	116.88	ME020	109.42	102.14	MN009	65.30	60.95
MA106	125.22	116.88	ME021	79.48	74.19	MN018	65.30	60.95
MA107	125.22	116.88	ME025	68.87	64.28	MN021	78.59	73.35
MA108	125.22	116.88	ME027	70.69	65.99	MN032	65.30	60.95
MA109	135.35	126.32	ME028	96.27	89.84	MN034	65.30	60.95
MA110	135.66	126.63	ME030	72.41	67.57	MN037	65.30	60.95
MA111	135.35	126.32	ME901	67.61	63.09	MN038	72.65	67.80
MA112	135.35	126.32	MI001	69.16	64.55	MN049	65.30	60.95
MA116	135.35	126.32	MI005	69.16	64.55	MN063	70.83	66.11
MA117	135.35	126.32	MI006	59.14	55.20	MN073	70.53	65.83
MA118	135.35	126.32	MI008	69.16	64.55	MN077	71.24	66.50
MA119	135.35	126.32	MI009	59.53	55.56	MN085	65.30	60.95
MA121	135.35	126.32	MI010	60.28	56.27	MN090	65.30	60.95
MA122	135.35	126.32	MI019	57.84	53.98	MN101	95.35	88.99
MA123	125.22	116.88	MI020	57.84	53.98	MN107	65.30	60.95
MA125	135.35	126.32	MI027	69.16	64.55	MN128	65.30	60.95
MA127	125.22	116.88	MI030	57.84	53.98	MN144	95.35	88.99
MA133	135.35	126.32	MI031	65.28	60.93	MN147	95.35	88.99
MA134	135.35	126.32	MI032	60.28	56.27	MN151	78.94	73.70
MA135	135.35	126.32	MI035	62.33	58.18	MN152	95.35	88.99
MA138	135.66	126.63	MI036	57.84	53.98	MN153	65.30	60.95
MA139	125.22	116.88	MI037	69.16	64.55	MN154	65.30	60.95
MA140	135.35	126.32	MI038	59.77	55.79	MN158	78.59	73.35
MA147	135.35	126.32	MI039	69.16	64.55	MN161	68.51	63.94
MA154	135.35	126.32	MI040	69.16	64.55	MN163	95.35	88.99
MA155	135.35	126.32	MI044	69.16	64.55	MN164	78.59	73.35
MA165	135.35	126.32	MI045	69.16	64.55	MN166	65.30	60.95
MA170	121.78	113.67	MI047	57.84	53.98	MN167	70.83	66.11
MA172	125.22	116.88	MI048	69.16	64.55	MN168	68.51	63.94
MA174	135.35	126.32	MI049	57.84	53.98	MN169	65.30	60.95
MA180	135.66	126.63	MI050	57.84	53.98	MN170	95.35	88.99
MA181	135.66	126.63	MI051	69.16	64.55	MN171	67.14	62.65
MA188	125.22	116.88	MI052	69.16	64.55	MN172	72.65	67.80
MA880	135.35	126.32	MI055	69.16	64.55	MN173	65.30	60.95
MA881	135.35	126.32	MI058	66.31	61.89	MN174	65.30	60.95
MA882	125.22	116.88	MI059	69.16	64.55	MN176	65.30	60.95
MA883	135.35	126.32	MI060	62.04	57.89	MN177	65.30	60.95

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
MN178	68.51	63.94	MS058	81.26	75.84	NC164	83.45	77.88
MN179	65.30	60.95	MS095	65.89	61.49	NC165	66.17	61.76
MN180	65.30	60.95	MS103	81.26	75.84	NC166	72.29	67.48
MN182	65.30	60.95	MS107	65.89	61.49	NC167	67.40	62.91
MN184	95.35	88.99	MS128	65.89	61.49	NC173	69.85	65.19
MN188	65.30	60.95	MS301	68.86	64.27	NC175	69.85	65.19
MN190	65.30	60.95	MT001	91.81	85.69	NC901	66.17	61.76
MN191	65.30	60.95	MT002	81.28	75.87	ND001	78.59	73.35
MN192	65.30	60.95	MT003	75.77	70.71	ND002	78.59	73.35
MN193	73.38	68.49	MT004	88.10	82.23	ND003	78.59	73.35
MN197	66.22	61.80	MT006	71.38	66.63	ND009	78.59	73.35
MN200	65.30	60.95	MT015	77.33	72.17	ND010	78.59	73.35
MN203	68.51	63.94	MT033	82.64	77.12	ND011	78.59	73.35
MN212	95.35	88.99	MT036	77.33	72.17	ND012	78.59	73.35
MN216	95.35	88.99	MT901	91.81	85.69	ND013	78.59	73.35
MN219	70.83	66.11	NC001	69.85	65.19	ND014	78.59	73.35
MN220	71.24	66.50	NC002	83.45	77.88	ND015	78.59	73.35
MN801	95.35	88.99	NC003	76.53	71.42	ND016	78.59	73.35
MN802	95.35	88.99	NC004	66.17	61.76	ND017	78.59	73.35
MO001	69.71	65.05	NC006	72.29	67.48	ND019	78.59	73.35
MO002	67.77	63.24	NC007	69.85	65.19	ND021	78.59	73.35
MO003	66.83	62.37	NC008	76.53	71.42	ND022	78.59	73.35
MO004	69.71	65.05	NC009	71.00	66.26	ND025	78.59	73.35
MO006	69.71	65.05	NC011	72.29	67.48	ND026	78.59	73.35
MO007	66.83	62.37	NC012	72.29	67.48	ND030	78.59	73.35
MO008	66.73	62.28	NC013	83.45	77.88	ND031	78.59	73.35
MO009	66.83	62.37	NC014	66.17	61.76	ND035	78.59	73.35
MO010	66.73	62.28	NC015	69.85	65.19	ND036	78.59	73.35
MO014	66.83	62.37	NC018	66.17	61.76	ND037	78.59	73.35
MO016	66.73	62.28	NC019	69.85	65.19	ND038	78.59	73.35
MO017	67.77	63.24	NC020	66.17	61.76	ND039	78.59	73.35
MO030	67.77	63.24	NC021	83.45	77.88	ND044	78.59	73.35
MO037	66.73	62.28	NC022	69.85	65.19	ND049	78.59	73.35
MO040	66.73	62.28	NC025	66.17	61.76	ND052	78.59	73.35
MO053	67.77	63.24	NC032	66.17	61.76	ND054	78.59	73.35
MO058	66.83	62.37	NC035	66.79	62.33	ND055	78.59	73.35
MO064	66.73	62.28	NC039	68.76	64.19	ND070	78.59	73.35
MO065	66.73	62.28	NC050	69.56	64.92	ND901	78.59	73.35
MO072	66.73	62.28	NC056	73.59	68.70	NE001	73.28	68.40
MO074	66.73	62.28	NC057	76.53	71.42	NE002	72.92	68.05
MO107	66.73	62.28	NC059	72.29	67.48	NE003	72.92	68.05
MO129	66.73	62.28	NC065	76.53	71.42	NE004	72.45	67.62
MO133	66.73	62.28	NC070	72.80	67.94	NE010	72.45	67.62
MO145	66.73	62.28	NC071	68.76	64.19	NE041	72.45	67.62
MO149	66.73	62.28	NC072	72.49	67.67	NE078	72.45	67.62
MO188	66.83	62.37	NC075	66.17	61.76	NE083	72.45	67.62
MO190	66.73	62.28	NC077	66.17	61.76	NE094	72.45	67.62
MO193	67.77	63.24	NC081	72.29	67.48	NE100	72.45	67.62
MO196	67.77	63.24	NC087	69.85	65.19	NE104	72.45	67.62
MO197	67.77	63.24	NC089	66.17	61.76	NE114	72.45	67.62
MO198	66.83	62.37	NC098	69.85	65.19	NE120	72.45	67.62
MO199	69.71	65.05	NC102	72.80	67.94	NE123	72.45	67.62
MO200	66.73	62.28	NC104	83.45	77.88	NE141	72.45	67.62
MO203	66.83	62.37	NC118	66.17	61.76	NE150	72.45	67.62
MO204	67.77	63.24	NC120	83.45	77.88	NE153	73.28	68.40
MO205	69.71	65.05	NC134	72.80	67.94	NE157	72.45	67.62
MO206	66.73	62.28	NC137	69.85	65.19	NE174	73.28	68.40
MO207	66.73	62.28	NC138	66.17	61.76	NE175	72.49	67.66
MO209	66.73	62.28	NC139	66.17	61.76	NE179	72.45	67.62
MO210	67.77	63.24	NC140	69.85	65.19	NE181	72.45	67.62
MO212	66.73	62.28	NC141	66.17	61.76	NE182	72.45	67.62
MO213	67.77	63.24	NC144	69.85	65.19	NH001	96.70	90.25
MO215	66.83	62.37	NC145	66.17	61.76	NH002	102.74	95.88
MO216	66.83	62.37	NC146	66.17	61.76	NH003	100.13	93.46
MO217	66.73	62.28	NC147	69.85	65.19	NH004	100.13	93.46
MO227	69.71	65.05	NC149	66.17	61.76	NH005	110.38	103.01
MS004	65.89	61.49	NC150	66.17	61.76	NH006	100.13	93.46
MS005	68.86	64.27	NC151	66.58	62.14	NH007	86.94	81.14
MS006	65.89	61.49	NC152	69.85	65.19	NH008	100.13	93.46
MS016	70.49	65.79	NC155	66.17	61.76	NH009	89.75	83.76
MS019	65.89	61.49	NC159	73.59	68.70	NH010	103.15	96.27
MS030	65.89	61.49	NC160	66.17	61.76	NH011	79.12	73.85
MS040	68.86	64.27	NC161	66.17	61.76	NH012	84.29	78.67
MS057	65.89	61.49	NC163	69.56	64.92	NH013	100.13	93.46

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
NH014	100.13	93.46	NJ109	113.83	106.22	NY071	80.13	74.78
NH015	79.12	73.85	NJ110	116.57	108.80	NY077	131.70	122.93
NH016	79.12	73.85	NJ112	116.57	108.80	NY079	87.05	81.25
NH022	125.22	116.88	NJ113	113.83	106.22	NY084	114.48	106.84
NH888	102.74	95.88	NJ114	116.57	108.80	NY085	131.70	122.93
NH901	102.74	95.88	NJ118	95.93	89.53	NY086	131.70	122.93
NJ002	113.83	106.22	NJ204	95.93	89.53	NY087	65.90	61.50
NJ003	113.83	106.22	NJ212	111.83	104.38	NY088	131.70	122.93
NJ004	97.15	90.67	NJ214	114.11	106.50	NY089	96.79	90.34
NJ006	116.57	108.80	NJ880	114.11	106.50	NY091	79.08	73.82
NJ007	114.11	106.50	NJ881	116.57	108.80	NY094	131.70	122.93
NJ008	114.11	106.50	NJ882	113.83	106.22	NY098	77.46	72.30
NJ009	97.15	90.67	NJ912	113.83	106.22	NY102	84.60	78.97
NJ010	95.93	89.53	NM001	84.81	79.16	NY103	103.55	96.64
NJ011	116.57	108.80	NM002	64.88	60.56	NY107	84.60	78.97
NJ012	97.15	90.67	NM003	67.31	62.82	NY109	77.46	72.30
NJ013	116.57	108.80	NM006	83.84	78.24	NY110	114.48	106.84
NJ014	96.25	89.85	NM009	100.37	93.67	NY113	131.70	122.93
NJ015	97.15	90.67	NM020	65.65	61.27	NY114	114.48	106.84
NJ021	116.57	108.80	NM033	64.88	60.56	NY117	131.70	122.93
NJ022	116.57	108.80	NM039	64.88	60.56	NY121	131.70	122.93
NJ023	113.83	106.22	NM050	100.37	93.67	NY123	131.70	122.93
NJ025	113.83	106.22	NM057	84.81	79.16	NY125	117.67	109.83
NJ026	97.15	90.67	NM061	64.88	60.56	NY127	131.70	122.93
NJ030	97.15	90.67	NM063	65.65	61.27	NY128	131.70	122.93
NJ032	113.83	106.22	NM066	83.47	77.89	NY130	131.70	122.93
NJ033	116.57	108.80	NM067	64.88	60.56	NY132	131.70	122.93
NJ035	116.57	108.80	NM077	84.81	79.16	NY134	117.67	109.83
NJ036	97.15	90.67	NM088	69.19	64.58	NY137	117.67	109.83
NJ037	113.83	106.22	NV001	85.95	80.22	NY138	114.48	106.84
NJ039	113.83	106.22	NV018	96.55	90.12	NY141	131.70	122.93
NJ042	116.57	108.80	NV905	85.95	80.22	NY146	131.70	122.93
NJ043	116.57	108.80	NY001	84.60	78.97	NY147	131.70	122.93
NJ044	116.57	108.80	NY002	79.08	73.82	NY148	114.48	106.84
NJ046	114.11	106.50	NY003	131.70	122.93	NY149	131.70	122.93
NJ047	116.57	108.80	NY005	114.48	106.84	NY152	131.70	122.93
NJ048	114.11	106.50	NY006	77.46	72.30	NY154	131.70	122.93
NJ049	92.53	86.36	NY009	91.94	85.81	NY158	117.67	109.83
NJ050	113.83	106.22	NY012	91.94	85.81	NY159	131.70	122.93
NJ051	95.93	89.53	NY015	91.94	85.81	NY160	114.48	106.84
NJ052	113.83	106.22	NY016	80.23	74.88	NY165	131.70	122.93
NJ054	114.11	106.50	NY017	64.64	60.33	NY402	81.70	76.24
NJ055	116.57	108.80	NY018	68.53	63.96	NY403	61.04	56.97
NJ056	114.11	106.50	NY019	77.46	72.30	NY404	79.08	73.82
NJ058	95.93	89.53	NY020	91.94	85.81	NY405	79.08	73.82
NJ059	96.25	89.85	NY021	74.63	69.66	NY406	96.79	90.34
NJ060	114.11	106.50	NY022	91.94	85.81	NY408	91.94	85.81
NJ061	92.53	86.36	NY023	131.70	122.93	NY409	79.08	73.82
NJ063	92.53	86.36	NY025	91.94	85.81	NY413	78.53	73.30
NJ065	114.11	106.50	NY027	84.60	78.97	NY416	91.94	85.81
NJ066	113.83	106.22	NY028	91.94	85.81	NY417	77.46	72.30
NJ067	116.57	108.80	NY033	91.94	85.81	NY421	91.94	85.81
NJ068	113.83	106.22	NY034	77.46	72.30	NY422	91.94	85.81
NJ070	116.57	108.80	NY035	131.70	122.93	NY424	91.94	85.81
NJ071	116.57	108.80	NY038	131.70	122.93	NY427	91.94	85.81
NJ073	95.93	89.53	NY041	96.79	90.34	NY428	91.94	85.81
NJ074	95.93	89.53	NY042	131.70	122.93	NY430	91.94	85.81
NJ075	116.57	108.80	NY044	96.79	90.34	NY431	91.94	85.81
NJ077	97.15	90.67	NY045	103.55	96.64	NY433	61.31	57.23
NJ081	114.11	106.50	NY048	61.31	57.23	NY443	77.46	72.30
NJ083	97.15	90.67	NY049	117.67	109.83	NY447	91.94	85.81
NJ084	116.57	108.80	NY050	131.70	122.93	NY449	79.08	73.82
NJ086	113.83	106.22	NY051	117.67	109.83	NY501	91.94	85.81
NJ088	113.83	106.22	NY054	90.43	84.41	NY503	91.94	85.81
NJ089	116.57	108.80	NY057	131.70	122.93	NY504	84.60	78.97
NJ090	116.57	108.80	NY059	77.46	72.30	NY505	80.23	74.88
NJ092	113.83	106.22	NY060	78.53	73.30	NY512	91.94	85.81
NJ095	114.11	106.50	NY061	70.78	66.07	NY513	91.94	85.81
NJ097	116.57	108.80	NY062	117.67	109.83	NY516	91.94	85.81
NJ099	113.83	106.22	NY065	71.71	66.94	NY519	91.94	85.81
NJ102	113.83	106.22	NY066	72.26	67.46	NY521	84.60	78.97
NJ105	113.83	106.22	NY067	68.40	63.83	NY527	84.60	78.97
NJ106	116.57	108.80	NY068	67.01	62.54	NY529	103.55	96.64
NJ108	113.83	106.22	NY070	79.08	73.82	NY530	78.53	73.30

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
NY532	91.94	85.81	OH070	71.57	66.79	PA016	72.95	68.09
NY534	77.46	72.30	OH071	75.00	70.00	PA017	66.95	62.48
NY535	91.94	85.81	OH072	62.74	58.56	PA018	66.95	62.48
NY538	91.94	85.81	OH073	75.46	70.42	PA019	68.70	64.12
NY541	67.01	62.54	OH074	64.50	60.20	PA020	75.42	70.40
NY552	77.46	72.30	OH075	62.74	58.56	PA021	68.70	64.12
NY557	91.94	85.81	OH076	62.74	58.56	PA022	76.75	71.62
NY561	91.94	85.81	OH077	62.74	58.56	PA023	95.93	89.53
NY562	91.94	85.81	OH078	62.74	58.56	PA024	81.70	76.24
NY564	91.94	85.81	OH079	71.57	66.79	PA026	66.98	62.51
NY630	91.94	85.81	OH080	64.27	59.98	PA027	63.48	59.24
NY888	131.70	122.93	OH081	63.94	59.68	PA028	87.13	81.33
NY889	64.64	60.33	OH082	62.90	58.69	PA029	68.58	64.00
NY891	131.70	122.93	OH083	71.57	66.79	PA030	64.90	60.57
NY895	131.70	122.93	OH085	75.00	70.00	PA031	70.75	66.03
NY904	114.48	106.84	OH086	62.74	58.56	PA032	68.28	63.72
NY912	79.08	73.82	OH882	75.46	70.42	PA033	66.98	62.51
OH001	71.57	66.79	OK002	70.47	65.77	PA034	73.00	68.12
OH002	65.00	60.66	OK005	68.54	63.97	PA035	83.61	78.04
OH003	75.46	70.42	OK006	67.37	62.88	PA036	84.92	79.26
OH004	73.07	68.19	OK024	67.37	62.88	PA037	72.95	68.09
OH005	66.65	62.21	OK027	67.37	62.88	PA038	64.90	60.57
OH006	75.00	70.00	OK032	67.37	62.88	PA039	78.64	73.40
OH007	74.22	69.28	OK033	68.54	63.97	PA040	65.52	61.14
OH008	65.00	60.66	OK044	67.37	62.88	PA041	66.83	62.37
OH009	62.74	58.56	OK062	67.37	62.88	PA042	64.90	60.57
OH010	62.74	58.56	OK067	67.37	62.88	PA043	64.90	60.57
OH012	75.46	70.42	OK073	68.54	63.97	PA044	64.90	60.57
OH014	65.44	61.07	OK095	69.26	64.64	PA045	67.56	63.05
OH015	73.07	68.19	OK096	67.37	62.88	PA046	95.93	89.53
OH016	63.94	59.68	OK099	67.37	62.88	PA047	64.90	60.57
OH018	63.94	59.68	OK111	67.37	62.88	PA048	78.50	73.26
OH019	65.11	60.77	OK118	67.37	62.88	PA050	65.21	60.87
OH020	63.71	59.46	OK139	70.47	65.77	PA051	95.93	89.53
OH021	66.65	62.21	OK142	68.54	63.97	PA052	83.61	78.04
OH022	66.65	62.21	OK146	67.37	62.88	PA053	67.56	63.05
OH024	62.74	58.56	OK148	69.26	64.64	PA054	66.11	61.69
OH025	75.46	70.42	OK901	70.47	65.77	PA055	67.56	63.05
OH026	63.78	59.52	OR001	91.00	84.92	PA056	64.65	60.33
OH027	75.46	70.42	OR002	91.00	84.92	PA057	64.90	60.57
OH028	66.81	62.36	OR003	91.08	85.02	PA058	66.98	62.51
OH029	74.04	69.09	OR005	84.77	79.13	PA059	64.65	60.33
OH030	62.74	58.56	OR006	104.58	97.60	PA060	67.56	63.05
OH031	74.22	69.28	OR007	87.15	81.34	PA061	67.56	63.05
OH032	62.74	58.56	OR008	97.70	91.18	PA063	67.56	63.05
OH033	62.74	58.56	OR011	97.70	91.18	PA064	65.21	60.87
OH034	62.74	58.56	OR014	97.70	91.18	PA065	67.56	63.05
OH035	62.74	58.56	OR015	103.89	96.96	PA067	81.70	76.24
OH036	63.03	58.83	OR016	91.00	84.92	PA068	65.21	60.87
OH037	62.74	58.56	OR017	83.19	77.65	PA069	70.75	66.03
OH038	73.07	68.19	OR019	92.38	86.21	PA071	79.67	74.35
OH039	62.74	58.56	OR020	91.08	85.02	PA073	64.90	60.57
OH040	62.74	58.56	OR022	91.00	84.92	PA074	65.21	60.87
OH041	62.74	58.56	OR026	92.20	86.05	PA075	83.61	78.04
OH042	75.46	70.42	OR027	83.19	77.65	PA076	81.70	76.24
OH043	71.57	66.79	OR028	91.00	84.92	PA077	66.11	61.69
OH044	65.00	60.66	OR031	94.65	88.35	PA078	105.91	98.85
OH045	62.74	58.56	OR032	87.15	81.34	PA079	66.98	62.51
OH046	62.74	58.56	OR034	100.45	93.75	PA080	66.11	61.69
OH047	62.74	58.56	PA001	66.95	62.48	PA081	81.70	76.24
OH049	73.07	68.19	PA002	95.93	89.53	PA082	76.45	71.36
OH050	62.74	58.56	PA003	64.90	60.57	PA083	65.47	61.10
OH053	62.74	58.56	PA004	81.70	76.24	PA085	63.48	59.24
OH054	65.38	61.02	PA005	66.95	62.48	PA086	64.65	60.33
OH056	62.74	58.56	PA006	66.95	62.48	PA087	81.27	75.85
OH058	62.74	58.56	PA007	95.93	89.53	PA088	91.07	84.99
OH059	71.57	66.79	PA008	83.61	78.04	PA090	84.92	79.26
OH060	62.74	58.56	PA009	79.67	74.35	PA091	77.42	72.25
OH061	64.19	59.91	PA010	66.95	62.48	PA092	65.37	61.01
OH062	66.65	62.21	PA011	81.70	76.24	RI001	121.78	113.67
OH063	62.74	58.56	PA012	95.93	89.53	RI002	121.78	113.67
OH066	62.74	58.56	PA013	81.27	75.85	RI003	121.78	113.67
OH067	62.74	58.56	PA014	66.95	62.48	RI004	121.78	113.67
OH069	62.74	58.56	PA015	66.95	62.48	RI005	114.43	106.79

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
RI006	121.78	113.67	RQ059	74.42	69.46	SD058	70.12	65.45
RI007	121.78	113.67	RQ060	74.42	69.46	SD059	70.12	65.45
RI008	104.16	97.21	RQ061	74.42	69.46	TN001	70.49	65.79
RI009	121.78	113.67	RQ062	74.42	69.46	TN002	65.82	61.43
RI010	121.78	113.67	RQ063	79.99	74.65	TN003	65.82	61.43
RI011	121.78	113.67	RQ064	79.99	74.65	TN004	71.45	66.69
RI012	121.78	113.67	RQ065	74.42	69.46	TN005	78.12	72.91
RI014	121.78	113.67	RQ066	74.42	69.46	TN006	65.82	61.43
RI015	121.78	113.67	RQ067	74.42	69.46	TN007	65.82	61.43
RI016	121.78	113.67	RQ068	74.42	69.46	TN012	65.82	61.43
RI017	121.78	113.67	RQ069	74.42	69.46	TN013	65.82	61.43
RI018	121.78	113.67	RQ070	79.99	74.65	TN020	78.12	72.91
RI019	121.78	113.67	RQ071	74.42	69.46	TN024	65.82	61.43
RI020	121.78	113.67	RQ072	79.99	74.65	TN026	65.82	61.43
RI022	121.78	113.67	RQ073	74.42	69.46	TN035	78.12	72.91
RI024	121.78	113.67	RQ074	74.42	69.46	TN038	65.82	61.43
RI026	121.78	113.67	RQ075	79.99	74.65	TN042	65.82	61.43
RI027	121.78	113.67	RQ077	79.99	74.65	TN054	65.82	61.43
RI028	121.78	113.67	RQ080	74.42	69.46	TN062	65.82	61.43
RI029	121.78	113.67	RQ081	79.99	74.65	TN065	65.82	61.43
RI901	121.78	113.67	RQ082	79.99	74.65	TN066	65.82	61.43
RQ005	79.99	74.65	RQ083	79.99	74.65	TN076	65.82	61.43
RQ006	79.99	74.65	SC001	74.99	69.99	TN079	78.12	72.91
RQ007	74.42	69.46	SC002	75.80	70.74	TN088	65.82	61.43
RQ008	79.99	74.65	SC003	69.19	64.58	TN113	65.82	61.43
RQ009	74.42	69.46	SC004	69.19	64.58	TN117	71.45	66.69
RQ010	74.42	69.46	SC005	69.19	64.58	TN903	78.12	72.91
RQ011	79.99	74.65	SC007	73.06	68.19	TQ901	122.03	113.90
RQ012	74.42	69.46	SC008	69.19	64.58	TX001	87.93	82.08
RQ013	79.99	74.65	SC015	66.75	62.30	TX003	74.71	69.72
RQ014	79.99	74.65	SC016	69.19	64.58	TX004	84.01	78.41
RQ015	79.99	74.65	SC018	69.19	64.58	TX005	79.76	74.45
RQ016	79.99	74.65	SC019	69.19	64.58	TX006	77.30	72.16
RQ017	74.42	69.46	SC020	69.19	64.58	TX007	68.54	63.97
RQ018	74.42	69.46	SC021	66.75	62.30	TX008	78.81	73.55
RQ019	79.99	74.65	SC022	76.53	71.42	TX009	90.16	84.16
RQ020	81.73	76.28	SC023	69.19	64.58	TX010	67.59	63.08
RQ021	79.99	74.65	SC024	74.99	69.99	TX011	67.59	63.08
RQ022	79.99	74.65	SC025	69.19	64.58	TX012	79.76	74.45
RQ023	79.99	74.65	SC026	70.61	65.89	TX014	67.59	63.08
RQ024	79.99	74.65	SC027	69.19	64.58	TX016	64.91	60.58
RQ025	79.99	74.65	SC028	66.75	62.30	TX017	79.76	74.45
RQ026	74.42	69.46	SC029	69.19	64.58	TX018	67.59	63.08
RQ027	79.99	74.65	SC030	66.75	62.30	TX019	64.91	60.58
RQ028	79.99	74.65	SC031	66.75	62.30	TX021	64.91	60.58
RQ029	74.42	69.46	SC032	69.19	64.58	TX023	77.23	72.08
RQ030	74.42	69.46	SC033	66.75	62.30	TX025	68.54	63.97
RQ031	74.42	69.46	SC034	69.19	64.58	TX027	90.16	84.16
RQ032	79.99	74.65	SC035	66.75	62.30	TX028	67.76	63.23
RQ033	74.42	69.46	SC036	76.53	71.42	TX029	67.76	63.23
RQ034	79.99	74.65	SC037	69.19	64.58	TX030	67.59	63.08
RQ035	74.42	69.46	SC046	76.53	71.42	TX031	87.93	82.08
RQ036	79.99	74.65	SC056	74.99	69.99	TX032	79.76	74.45
RQ037	74.42	69.46	SC057	74.99	69.99	TX034	77.23	72.08
RQ038	79.99	74.65	SC059	66.75	62.30	TX035	65.07	60.72
RQ039	81.73	76.28	SC911	75.80	70.74	TX037	77.23	72.08
RQ040	81.73	76.28	SD010	70.38	65.68	TX039	64.91	60.58
RQ041	74.42	69.46	SD011	70.12	65.45	TX042	64.91	60.58
RQ042	74.42	69.46	SD014	70.12	65.45	TX044	64.91	60.58
RQ043	74.42	69.46	SD016	70.38	65.68	TX046	67.76	63.23
RQ044	79.99	74.65	SD021	70.12	65.45	TX048	64.91	60.58
RQ045	79.99	74.65	SD026	70.12	65.45	TX049	64.91	60.58
RQ046	74.42	69.46	SD034	70.12	65.45	TX051	67.76	63.23
RQ047	79.99	74.65	SD035	76.19	71.10	TX062	67.76	63.23
RQ048	74.42	69.46	SD036	70.12	65.45	TX064	67.76	63.23
RQ049	79.99	74.65	SD037	70.12	65.45	TX065	68.54	63.97
RQ050	79.99	74.65	SD039	70.38	65.68	TX072	64.91	60.58
RQ052	74.42	69.46	SD043	70.12	65.45	TX073	67.76	63.23
RQ053	79.99	74.65	SD045	70.12	65.45	TX075	64.91	60.58
RQ054	79.99	74.65	SD047	70.12	65.45	TX079	67.59	63.08
RQ055	74.42	69.46	SD048	70.12	65.45	TX085	93.66	87.40
RQ056	79.99	74.65	SD055	70.12	65.45	TX087	87.93	82.08
RQ057	74.42	69.46	SD056	70.12	65.45	TX095	90.16	84.16
RQ058	74.42	69.46	SD057	70.12	65.45	TX096	64.91	60.58

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
TX105	64.91	60.58	TX449	64.91	60.58	VA015	58.96	55.03
TX111	69.17	64.56	TX452	77.30	72.16	VA016	82.51	77.00
TX114	64.91	60.58	TX454	64.91	60.58	VA017	81.34	75.92
TX128	90.16	84.16	TX455	86.86	81.07	VA018	58.96	55.03
TX134	64.91	60.58	TX456	77.07	71.93	VA019	119.93	111.95
TX137	67.59	63.08	TX457	72.79	67.94	VA020	73.79	68.86
TX147	64.91	60.58	TX458	67.59	63.08	VA021	58.96	55.03
TX152	64.91	60.58	TX459	75.80	70.75	VA022	59.70	55.71
TX158	67.59	63.08	TX461	69.05	64.46	VA023	59.70	55.71
TX163	78.81	73.55	TX470	67.59	63.08	VA024	58.96	55.03
TX164	78.81	73.55	TX472	67.59	63.08	VA025	81.34	75.92
TX173	68.54	63.97	TX480	87.93	82.08	VA028	119.93	111.95
TX174	78.81	73.55	TX481	67.59	63.08	VA030	58.96	55.03
TX175	64.91	60.58	TX482	67.59	63.08	VA031	65.82	61.43
TX177	67.76	63.23	TX483	79.76	74.45	VA032	65.82	61.43
TX178	64.91	60.58	TX484	86.14	80.39	VA034	58.96	55.03
TX183	64.91	60.58	TX485	64.91	60.58	VA035	119.93	111.95
TX189	64.91	60.58	TX486	65.98	61.57	VA036	82.51	77.00
TX193	77.30	72.16	TX488	64.91	60.58	VA037	59.11	55.16
TX197	67.59	63.08	TX493	90.16	84.16	VA038	58.96	55.03
TX201	64.91	60.58	TX495	84.01	78.41	VA039	81.34	75.92
TX202	67.76	63.23	TX497	67.76	63.23	VA040	58.96	55.03
TX206	68.54	63.97	TX498	69.17	64.56	VA041	81.34	75.92
TX208	67.59	63.08	TX499	67.59	63.08	VA042	65.82	61.43
TX210	67.59	63.08	TX500	64.91	60.58	VA044	59.67	55.69
TX217	64.91	60.58	TX505	79.76	74.45	VA046	119.93	111.95
TX224	67.76	63.23	TX509	68.54	63.97	VA901	73.79	68.86
TX236	67.59	63.08	TX511	64.91	60.58	VQ901	105.65	98.62
TX242	64.91	60.58	TX512	64.91	60.58	VT001	102.01	95.21
TX257	67.59	63.08	TX514	67.59	63.08	VT002	86.92	81.13
TX259	87.93	82.08	TX516	64.91	60.58	VT003	89.91	83.92
TX264	87.93	82.08	TX519	64.91	60.58	VT004	89.02	83.08
TX266	87.93	82.08	TX522	90.16	84.16	VT005	83.34	77.78
TX272	64.91	60.58	TX523	69.17	64.56	VT006	102.01	95.21
TX284	64.91	60.58	TX526	90.33	84.31	VT008	83.34	77.78
TX298	64.91	60.58	TX534	86.86	81.07	VT009	84.24	78.62
TX300	64.91	60.58	TX535	64.91	60.58	VT901	102.01	95.21
TX302	78.81	73.55	TX537	64.91	60.58	WA001	112.57	105.04
TX303	77.30	72.16	TX542	67.59	63.08	WA002	112.57	105.04
TX309	64.91	60.58	TX546	67.59	63.08	WA003	99.42	92.80
TX313	78.81	73.55	TX559	90.16	84.16	WA004	93.15	86.93
TX322	87.93	82.08	TX560	79.76	74.45	WA005	95.58	89.23
TX327	67.59	63.08	TX901	79.76	74.45	WA006	112.57	105.04
TX330	64.91	60.58	UT002	77.32	72.16	WA007	76.64	71.53
TX332	64.91	60.58	UT003	77.32	72.16	WA008	91.00	84.92
TX335	64.91	60.58	UT004	77.32	72.16	WA011	112.57	105.04
TX341	75.80	70.75	UT006	80.28	74.92	WA012	86.84	81.04
TX343	77.30	72.16	UT007	77.32	72.16	WA013	86.44	80.67
TX349	84.01	78.41	UT009	77.32	72.16	WA014	71.83	67.04
TX350	77.30	72.16	UT011	77.32	72.16	WA017	71.83	67.04
TX358	64.91	60.58	UT014	91.32	85.22	WA018	93.15	86.93
TX372	64.91	60.58	UT015	91.32	85.22	WA020	76.64	71.53
TX376	64.91	60.58	UT016	91.32	85.22	WA021	86.84	81.04
TX377	87.93	82.08	UT020	77.32	72.16	WA024	109.44	102.13
TX378	65.07	60.72	UT021	79.62	74.33	WA025	106.86	99.72
TX381	64.91	60.58	UT022	77.32	72.16	WA036	99.42	92.80
TX392	90.16	84.16	UT025	77.32	72.16	WA039	112.57	105.04
TX395	67.06	62.59	UT026	77.32	72.16	WA042	90.29	84.26
TX396	64.91	60.58	UT028	91.32	85.22	WA049	102.72	95.86
TX397	64.91	60.58	UT029	91.32	85.22	WA054	95.58	89.23
TX421	64.91	60.58	UT030	77.32	72.16	WA055	86.47	80.71
TX431	84.01	78.41	UT031	80.28	74.92	WA057	93.87	87.61
TX432	74.71	69.72	VA001	81.34	75.92	WA061	97.70	91.18
TX433	84.01	78.41	VA002	65.82	61.43	WA064	88.91	82.97
TX434	90.16	84.16	VA003	81.34	75.92	WA071	78.72	73.46
TX435	90.16	84.16	VA004	119.93	111.95	WI001	70.53	65.83
TX436	90.16	84.16	VA005	73.79	68.86	WI002	69.05	64.46
TX439	74.71	69.72	VA006	81.34	75.92	WI003	76.86	71.74
TX440	79.76	74.45	VA007	73.79	68.86	WI006	66.07	61.67
TX441	79.76	74.45	VA010	62.67	58.50	WI011	58.70	54.78
TX444	67.59	63.08	VA011	64.94	60.60	WI020	95.35	88.99
TX445	67.76	63.23	VA012	81.34	75.92	WI031	57.77	53.92
TX447	67.76	63.23	VA013	65.67	61.29	WI043	58.15	54.28
TX448	67.76	63.23	VA014	65.67	61.29	WI045	57.75	53.90

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
WI047	57.77	53.92	AL006	66.03	61.63	AR059	61.94	57.81
WI048	57.75	53.90	AL007	66.03	61.63	AR066	61.94	57.81
WI060	95.35	88.99	AL008	64.77	60.46	AR068	61.94	57.81
WI064	64.08	59.81	AL011	64.77	60.46	AR082	61.94	57.81
WI065	58.15	54.28	AL012	66.03	61.63	AR104	64.40	60.11
WI068	58.70	54.78	AL014	64.77	60.46	AR117	61.94	57.81
WI069	58.70	54.78	AL047	67.98	63.46	AR121	61.94	57.81
WI070	57.75	53.90	AL048	66.03	61.63	AR131	64.40	60.11
WI083	69.05	64.46	AL049	66.03	61.63	AR135	61.94	57.81
WI085	57.75	53.90	AL050	66.03	61.63	AR152	61.94	57.81
WI091	57.77	53.92	AL052	64.77	60.46	AR161	61.94	57.81
WI096	57.75	53.90	AL053	64.77	60.46	AR163	64.40	60.11
WI127	57.75	53.90	AL054	66.03	61.63	AR166	61.94	57.81
WI131	57.75	53.90	AL060	64.77	60.46	AR170	70.26	65.58
WI142	69.05	64.46	AL061	66.03	61.63	AR175	70.26	65.58
WI160	57.75	53.90	AL063	66.91	62.45	AR176	61.94	57.81
WI166	57.75	53.90	AL068	66.03	61.63	AR177	61.94	57.81
WI183	63.09	58.87	AL069	66.91	62.45	AR181	64.40	60.11
WI186	57.89	54.02	AL072	66.91	62.45	AR194	64.40	60.11
WI193	57.77	53.92	AL073	64.94	60.60	AR197	61.94	57.81
WI195	71.41	66.64	AL075	64.77	60.46	AR200	61.94	57.81
WI201	69.05	64.46	AL077	66.03	61.63	AR210	61.94	57.81
WI203	64.08	59.81	AL086	66.91	62.45	AR211	61.94	57.81
WI204	58.70	54.78	AL090	64.77	60.46	AR213	61.94	57.81
WI205	57.75	53.90	AL091	64.77	60.46	AR214	61.94	57.81
WI206	57.75	53.90	AL099	64.77	60.46	AR215	61.94	57.81
WI208	57.75	53.90	AL105	64.77	60.46	AR219	70.26	65.58
WI213	58.15	54.28	AL107	64.77	60.46	AR223	61.94	57.81
WI214	76.86	71.74	AL112	64.77	60.46	AR224	61.94	57.81
WI218	69.05	64.46	AL114	64.77	60.46	AR225	61.94	57.81
WI219	64.08	59.81	AL115	64.77	60.46	AR232	64.40	60.11
WI221	57.75	53.90	AL116	64.77	60.46	AR240	61.94	57.81
WI222	57.75	53.90	AL118	64.77	60.46	AR241	64.75	60.43
WI231	57.75	53.90	AL121	64.77	60.46	AR247	61.94	57.81
WI233	57.75	53.90	AL124	64.94	60.60	AR252	70.26	65.58
WI237	58.83	54.91	AL125	66.91	62.45	AR257	61.94	57.81
WI241	57.75	53.90	AL129	66.03	61.63	AR264	67.53	63.03
WI244	63.40	59.17	AL131	66.03	61.63	AR265	61.94	57.81
WI245	57.75	53.90	AL138	66.03	61.63	AR266	61.94	57.81
WI246	58.41	54.50	AL139	66.03	61.63	AZ001	71.74	66.95
WI248	57.77	53.92	AL152	66.03	61.63	AZ003	71.74	66.95
WI256	57.75	53.90	AL154	64.77	60.46	AZ004	70.92	66.19
WI901	57.77	53.92	AL155	64.77	60.46	AZ005	71.74	66.95
WV001	78.98	73.71	AL160	64.77	60.46	AZ006	78.44	73.22
WV003	63.71	59.46	AL165	68.95	64.36	AZ008	57.11	53.30
WV004	65.11	60.77	AL169	67.96	63.44	AZ009	71.74	66.95
WV005	62.50	58.33	AL171	64.77	60.46	AZ010	71.74	66.95
WV006	65.83	61.43	AL172	66.03	61.63	AZ013	79.70	74.39
WV009	66.52	62.09	AL174	64.77	60.46	AZ021	71.74	66.95
WV010	67.43	62.93	AL177	64.77	60.46	AZ023	60.18	56.16
WV015	62.50	58.33	AL181	64.77	60.46	AZ025	70.92	66.19
WV016	65.44	61.07	AL192	64.77	60.46	AZ028	71.74	66.95
WV017	60.70	56.65	AL202	67.96	63.44	AZ031	71.74	66.95
WV018	60.70	56.65	AR002	70.26	65.58	AZ032	71.74	66.95
WV027	61.97	57.85	AR003	64.40	60.11	AZ033	70.92	66.19
WV034	60.70	56.65	AR004	70.26	65.58	AZ034	58.94	55.01
WV035	61.97	57.85	AR006	70.26	65.58	AZ035	79.70	74.39
WV037	65.11	60.77	AR010	61.94	57.81	AZ037	58.94	55.01
WV039	62.50	58.33	AR012	61.94	57.81	AZ041	78.44	73.22
WV042	62.50	58.33	AR015	63.99	59.72	AZ043	96.06	89.66
WV045	60.70	56.65	AR016	61.94	57.81	AZ045	59.18	55.23
WY002	87.27	81.47	AR017	64.40	60.11	AZ880	71.74	66.95
WY003	71.11	66.37	AR020	61.94	57.81	AZ901	78.44	73.22
WY004	105.15	98.15	AR024	67.53	63.03	CA001	124.34	116.06
WY013	71.11	66.37	AR031	64.40	60.11	CA002	124.34	116.06
			AR033	61.94	57.81	CA003	124.34	116.06
			AR034	64.40	60.11	CA004	124.34	116.06
			AR035	61.94	57.81	CA005	94.43	88.13
			AR037	61.94	57.81	CA006	86.64	80.85
			AR039	61.94	57.81	CA007	94.43	88.13
AK901	98.76	92.18	AR041	70.26	65.58	CA008	94.75	88.44
AL001	66.91	62.45	AR042	64.40	60.11	CA010	124.34	116.06
AL002	67.96	63.44	AR045	61.94	57.81	CA011	124.34	116.06
AL004	66.03	61.63	AR052	61.94	57.81	CA014	124.34	116.06
AL005	68.81	64.22						

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
CA019	99.19	92.59	CA143	90.15	84.14	CT047	82.46	76.96
CA021	121.41	113.30	CA144	82.57	77.07	CT048	91.63	85.51
CA022	99.19	92.59	CA149	94.43	88.13	CT049	91.63	85.51
CA023	81.40	75.99	CA151	94.43	88.13	CT051	91.63	85.51
CA024	90.60	84.57	CA155	111.17	103.75	CT052	97.21	90.74
CA026	91.24	85.15	CO001	75.37	70.35	CT053	91.63	85.51
CA027	99.19	92.59	CO002	69.62	64.97	CT058	81.77	76.32
CA028	86.64	80.85	CO005	78.46	73.23	CT061	81.77	76.32
CA030	80.79	75.41	CO006	67.16	62.68	CT063	101.00	94.26
CA031	124.34	116.06	CO016	85.53	79.82	CT067	101.00	94.26
CA032	124.34	116.06	CO019	75.37	70.35	CT068	91.63	85.51
CA033	107.12	99.97	CO024	67.16	62.68	CT901	91.63	85.51
CA035	124.34	116.06	CO028	70.31	65.62	DC001	114.69	107.05
CA039	90.15	84.14	CO031	67.16	62.68	DC880	114.69	107.05
CA041	107.94	100.74	CO034	81.04	75.65	DE001	90.84	84.79
CA043	83.26	77.70	CO035	69.88	65.23	DE002	79.68	74.37
CA044	94.43	88.13	CO036	75.37	70.35	DE003	90.84	84.79
CA048	71.45	66.69	CO040	103.71	96.81	DE005	90.84	84.79
CA052	124.34	116.06	CO041	81.04	75.65	DE901	79.68	74.37
CA053	78.19	72.98	CO043	78.46	73.23	FL001	73.57	68.67
CA055	107.94	100.74	CO045	67.16	62.68	FL002	77.67	72.49
CA056	124.34	116.06	CO048	75.37	70.35	FL003	77.67	72.49
CA058	124.34	116.06	CO049	75.37	70.35	FL004	81.13	75.71
CA059	124.34	116.06	CO050	75.37	70.35	FL005	105.40	98.39
CA060	124.34	116.06	CO051	88.17	82.29	FL007	77.87	72.68
CA061	82.57	77.07	CO052	75.37	70.35	FL008	85.25	79.56
CA062	124.34	116.06	CO057	75.37	70.35	FL009	82.31	76.82
CA063	111.17	103.75	CO058	75.37	70.35	FL010	98.69	92.11
CA064	107.63	100.46	CO061	85.53	79.82	FL011	64.65	60.34
CA065	107.94	100.74	CO070	85.53	79.82	FL013	106.69	99.60
CA066	107.94	100.74	CO071	70.31	65.62	FL015	69.13	64.52
CA067	124.34	116.06	CO072	75.37	70.35	FL017	105.40	98.39
CA068	124.34	116.06	CO079	78.46	73.23	FL018	63.15	58.94
CA069	86.64	80.85	CO087	103.71	96.81	FL019	74.89	69.91
CA070	75.57	70.53	CO090	69.88	65.23	FL020	74.89	69.91
CA071	124.34	116.06	CO095	99.17	92.56	FL021	82.31	76.82
CA072	124.34	116.06	CO101	67.16	62.68	FL022	77.87	72.68
CA073	107.94	100.74	CO103	81.04	75.65	FL023	85.25	79.56
CA074	124.34	116.06	CO888	69.62	64.97	FL024	77.87	72.68
CA075	124.34	116.06	CO911	75.37	70.35	FL025	74.89	69.91
CA076	121.41	113.30	CO921	75.37	70.35	FL026	64.65	60.34
CA077	111.17	103.75	CT001	97.21	90.74	FL028	98.69	92.11
CA079	124.34	116.06	CT002	104.20	97.26	FL030	77.87	72.68
CA082	124.34	116.06	CT003	91.63	85.51	FL031	62.05	57.92
CA084	88.99	83.06	CT004	101.00	94.26	FL032	63.66	59.41
CA085	121.27	113.19	CT005	91.63	85.51	FL033	81.13	75.71
CA086	85.06	79.38	CT006	82.46	76.96	FL034	77.67	72.49
CA088	121.27	113.19	CT007	104.20	97.26	FL035	63.15	58.94
CA092	124.34	116.06	CT008	91.63	85.51	FL037	73.57	68.67
CA093	124.34	116.06	CT009	91.63	85.51	FL041	82.75	77.24
CA094	124.34	116.06	CT010	81.77	76.32	FL045	82.75	77.24
CA096	86.64	80.85	CT011	101.00	94.26	FL046	63.15	58.94
CA102	124.34	116.06	CT013	91.63	85.51	FL047	81.66	76.23
CA103	124.34	116.06	CT015	97.21	90.74	FL049	62.05	57.92
CA104	124.34	116.06	CT017	97.21	90.74	FL053	63.66	59.41
CA105	124.34	116.06	CT018	89.95	83.95	FL057	62.05	57.92
CA106	86.64	80.85	CT019	104.20	97.26	FL060	79.52	74.22
CA108	111.17	103.75	CT020	104.20	97.26	FL062	77.67	72.49
CA110	124.34	116.06	CT023	91.63	85.51	FL063	69.80	65.15
CA111	124.34	116.06	CT024	81.77	76.32	FL066	105.40	98.39
CA114	124.34	116.06	CT026	91.63	85.51	FL068	105.40	98.39
CA116	111.17	103.75	CT027	97.21	90.74	FL069	63.15	58.94
CA117	124.34	116.06	CT028	91.63	85.51	FL070	69.80	65.15
CA118	124.34	116.06	CT029	101.00	94.26	FL071	64.65	60.34
CA119	124.34	116.06	CT030	97.21	90.74	FL072	77.87	72.68
CA120	124.34	116.06	CT031	81.77	76.32	FL073	69.13	64.52
CA121	124.34	116.06	CT032	91.63	85.51	FL075	77.67	72.49
CA123	124.34	116.06	CT033	91.63	85.51	FL079	98.69	92.11
CA125	107.94	100.74	CT036	91.63	85.51	FL080	82.31	76.82
CA126	124.34	116.06	CT038	91.63	85.51	FL081	98.69	92.11
CA128	94.43	88.13	CT039	91.63	85.51	FL083	82.31	76.82
CA131	107.94	100.74	CT040	91.63	85.51	FL092	63.66	59.41
CA132	111.17	103.75	CT041	91.63	85.51	FL093	81.13	75.71
CA136	124.34	116.06	CT042	101.00	94.26	FL102	63.15	58.94

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
FL104	77.67	72.49	IA114	65.95	61.55	IL101	95.61	89.22
FL105	85.25	79.56	IA117	69.61	64.97	IL103	95.61	89.22
FL106	81.13	75.71	IA119	65.95	61.55	IL104	75.49	70.46
FL109	62.05	57.92	IA120	78.77	73.53	IL107	95.61	89.22
FL110	63.15	58.94	IA122	65.95	61.55	IL116	95.61	89.22
FL113	77.87	72.68	IA124	65.95	61.55	IL117	67.14	62.67
FL116	98.69	92.11	IA125	65.95	61.55	IL120	60.83	56.78
FL119	82.31	76.82	IA126	72.21	67.40	IL122	68.66	64.08
FL123	78.29	73.07	IA127	65.95	61.55	IL123	60.83	56.78
FL128	81.66	76.23	IA128	65.95	61.55	IL124	75.49	70.46
FL132	82.44	76.97	IA129	65.95	61.55	IL126	61.14	57.07
FL136	98.69	92.11	IA130	65.95	61.55	IL130	95.61	89.22
FL137	77.67	72.49	IA131	78.77	73.53	IL131	72.21	67.40
FL139	64.65	60.34	IA132	76.56	71.45	IL136	95.61	89.22
FL141	84.98	79.31	IA136	65.95	61.55	IL137	96.43	89.99
FL144	106.69	99.60	ID005	67.21	62.73	IL901	95.61	89.22
FL145	105.40	98.39	ID013	83.52	77.95	IN002	52.23	48.75
FL147	63.15	58.94	ID016	83.52	77.95	IN003	58.21	54.34
FL201	81.13	75.71	ID021	83.52	77.95	IN004	54.22	50.61
FL202	62.05	57.92	ID901	69.57	64.92	IN005	54.22	50.61
FL881	105.40	98.39	IL002	95.61	89.22	IN006	64.36	60.07
FL888	77.67	72.49	IL003	75.49	70.46	IN007	56.62	52.85
GA001	68.81	64.22	IL004	68.80	64.21	IN009	52.23	48.75
GA002	68.81	64.22	IL006	67.38	62.89	IN010	71.06	66.33
GA004	68.81	64.22	IL009	72.21	67.40	IN011	71.06	66.33
GA006	83.89	78.29	IL010	72.21	67.40	IN012	61.41	57.32
GA007	68.81	64.22	IL011	61.14	57.07	IN015	57.30	53.48
GA009	68.81	64.22	IL012	65.10	60.76	IN016	56.26	52.51
GA010	83.89	78.29	IL014	72.77	67.92	IN017	64.36	60.07
GA011	83.89	78.29	IL015	66.03	61.62	IN018	52.23	48.75
GA023	68.81	64.22	IL016	60.83	56.78	IN019	56.13	52.38
GA062	65.31	60.96	IL018	72.21	67.40	IN020	57.30	53.48
GA078	83.89	78.29	IL020	72.21	67.40	IN021	54.22	50.61
GA095	83.89	78.29	IL022	68.66	64.08	IN022	57.68	53.85
GA116	83.89	78.29	IL024	95.61	89.22	IN023	61.41	57.32
GA188	83.89	78.29	IL025	95.61	89.22	IN025	61.41	57.32
GA228	83.89	78.29	IL026	95.61	89.22	IN026	56.25	52.50
GA232	83.89	78.29	IL028	68.80	64.21	IN029	71.06	66.33
GA237	83.89	78.29	IL030	66.03	61.62	IN031	52.23	48.75
GA264	83.89	78.29	IL032	72.77	67.92	IN032	53.17	49.62
GA269	83.89	78.29	IL034	67.38	62.89	IN035	54.22	50.61
GA285	68.81	64.22	IL035	72.77	67.92	IN037	56.26	52.51
GA901	83.89	78.29	IL036	61.14	57.07	IN041	52.23	48.75
GQ901	115.26	107.59	IL037	60.83	56.78	IN043	52.23	48.75
HI002	113.76	106.17	IL038	60.83	56.78	IN047	52.23	48.75
HI003	126.72	118.28	IL039	65.23	60.89	IN048	52.23	48.75
HI004	126.74	118.30	IL040	60.83	56.78	IN050	52.23	48.75
HI005	128.12	119.59	IL042	60.83	56.78	IN055	53.17	49.62
HI901	126.72	118.28	IL043	60.83	56.78	IN056	54.67	51.02
IA002	65.95	61.55	IL050	61.14	57.07	IN058	58.73	54.83
IA004	69.33	64.71	IL051	67.14	62.67	IN060	56.25	52.50
IA015	65.95	61.55	IL052	60.83	56.78	IN062	56.07	52.34
IA018	69.01	64.41	IL053	61.14	57.07	IN067	52.23	48.75
IA020	78.77	73.53	IL054	95.61	89.22	IN071	62.16	58.00
IA022	80.28	74.94	IL056	95.61	89.22	IN073	52.23	48.75
IA023	69.61	64.97	IL057	60.83	56.78	IN077	53.17	49.62
IA024	76.26	71.17	IL059	60.83	56.78	IN078	54.67	51.02
IA030	65.95	61.55	IL061	61.55	57.44	IN079	64.36	60.07
IA038	76.56	71.45	IL074	66.03	61.62	IN080	64.36	60.07
IA042	65.95	61.55	IL076	60.83	56.78	IN084	52.23	48.75
IA045	72.21	67.40	IL079	60.83	56.78	IN086	52.23	48.75
IA047	65.95	61.55	IL082	60.83	56.78	IN091	52.23	48.75
IA049	65.95	61.55	IL083	68.66	64.08	IN092	52.23	48.75
IA050	76.56	71.45	IL084	64.53	60.23	IN094	54.36	50.72
IA054	65.95	61.55	IL085	62.10	57.97	IN100	57.30	53.48
IA056	65.95	61.55	IL086	64.53	60.23	IN901	64.36	60.07
IA057	65.95	61.55	IL087	60.83	56.78	KS001	64.19	59.90
IA084	65.95	61.55	IL088	60.83	56.78	KS002	60.28	56.27
IA087	70.58	65.87	IL089	75.77	70.72	KS004	64.95	60.61
IA098	69.48	64.86	IL090	95.61	89.22	KS006	57.08	53.27
IA100	65.95	61.55	IL091	60.83	56.78	KS017	57.08	53.27
IA107	65.95	61.55	IL092	95.61	89.22	KS038	57.08	53.27
IA108	65.95	61.55	IL095	71.35	66.59	KS041	57.08	53.27
IA113	76.56	71.45	IL096	60.83	56.78	KS043	64.19	59.90

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
KS053	66.62	62.18	LA057	66.61	62.17	MA001	117.46	109.64
KS062	57.08	53.27	LA063	66.61	62.17	MA002	126.96	118.49
KS063	57.23	53.42	LA067	66.10	61.69	MA003	126.96	118.49
KS068	64.19	59.90	LA074	66.10	61.69	MA005	117.46	109.64
KS073	64.95	60.61	LA086	66.10	61.69	MA006	116.13	108.40
KS091	57.08	53.27	LA094	71.29	66.52	MA007	117.46	109.64
KS149	57.08	53.27	LA097	66.10	61.69	MA008	117.46	109.64
KS159	57.08	53.27	LA101	76.97	71.84	MA010	117.46	109.64
KS161	57.08	53.27	LA103	71.29	66.52	MA012	117.46	109.64
KS162	64.19	59.90	LA104	66.61	62.17	MA013	126.96	118.49
KS165	57.08	53.27	LA111	66.10	61.69	MA014	126.96	118.49
KS166	57.08	53.27	LA114	66.10	61.69	MA015	126.96	118.49
KS167	57.23	53.42	LA115	66.10	61.69	MA016	126.96	118.49
KS168	60.28	56.27	LA120	66.61	62.17	MA017	126.96	118.49
KS170	57.08	53.27	LA122	66.61	62.17	MA018	116.13	108.40
KY001	61.41	57.32	LA125	66.10	61.69	MA019	126.96	118.49
KY003	56.21	52.46	LA128	66.10	61.69	MA020	126.96	118.49
KY004	68.01	63.48	LA129	66.61	62.17	MA022	126.96	118.49
KY007	55.18	51.50	LA132	66.10	61.69	MA023	126.96	118.49
KY008	55.18	51.50	LA159	66.10	61.69	MA024	117.46	109.64
KY009	61.41	57.32	LA163	66.10	61.69	MA025	126.96	118.49
KY011	68.41	63.85	LA165	66.61	62.17	MA026	117.46	109.64
KY012	56.26	52.51	LA166	66.10	61.69	MA027	126.96	118.49
KY015	69.20	64.58	LA168	66.61	62.17	MA028	126.96	118.49
KY017	55.18	51.50	LA169	66.10	61.69	MA029	117.46	109.64
KY021	55.18	51.50	LA171	66.61	62.17	MA031	126.96	118.49
KY022	55.18	51.50	LA172	66.61	62.17	MA032	126.96	118.49
KY026	55.18	51.50	LA173	66.61	62.17	MA033	126.96	118.49
KY027	55.18	51.50	LA174	66.61	62.17	MA034	117.46	109.64
KY035	55.18	51.50	LA178	66.61	62.17	MA035	117.46	109.64
KY040	55.18	51.50	LA179	66.61	62.17	MA036	126.96	118.49
KY047	55.18	51.50	LA181	71.29	66.52	MA037	117.46	109.64
KY053	55.18	51.50	LA182	66.10	61.69	MA039	117.46	109.64
KY056	55.18	51.50	LA184	69.78	65.14	MA040	126.96	118.49
KY061	68.01	63.48	LA186	66.61	62.17	MA041	117.46	109.64
KY071	61.34	57.25	LA187	71.29	66.52	MA042	126.96	118.49
KY086	55.18	51.50	LA188	66.10	61.69	MA043	117.46	109.64
KY107	55.18	51.50	LA189	66.61	62.17	MA044	126.96	118.49
KY121	55.18	51.50	LA190	69.78	65.14	MA045	126.96	118.49
KY132	61.11	57.03	LA192	66.10	61.69	MA046	127.26	118.78
KY133	69.20	64.58	LA194	68.25	63.71	MA047	127.26	118.78
KY135	69.20	64.58	LA195	66.10	61.69	MA048	126.96	118.49
KY136	69.20	64.58	LA196	66.61	62.17	MA050	117.46	109.64
KY137	55.18	51.50	LA199	76.97	71.84	MA051	117.46	109.64
KY138	55.18	51.50	LA202	76.97	71.84	MA053	126.96	118.49
KY140	68.01	63.48	LA204	76.97	71.84	MA054	126.96	118.49
KY141	55.18	51.50	LA205	76.97	71.84	MA055	126.96	118.49
KY142	60.35	56.32	LA206	66.61	62.17	MA056	126.96	118.49
KY150	55.18	51.50	LA207	66.61	62.17	MA057	126.96	118.49
KY157	55.18	51.50	LA211	68.25	63.71	MA059	126.96	118.49
KY160	55.18	51.50	LA212	66.10	61.69	MA060	117.46	109.64
KY161	60.35	56.32	LA213	71.11	66.38	MA061	126.96	118.49
KY163	55.18	51.50	LA214	66.61	62.17	MA063	126.96	118.49
KY169	55.18	51.50	LA215	66.10	61.69	MA065	126.96	118.49
KY171	61.41	57.32	LA219	76.97	71.84	MA066	117.46	109.64
KY901	68.01	63.48	LA220	66.10	61.69	MA067	126.96	118.49
LA001	71.29	66.52	LA222	66.10	61.69	MA069	126.96	118.49
LA002	69.78	65.14	LA229	66.10	61.69	MA070	126.96	118.49
LA003	76.97	71.84	LA230	69.78	65.14	MA072	126.96	118.49
LA004	66.61	62.17	LA232	66.10	61.69	MA073	126.96	118.49
LA005	66.61	62.17	LA233	66.10	61.69	MA074	126.96	118.49
LA006	66.61	62.17	LA238	71.29	66.52	MA075	126.96	118.49
LA009	76.97	71.84	LA241	66.10	61.69	MA076	117.46	109.64
LA012	71.29	66.52	LA242	66.10	61.69	MA077	117.46	109.64
LA013	71.29	66.52	LA246	66.10	61.69	MA078	117.46	109.64
LA023	66.61	62.17	LA247	66.10	61.69	MA079	126.96	118.49
LA024	66.10	61.69	LA248	66.10	61.69	MA080	117.46	109.64
LA029	66.61	62.17	LA253	68.25	63.71	MA081	117.46	109.64
LA031	66.10	61.69	LA257	66.10	61.69	MA082	117.46	109.64
LA032	66.61	62.17	LA258	66.10	61.69	MA084	117.46	109.64
LA033	66.10	61.69	LA266	66.61	62.17	MA085	117.46	109.64
LA036	66.10	61.69	LA888	69.78	65.14	MA086	117.46	109.64
LA037	71.11	66.38	LA889	71.29	66.52	MA087	117.46	109.64
LA046	66.61	62.17	LA903	71.29	66.52	MA088	117.46	109.64

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
MA089	126.96	118.49	ME001	64.81	60.49	MI132	54.78	51.13
MA090	126.96	118.49	ME002	64.81	60.49	MI139	66.73	62.29
MA091	126.96	118.49	ME003	103.66	96.76	MI157	66.73	62.29
MA092	126.96	118.49	ME004	64.81	60.49	MI167	63.98	59.72
MA093	126.96	118.49	ME005	74.18	69.22	MI168	63.98	59.72
MA094	116.88	109.10	ME006	79.27	73.97	MI178	54.78	51.13
MA095	127.26	118.78	ME007	74.18	69.22	MI186	55.08	51.41
MA096	116.88	109.10	ME008	68.14	63.59	MI194	63.98	59.72
MA098	126.96	118.49	ME009	75.29	70.28	MI198	62.99	58.79
MA099	126.96	118.49	ME011	91.20	85.11	MI880	63.98	59.72
MA100	117.46	109.64	ME015	103.66	96.76	MI901	66.73	62.29
MA101	126.96	118.49	ME018	75.29	70.28	MN001	89.79	83.81
MA105	117.46	109.64	ME019	83.08	77.53	MN002	89.79	83.81
MA106	117.46	109.64	ME020	103.66	96.76	MN003	66.42	61.99
MA107	117.46	109.64	ME021	75.29	70.28	MN006	62.11	57.97
MA108	117.46	109.64	ME025	64.81	60.49	MN007	66.42	61.99
MA109	126.96	118.49	ME027	66.53	62.10	MN008	61.26	57.17
MA110	127.26	118.78	ME028	91.20	85.11	MN009	61.26	57.17
MA111	126.96	118.49	ME030	68.14	63.59	MN018	61.26	57.17
MA112	126.96	118.49	ME901	63.62	59.37	MN021	75.15	70.14
MA116	126.96	118.49	MI001	66.73	62.29	MN032	61.26	57.17
MA117	126.96	118.49	MI003	66.73	62.29	MN034	61.26	57.17
MA118	126.96	118.49	MI005	66.73	62.29	MN037	61.26	57.17
MA119	126.96	118.49	MI006	57.07	53.26	MN038	68.41	63.85
MA121	126.96	118.49	MI008	66.73	62.29	MN049	61.26	57.17
MA122	126.96	118.49	MI009	57.44	53.61	MN063	66.70	62.26
MA123	117.46	109.64	MI010	58.17	54.30	MN067	89.79	83.81
MA125	126.96	118.49	MI019	54.78	51.13	MN073	66.42	61.99
MA127	117.46	109.64	MI020	54.78	51.13	MN077	66.83	62.38
MA133	126.96	118.49	MI023	55.08	51.41	MN085	61.26	57.17
MA134	126.96	118.49	MI027	66.73	62.29	MN090	61.26	57.17
MA135	126.96	118.49	MI030	54.78	51.13	MN101	61.26	57.17
MA138	127.26	118.78	MI031	62.99	58.79	MN107	61.26	57.17
MA139	117.46	109.64	MI032	58.17	54.30	MN128	61.26	57.17
MA140	126.96	118.49	MI035	60.15	56.14	MN144	89.79	83.81
MA147	126.96	118.49	MI036	54.78	51.13	MN147	89.79	83.81
MA154	126.96	118.49	MI037	66.73	62.29	MN151	74.34	69.40
MA155	126.96	118.49	MI038	57.67	53.84	MN152	89.79	83.81
MA165	126.96	118.49	MI039	66.73	62.29	MN153	61.26	57.17
MA170	116.13	108.40	MI040	66.73	62.29	MN154	61.26	57.17
MA172	117.46	109.64	MI044	66.73	62.29	MN158	75.15	70.14
MA174	126.96	118.49	MI045	66.73	62.29	MN161	64.27	59.98
MA180	127.26	118.78	MI047	54.78	51.13	MN163	89.79	83.81
MA181	127.26	118.78	MI048	66.73	62.29	MN164	75.15	70.14
MA188	117.46	109.64	MI049	54.78	51.13	MN166	61.26	57.17
MA880	126.96	118.49	MI050	54.78	51.13	MN167	66.70	62.26
MA881	126.96	118.49	MI051	66.73	62.29	MN168	64.27	59.98
MA882	117.46	109.64	MI052	66.73	62.29	MN169	61.26	57.17
MA883	126.96	118.49	MI055	66.73	62.29	MN170	89.79	83.81
MA901	126.96	118.49	MI058	63.98	59.72	MN171	63.23	59.00
MD001	84.56	78.92	MI059	66.73	62.29	MN172	68.41	63.85
MD002	84.56	78.92	MI060	58.76	54.83	MN173	61.26	57.17
MD003	114.69	107.05	MI061	59.13	55.19	MN174	61.26	57.17
MD004	114.69	107.05	MI063	54.78	51.13	MN176	61.26	57.17
MD006	66.34	61.90	MI064	79.51	74.21	MN177	61.26	57.17
MD007	114.69	107.05	MI066	62.99	58.79	MN178	64.27	59.98
MD009	63.94	59.68	MI070	58.76	54.83	MN179	61.26	57.17
MD014	76.00	70.94	MI073	62.99	58.79	MN180	61.26	57.17
MD015	114.69	107.05	MI074	59.13	55.19	MN182	61.26	57.17
MD016	90.84	84.79	MI080	60.81	56.76	MN184	89.79	83.81
MD018	84.56	78.92	MI084	58.76	54.83	MN188	61.26	57.17
MD019	76.22	71.13	MI087	58.76	54.83	MN190	61.26	57.17
MD021	95.93	89.53	MI089	66.73	62.29	MN191	61.26	57.17
MD022	114.69	107.05	MI093	62.99	58.79	MN192	61.26	57.17
MD023	84.56	78.92	MI094	54.78	51.13	MN193	68.83	64.25
MD024	114.69	107.05	MI096	66.73	62.29	MN197	61.26	57.17
MD025	84.56	78.92	MI097	66.73	62.29	MN200	61.26	57.17
MD027	84.56	78.92	MI100	66.73	62.29	MN203	64.27	59.98
MD028	66.34	61.90	MI112	54.78	51.13	MN212	89.79	83.81
MD029	90.84	84.79	MI115	62.99	58.79	MN216	89.79	83.81
MD032	84.56	78.92	MI117	54.78	51.13	MN219	66.70	62.26
MD033	84.56	78.92	MI119	54.78	51.13	MN220	66.83	62.38
MD034	84.56	78.92	MI120	58.17	54.30	MN801	89.79	83.81
MD901	114.69	107.05	MI121	59.13	55.19	MN802	89.79	83.81

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
MO001	66.03	61.62	NC006	67.94	63.42	ND019	75.04	70.03
MO002	64.19	59.90	NC007	65.65	61.27	ND021	75.15	70.14
MO003	63.30	59.08	NC008	71.93	67.12	ND022	75.04	70.03
MO004	66.03	61.62	NC009	66.73	62.27	ND025	75.04	70.03
MO006	66.03	61.62	NC011	67.94	63.42	ND026	75.04	70.03
MO007	63.30	59.08	NC012	67.94	63.42	ND030	75.04	70.03
MO008	63.30	59.08	NC013	78.43	73.19	ND031	75.04	70.03
MO009	63.30	59.08	NC014	62.57	58.40	ND035	75.04	70.03
MO010	63.30	59.08	NC015	65.65	61.27	ND036	75.04	70.03
MO014	63.30	59.08	NC018	62.57	58.40	ND037	75.04	70.03
MO016	63.30	59.08	NC019	65.65	61.27	ND038	75.04	70.03
MO017	64.19	59.90	NC020	62.57	58.40	ND039	75.04	70.03
MO030	64.19	59.90	NC021	78.43	73.19	ND044	75.04	70.03
MO037	63.30	59.08	NC022	65.65	61.27	ND049	75.04	70.03
MO040	63.30	59.08	NC025	62.57	58.40	ND052	75.04	70.03
MO053	64.19	59.90	NC032	62.57	58.40	ND054	75.04	70.03
MO058	63.30	59.08	NC035	63.16	58.95	ND055	75.04	70.03
MO064	63.30	59.08	NC039	64.63	60.33	ND070	75.04	70.03
MO065	63.30	59.08	NC050	65.78	61.39	ND901	75.04	70.03
MO072	63.30	59.08	NC056	69.17	64.56	NE001	69.61	64.97
MO074	63.30	59.08	NC057	71.93	67.12	NE002	68.92	64.33
MO107	63.30	59.08	NC059	67.94	63.42	NE003	68.92	64.33
MO129	63.30	59.08	NC065	71.93	67.12	NE004	68.92	64.33
MO133	63.30	59.08	NC070	68.42	63.85	NE010	68.92	64.33
MO145	63.30	59.08	NC071	64.63	60.33	NE041	68.92	64.33
MO149	63.30	59.08	NC072	68.13	63.60	NE078	68.92	64.33
MO188	63.30	59.08	NC075	62.57	58.40	NE083	68.92	64.33
MO190	63.30	59.08	NC077	62.57	58.40	NE094	68.92	64.33
MO193	64.19	59.90	NC081	67.94	63.42	NE100	68.92	64.33
MO196	64.19	59.90	NC087	65.65	61.27	NE104	68.92	64.33
MO197	64.19	59.90	NC089	62.57	58.40	NE114	68.92	64.33
MO198	63.30	59.08	NC098	65.65	61.27	NE120	68.92	64.33
MO199	66.03	61.62	NC102	68.42	63.85	NE123	68.92	64.33
MO200	63.30	59.08	NC104	78.43	73.19	NE141	68.92	64.33
MO203	63.30	59.08	NC118	62.57	58.40	NE143	68.92	64.33
MO204	64.19	59.90	NC120	78.43	73.19	NE150	68.92	64.33
MO205	66.03	61.62	NC134	68.42	63.85	NE153	69.61	64.97
MO206	63.30	59.08	NC137	65.65	61.27	NE157	68.92	64.33
MO207	63.30	59.08	NC138	62.57	58.40	NE174	69.61	64.97
MO209	63.30	59.08	NC139	62.57	58.40	NE175	69.01	64.41
MO210	64.19	59.90	NC140	65.65	61.27	NE179	68.92	64.33
MO212	63.30	59.08	NC141	62.57	58.40	NE180	68.92	64.33
MO213	64.19	59.90	NC144	65.65	61.27	NE181	68.92	64.33
MO215	63.30	59.08	NC145	62.57	58.40	NE182	68.92	64.33
MO216	63.30	59.08	NC146	62.57	58.40	NH001	92.84	86.64
MO217	63.30	59.08	NC147	65.65	61.27	NH002	98.63	92.05
MO227	66.03	61.62	NC149	62.57	58.40	NH003	96.13	89.73
MS004	63.36	59.14	NC150	62.57	58.40	NH004	96.13	89.73
MS005	66.43	62.01	NC151	62.57	58.40	NH005	105.72	98.66
MS006	63.36	59.14	NC152	65.65	61.27	NH006	96.13	89.73
MS016	67.53	63.03	NC155	62.57	58.40	NH007	83.27	77.72
MS019	63.36	59.14	NC159	69.17	64.56	NH008	96.13	89.73
MS030	63.36	59.14	NC160	62.57	58.40	NH009	85.96	80.22
MS040	66.43	62.01	NC161	62.57	58.40	NH010	98.80	92.21
MS057	63.36	59.14	NC163	65.78	61.39	NH011	75.78	70.74
MS058	78.40	73.16	NC164	78.43	73.19	NH012	80.73	75.35
MS095	63.36	59.14	NC165	62.57	58.40	NH013	96.13	89.73
MS103	78.40	73.16	NC166	62.57	58.40	NH014	96.13	89.73
MS107	63.36	59.14	NC167	63.74	59.49	NH015	75.78	70.74
MS128	63.36	59.14	NC173	65.65	61.27	NH016	75.78	70.74
MS301	66.43	62.01	NC175	65.65	61.27	NH022	117.46	109.64
MT001	86.92	81.13	NC901	62.57	58.40	NH888	98.63	92.05
MT002	76.95	71.83	ND001	75.15	70.14	NH901	92.84	86.64
MT003	71.63	66.85	ND002	75.04	70.03	NJ002	109.48	102.16
MT004	83.29	77.73	ND003	75.04	70.03	NJ003	109.48	102.16
MT006	67.48	62.99	ND009	75.04	70.03	NJ004	93.44	87.21
MT015	73.11	68.22	ND010	75.15	70.14	NJ006	112.11	104.65
MT033	78.24	73.01	ND011	75.04	70.03	NJ007	109.75	102.44
MT036	73.11	68.22	ND012	75.15	70.14	NJ008	109.75	102.44
MT901	86.92	81.13	ND013	75.04	70.03	NJ009	93.44	87.21
NC001	65.65	61.27	ND014	75.15	70.14	NJ010	90.84	84.79
NC002	78.43	73.19	ND015	75.04	70.03	NJ011	112.11	104.65
NC003	71.93	67.12	ND016	75.04	70.03	NJ012	93.44	87.21
NC004	62.57	58.40	ND017	75.04	70.03	NJ013	112.11	104.65

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
NJ014	92.57	86.42	NM006	78.11	72.89	NY109	67.65	63.15
NJ015	93.44	87.21	NM009	92.55	86.37	NY110	99.98	93.31
NJ021	112.11	104.65	NM020	61.16	57.07	NY111	115.02	107.36
NJ022	112.11	104.65	NM033	60.44	56.41	NY113	115.02	107.36
NJ023	109.48	102.16	NM039	60.44	56.41	NY114	99.98	93.31
NJ025	109.48	102.16	NM050	92.55	86.37	NY117	115.02	107.36
NJ026	93.44	87.21	NM057	78.21	73.00	NY120	115.02	107.36
NJ030	93.44	87.21	NM061	60.44	56.41	NY121	115.02	107.36
NJ032	109.48	102.16	NM063	61.16	57.07	NY123	115.02	107.36
NJ033	112.11	104.65	NM066	76.97	71.83	NY125	102.76	95.92
NJ035	112.11	104.65	NM067	60.44	56.41	NY127	115.02	107.36
NJ036	93.44	87.21	NM077	78.21	73.00	NY128	115.02	107.36
NJ037	109.48	102.16	NM088	64.45	60.16	NY130	115.02	107.36
NJ039	109.48	102.16	NV001	82.23	76.75	NY132	115.02	107.36
NJ042	112.11	104.65	NV018	92.37	86.22	NY134	102.76	95.92
NJ043	112.11	104.65	NV905	82.23	76.75	NY137	102.76	95.92
NJ044	112.11	104.65	NY001	73.89	68.97	NY138	99.98	93.31
NJ046	109.75	102.44	NY002	69.06	64.47	NY141	115.02	107.36
NJ047	112.11	104.65	NY003	115.02	107.36	NY146	115.02	107.36
NJ048	109.75	102.44	NY005	99.98	93.31	NY147	115.02	107.36
NJ049	89.00	83.06	NY006	67.65	63.15	NY148	99.98	93.31
NJ050	109.48	102.16	NY009	80.30	74.95	NY149	115.02	107.36
NJ051	90.84	84.79	NY012	80.30	74.95	NY151	115.02	107.36
NJ052	109.48	102.16	NY015	80.30	74.95	NY152	115.02	107.36
NJ054	109.75	102.44	NY016	70.07	65.40	NY154	115.02	107.36
NJ055	112.11	104.65	NY017	61.14	57.06	NY158	102.76	95.92
NJ056	109.75	102.44	NY018	64.81	60.49	NY159	115.02	107.36
NJ058	90.84	84.79	NY019	67.65	63.15	NY160	99.98	93.31
NJ059	92.57	86.42	NY020	80.30	74.95	NY165	115.02	107.36
NJ060	109.75	102.44	NY021	70.58	65.88	NY402	71.35	66.59
NJ061	89.00	83.06	NY022	80.30	74.95	NY403	57.73	53.88
NJ063	89.00	83.06	NY023	115.02	107.36	NY404	69.06	64.47
NJ065	109.75	102.44	NY025	80.30	74.95	NY405	69.06	64.47
NJ066	109.48	102.16	NY027	73.89	68.97	NY406	84.53	78.90
NJ067	112.11	104.65	NY028	80.30	74.95	NY408	80.30	74.95
NJ068	109.48	102.16	NY033	80.30	74.95	NY409	69.06	64.47
NJ070	112.11	104.65	NY034	67.65	63.15	NY413	74.27	69.32
NJ071	112.11	104.65	NY035	115.02	107.36	NY416	80.30	74.95
NJ073	90.84	84.79	NY038	115.02	107.36	NY417	67.65	63.15
NJ074	90.84	84.79	NY041	84.53	78.90	NY421	80.30	74.95
NJ075	112.11	104.65	NY042	115.02	107.36	NY422	80.30	74.95
NJ077	93.44	87.21	NY044	84.53	78.90	NY424	80.30	74.95
NJ081	109.75	102.44	NY045	90.43	84.40	NY427	80.30	74.95
NJ083	93.44	87.21	NY048	57.99	54.12	NY428	80.30	74.95
NJ084	112.11	104.65	NY049	102.76	95.92	NY430	80.30	74.95
NJ086	109.48	102.16	NY050	115.02	107.36	NY431	80.30	74.95
NJ088	109.48	102.16	NY051	102.76	95.92	NY433	57.99	54.12
NJ089	112.11	104.65	NY054	78.97	73.72	NY443	67.65	63.15
NJ090	112.11	104.65	NY057	115.02	107.36	NY447	80.30	74.95
NJ092	109.48	102.16	NY059	67.65	63.15	NY449	69.06	64.47
NJ095	109.75	102.44	NY060	74.27	69.32	NY501	80.30	74.95
NJ097	112.11	104.65	NY061	66.95	62.48	NY503	80.30	74.95
NJ099	109.48	102.16	NY062	102.76	95.92	NY504	73.89	68.97
NJ102	109.48	102.16	NY065	67.82	63.31	NY505	70.07	65.40
NJ105	109.48	102.16	NY066	68.34	63.80	NY512	80.30	74.95
NJ106	112.11	104.65	NY067	64.69	60.37	NY513	80.30	74.95
NJ108	109.48	102.16	NY068	63.38	59.14	NY516	80.30	74.95
NJ109	109.48	102.16	NY070	69.06	64.47	NY519	80.30	74.95
NJ110	112.11	104.65	NY071	75.78	70.72	NY521	73.89	68.97
NJ112	112.11	104.65	NY073	76.02	70.96	NY522	62.33	58.16
NJ113	109.48	102.16	NY077	115.02	107.36	NY527	73.89	68.97
NJ114	112.11	104.65	NY079	76.02	70.96	NY529	90.43	84.40
NJ118	90.84	84.79	NY084	99.98	93.31	NY530	74.27	69.32
NJ204	90.84	84.79	NY085	115.02	107.36	NY532	80.30	74.95
NJ212	107.56	100.39	NY086	115.02	107.36	NY534	67.65	63.15
NJ214	109.75	102.44	NY087	62.33	58.16	NY535	80.30	74.95
NJ880	109.75	102.44	NY088	115.02	107.36	NY538	80.30	74.95
NJ881	112.11	104.65	NY089	84.53	78.90	NY541	63.38	59.14
NJ882	109.48	102.16	NY091	69.06	64.47	NY552	67.65	63.15
NJ902	90.84	84.79	NY094	115.02	107.36	NY557	80.30	74.95
NJ912	109.48	102.16	NY098	67.65	63.15	NY561	80.30	74.95
NM001	78.21	73.00	NY102	73.89	68.97	NY562	80.30	74.95
NM002	60.44	56.41	NY103	90.43	84.40	NY564	80.30	74.95
NM003	62.07	57.93	NY107	73.89	68.97	NY630	80.30	74.95

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
NY888	115.02	107.36	OH080	60.49	56.45	PA027	60.66	56.61
NY889	61.14	57.06	OH081	60.56	56.52	PA028	82.51	77.02
NY891	115.02	107.36	OH082	59.19	55.24	PA029	65.53	61.16
NY892	115.02	107.36	OH083	67.79	63.26	PA030	61.46	57.36
NY895	115.02	107.36	OH085	71.03	66.29	PA031	67.00	62.53
NY904	115.02	107.36	OH086	59.05	55.11	PA032	64.66	60.34
NY912	69.06	64.47	OH882	71.46	66.69	PA033	64.00	59.73
OH001	67.79	63.26	OK002	63.67	59.43	PA034	69.13	64.51
OH002	61.56	57.45	OK005	61.94	57.81	PA035	79.18	73.90
OH003	71.46	66.69	OK006	61.62	57.52	PA036	80.41	75.06
OH004	69.20	64.58	OK024	61.62	57.52	PA037	69.71	65.06
OH005	63.13	58.92	OK027	61.62	57.52	PA038	61.46	57.36
OH006	71.03	66.29	OK032	61.62	57.52	PA039	74.47	69.51
OH007	70.29	65.62	OK033	61.94	57.81	PA041	63.86	59.60
OH008	61.56	57.45	OK044	61.62	57.52	PA042	61.46	57.36
OH009	59.05	55.11	OK062	61.62	57.52	PA043	61.46	57.36
OH010	59.05	55.11	OK067	61.62	57.52	PA044	61.46	57.36
OH012	71.46	66.69	OK073	61.94	57.81	PA045	64.56	60.25
OH014	61.97	57.84	OK095	63.35	59.13	PA046	90.84	84.79
OH015	69.20	64.58	OK096	61.62	57.52	PA047	61.46	57.36
OH016	60.56	56.52	OK099	61.62	57.52	PA048	75.01	70.01
OH018	60.56	56.52	OK111	61.62	57.52	PA050	62.31	58.17
OH019	60.35	56.32	OK118	61.62	57.52	PA051	90.84	84.79
OH020	59.05	55.11	OK139	63.67	59.43	PA052	79.18	73.90
OH021	63.13	58.92	OK142	61.94	57.81	PA053	64.56	60.25
OH022	63.13	58.92	OK146	61.62	57.52	PA054	63.17	58.95
OH024	59.05	55.11	OK148	63.35	59.13	PA055	64.56	60.25
OH025	71.46	66.69	OK901	63.67	59.43	PA056	61.77	57.65
OH026	60.02	56.01	OR001	83.78	78.19	PA057	61.46	57.36
OH027	71.46	66.69	OR002	83.78	78.19	PA058	64.00	59.73
OH028	62.88	58.68	OR003	84.99	79.33	PA059	61.77	57.65
OH029	69.68	65.02	OR005	79.10	73.83	PA060	64.56	60.25
OH030	59.05	55.11	OR006	96.28	89.86	PA061	64.56	60.25
OH031	70.29	65.62	OR007	81.32	75.89	PA063	64.56	60.25
OH032	59.26	55.31	OR008	89.95	83.95	PA064	62.31	58.17
OH033	59.05	55.11	OR011	89.95	83.95	PA065	64.56	60.25
OH034	59.26	55.31	OR014	89.95	83.95	PA067	77.37	72.20
OH035	59.05	55.11	OR015	95.65	89.27	PA068	62.31	58.17
OH036	59.32	55.37	OR016	83.78	78.19	PA069	67.00	62.53
OH037	59.05	55.11	OR017	77.62	72.46	PA071	75.45	70.41
OH038	69.20	64.58	OR019	85.05	79.37	PA073	61.46	57.36
OH039	59.05	55.11	OR020	84.99	79.33	PA074	62.31	58.17
OH040	59.05	55.11	OR022	83.78	78.19	PA075	79.18	73.90
OH041	59.05	55.11	OR026	86.03	80.29	PA076	77.37	72.20
OH042	71.46	66.69	OR027	77.62	72.46	PA077	63.17	58.95
OH043	67.79	63.26	OR028	83.78	78.19	PA078	100.29	93.61
OH044	61.56	57.45	OR031	87.14	81.34	PA079	64.00	59.73
OH045	59.05	55.11	OR032	81.32	75.89	PA080	63.17	58.95
OH046	59.05	55.11	OR034	92.48	86.32	PA081	77.37	72.20
OH047	59.05	55.11	PA001	63.40	59.17	PA082	73.06	68.19
OH049	69.20	64.58	PA002	90.84	84.79	PA083	61.99	57.86
OH050	59.05	55.11	PA003	61.46	57.36	PA085	60.66	56.61
OH053	59.05	55.11	PA004	77.37	72.20	PA086	61.77	57.65
OH054	61.53	57.43	PA005	63.40	59.17	PA087	76.96	71.83
OH056	59.05	55.11	PA006	63.40	59.17	PA088	86.25	80.49
OH058	59.05	55.11	PA007	90.84	84.79	PA090	80.41	75.06
OH059	67.79	63.26	PA008	79.18	73.90	PA091	73.31	68.42
OH060	59.05	55.11	PA009	75.45	70.41	PA092	62.46	58.30
OH061	60.41	56.38	PA010	63.40	59.17	RI001	116.13	108.40
OH062	63.13	58.92	PA011	77.37	72.20	RI002	116.13	108.40
OH063	59.05	55.11	PA012	90.84	84.79	RI003	116.13	108.40
OH066	59.05	55.11	PA013	76.96	71.83	RI004	116.13	108.40
OH067	59.05	55.11	PA014	63.40	59.17	RI005	110.95	103.54
OH069	59.05	55.11	PA015	63.40	59.17	RI006	116.13	108.40
OH070	67.79	63.26	PA016	69.71	65.06	RI007	116.13	108.40
OH071	71.03	66.29	PA017	63.40	59.17	RI008	100.98	94.25
OH072	59.05	55.11	PA018	63.40	59.17	RI009	116.13	108.40
OH073	71.46	66.69	PA019	65.06	60.72	RI010	116.13	108.40
OH074	60.70	56.65	PA020	71.42	66.66	RI011	116.13	108.40
OH075	59.05	55.11	PA021	65.06	60.72	RI012	116.13	108.40
OH076	59.05	55.11	PA022	72.68	67.83	RI014	116.13	108.40
OH077	59.05	55.11	PA023	90.84	84.79	RI015	116.13	108.40
OH078	59.05	55.11	PA024	77.37	72.20	RI016	116.13	108.40
OH079	67.79	63.26	PA026	64.00	59.73	RI017	116.13	108.40

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
RI018	116.13	108.40	RQ071	74.42	69.46	TN013	62.03	57.90
RI019	116.13	108.40	RQ072	79.99	74.65	TN020	74.84	69.85
RI020	116.13	108.40	RQ073	74.42	69.46	TN024	62.03	57.90
RI022	116.13	108.40	RQ074	74.42	69.46	TN026	62.03	57.90
RI024	116.13	108.40	RQ075	79.99	74.65	TN035	74.84	69.85
RI026	116.13	108.40	RQ077	79.99	74.65	TN038	62.62	58.44
RI027	116.13	108.40	RQ080	74.42	69.46	TN042	62.03	57.90
RI028	116.13	108.40	RQ081	79.99	74.65	TN054	62.62	58.44
RI029	116.13	108.40	RQ082	79.99	74.65	TN062	62.03	57.90
RI901	116.13	108.40	RQ083	79.99	74.65	TN065	62.99	58.80
RQ006	79.99	74.65	RQ901	79.99	74.65	TN066	62.62	58.44
RQ007	74.42	69.46	RQ911	79.99	74.65	TN076	62.62	58.44
RQ008	79.99	74.65	SC001	70.95	66.22	TN079	74.84	69.85
RQ009	74.42	69.46	SC002	71.72	66.94	TN088	62.99	58.80
RQ010	74.42	69.46	SC003	65.47	61.10	TN113	62.99	58.80
RQ011	79.99	74.65	SC004	65.47	61.10	TN117	68.46	63.89
RQ012	74.42	69.46	SC005	65.47	61.10	TN903	74.84	69.85
RQ013	79.99	74.65	SC007	68.81	64.22	TQ901	115.26	107.59
RQ014	79.99	74.65	SC008	65.47	61.10	TX001	83.25	77.71
RQ015	79.99	74.65	SC015	63.41	59.18	TX003	70.73	66.00
RQ016	79.99	74.65	SC016	65.47	61.10	TX004	79.54	74.24
RQ017	74.42	69.46	SC018	65.47	61.10	TX005	75.51	70.49
RQ018	74.42	69.46	SC019	65.47	61.10	TX006	73.18	68.32
RQ019	79.99	74.65	SC020	65.47	61.10	TX007	64.89	60.56
RQ020	81.73	76.28	SC021	63.41	59.18	TX008	74.62	69.63
RQ021	79.99	74.65	SC022	71.93	67.12	TX009	85.36	79.68
RQ022	79.99	74.65	SC023	65.47	61.10	TX010	63.99	59.72
RQ023	79.99	74.65	SC024	70.95	66.22	TX011	63.99	59.72
RQ024	79.99	74.65	SC025	65.47	61.10	TX012	75.51	70.49
RQ025	79.99	74.65	SC026	66.82	62.35	TX014	63.99	59.72
RQ026	74.42	69.46	SC027	65.47	61.10	TX016	60.94	56.88
RQ027	79.99	74.65	SC028	63.41	59.18	TX017	75.51	70.49
RQ028	79.99	74.65	SC029	65.47	61.10	TX018	63.99	59.72
RQ029	74.42	69.46	SC030	63.41	59.18	TX019	60.94	56.88
RQ030	74.42	69.46	SC031	63.41	59.18	TX021	60.94	56.88
RQ031	74.42	69.46	SC032	65.47	61.10	TX023	73.12	68.24
RQ032	79.99	74.65	SC033	63.41	59.18	TX025	64.89	60.56
RQ033	74.42	69.46	SC034	65.47	61.10	TX027	85.36	79.68
RQ034	79.99	74.65	SC035	63.41	59.18	TX028	64.15	59.86
RQ035	74.42	69.46	SC036	71.93	67.12	TX029	64.15	59.86
RQ036	79.99	74.65	SC037	65.47	61.10	TX030	63.99	59.72
RQ037	74.42	69.46	SC046	71.93	67.12	TX031	83.25	77.71
RQ038	79.99	74.65	SC056	70.95	66.22	TX032	75.51	70.49
RQ039	81.73	76.28	SC057	70.95	66.22	TX034	73.12	68.24
RQ040	81.73	76.28	SC059	63.41	59.18	TX035	61.09	57.01
RQ041	74.42	69.46	SC911	71.72	66.94	TX037	73.12	68.24
RQ042	74.42	69.46	SD010	69.03	64.42	TX039	60.94	56.88
RQ043	74.42	69.46	SD011	67.22	62.74	TX042	60.94	56.88
RQ044	79.99	74.65	SD014	67.22	62.74	TX044	60.94	56.88
RQ045	79.99	74.65	SD016	69.03	64.42	TX046	64.15	59.86
RQ046	74.42	69.46	SD021	67.22	62.74	TX048	60.94	56.88
RQ047	79.99	74.65	SD026	67.22	62.74	TX049	60.94	56.88
RQ048	74.42	69.46	SD034	67.22	62.74	TX051	64.15	59.86
RQ049	79.99	74.65	SD035	73.04	68.16	TX062	64.15	59.86
RQ050	79.99	74.65	SD036	67.22	62.74	TX064	64.15	59.86
RQ052	74.42	69.46	SD037	67.22	62.74	TX065	64.89	60.56
RQ053	79.99	74.65	SD039	69.03	64.42	TX072	60.94	56.88
RQ054	79.99	74.65	SD043	67.22	62.74	TX073	64.15	59.86
RQ055	74.42	69.46	SD045	67.22	62.74	TX075	60.94	56.88
RQ056	79.99	74.65	SD047	67.22	62.74	TX079	63.99	59.72
RQ057	74.42	69.46	SD048	67.22	62.74	TX081	60.94	56.88
RQ058	74.42	69.46	SD055	67.22	62.74	TX085	88.67	82.75
RQ059	74.42	69.46	SD056	67.22	62.74	TX087	83.25	77.71
RQ060	74.42	69.46	SD057	67.22	62.74	TX095	85.36	79.68
RQ061	74.42	69.46	SD058	67.22	62.74	TX096	60.94	56.88
RQ062	74.42	69.46	SD059	67.22	62.74	TX105	60.94	56.88
RQ063	79.99	74.65	TN001	67.53	63.03	TX111	65.49	61.12
RQ064	79.99	74.65	TN002	62.62	58.44	TX114	60.94	56.88
RQ065	74.42	69.46	TN003	62.99	58.80	TX128	85.36	79.68
RQ066	74.42	69.46	TN004	68.46	63.89	TX134	60.94	56.88
RQ067	74.42	69.46	TN005	74.84	69.85	TX137	63.99	59.72
RQ068	74.42	69.46	TN006	62.62	58.44	TX147	60.94	56.88
RQ069	74.42	69.46	TN007	62.62	58.44	TX152	60.94	56.88
RQ070	79.99	74.65	TN012	62.99	58.80	TX158	63.99	59.72

PHA	A rate	B rate	PHA	A rate	B rate	PHA	A rate	B rate
TX163	74.62	69.63	TX461	64.83	60.52	VA022	57.09	53.27
TX164	74.62	69.63	TX470	63.99	59.72	VA023	57.09	53.27
TX173	64.89	60.56	TX472	63.99	59.72	VA024	56.16	52.42
TX174	74.62	69.63	TX480	83.25	77.71	VA025	77.79	72.60
TX175	60.94	56.88	TX481	63.99	59.72	VA028	114.69	107.05
TX177	64.15	59.86	TX482	63.99	59.72	VA030	56.16	52.42
TX178	60.94	56.88	TX483	75.51	70.49	VA031	62.62	58.44
TX183	60.94	56.88	TX484	81.55	76.11	VA032	62.62	58.44
TX189	60.94	56.88	TX485	60.94	56.88	VA034	56.16	52.42
TX193	73.18	68.32	TX486	61.94	57.81	VA035	114.69	107.05
TX197	63.99	59.72	TX488	60.94	56.88	VA036	78.90	73.64
TX201	60.94	56.88	TX493	85.36	79.68	VA037	56.30	52.54
TX202	64.15	59.86	TX495	79.54	74.24	VA038	56.16	52.42
TX206	64.89	60.56	TX497	64.15	59.86	VA039	77.79	72.60
TX208	63.99	59.72	TX498	65.49	61.12	VA040	56.16	52.42
TX210	63.99	59.72	TX499	63.99	59.72	VA041	77.79	72.60
TX217	60.94	56.88	TX500	60.94	56.88	VA042	62.62	58.44
TX224	64.15	59.86	TX505	75.51	70.49	VA044	57.06	53.26
TX236	63.99	59.72	TX509	64.89	60.56	VA046	114.69	107.05
TX242	60.94	56.88	TX511	60.94	56.88	VA901	70.56	65.85
TX257	63.99	59.72	TX512	60.94	56.88	VQ901	97.78	91.26
TX259	83.25	77.71	TX514	63.99	59.72	VT001	93.98	87.72
TX263	60.94	56.88	TX516	60.94	56.88	VT002	82.48	76.98
TX264	83.25	77.71	TX519	60.94	56.88	VT003	85.32	79.63
TX266	83.25	77.71	TX522	85.36	79.68	VT004	84.47	78.84
TX272	60.94	56.88	TX523	65.49	61.12	VT005	79.08	73.81
TX284	60.94	56.88	TX526	85.52	79.82	VT006	93.98	87.72
TX298	60.94	56.88	TX533	85.36	79.68	VT008	79.08	73.81
TX300	60.94	56.88	TX534	82.23	76.75	VT009	79.93	74.60
TX302	74.62	69.63	TX535	60.94	56.88	VT901	93.98	87.72
TX303	73.18	68.32	TX537	60.94	56.88	WA001	101.38	94.60
TX309	60.94	56.88	TX542	63.99	59.72	WA002	101.38	94.60
TX313	74.62	69.63	TX546	63.99	59.72	WA003	89.54	83.57
TX322	83.25	77.71	TX559	85.36	79.68	WA004	84.56	78.92
TX327	63.99	59.72	TX560	75.51	70.49	WA005	86.08	80.36
TX330	60.94	56.88	TX901	75.51	70.49	WA006	101.38	94.60
TX332	60.94	56.88	UT002	69.85	65.20	WA007	69.02	64.42
TX335	60.94	56.88	UT003	69.85	65.20	WA008	83.78	78.19
TX341	71.76	66.98	UT004	69.85	65.20	WA011	101.38	94.60
TX343	73.18	68.32	UT006	74.57	69.59	WA012	78.20	72.98
TX349	79.54	74.24	UT007	69.85	65.20	WA013	78.47	73.23
TX350	73.18	68.32	UT009	69.85	65.20	WA014	65.20	60.86
TX358	60.94	56.88	UT011	69.85	65.20	WA017	67.21	62.73
TX372	60.94	56.88	UT014	84.82	79.16	WA018	84.56	78.92
TX376	60.94	56.88	UT015	84.82	79.16	WA020	69.02	64.42
TX377	83.25	77.71	UT016	84.82	79.16	WA021	78.20	72.98
TX378	61.09	57.01	UT020	69.85	65.20	WA024	99.35	92.71
TX381	60.94	56.88	UT021	71.94	67.15	WA025	96.24	89.81
TX392	85.36	79.68	UT022	69.85	65.20	WA036	89.54	83.57
TX395	62.95	58.76	UT025	69.85	65.20	WA039	101.38	94.60
TX396	60.94	56.88	UT026	69.85	65.20	WA042	81.31	75.88
TX397	60.94	56.88	UT028	84.82	79.16	WA049	92.51	86.33
TX421	60.94	56.88	UT029	84.82	79.16	WA054	86.08	80.36
TX431	79.54	74.24	UT030	69.85	65.20	WA055	77.87	72.69
TX432	70.73	66.00	UT031	74.57	69.59	WA057	84.54	78.90
TX433	79.54	74.24	VA001	77.79	72.60	WA061	87.99	82.12
TX434	85.36	79.68	VA002	62.62	58.44	WA064	80.07	74.72
TX435	85.36	79.68	VA003	77.79	72.60	WA071	71.46	66.69
TX436	85.36	79.68	VA004	114.69	107.05	WI001	66.42	61.99
TX439	70.73	66.00	VA005	70.56	65.85	WI002	65.72	61.34
TX440	75.51	70.49	VA006	77.79	72.60	WI003	73.14	68.27
TX441	75.51	70.49	VA007	70.56	65.85	WI006	62.88	58.69
TX444	63.99	59.72	VA010	59.70	55.72	WI011	55.85	52.12
TX445	64.15	59.86	VA011	62.10	57.95	WI020	89.79	83.81
TX447	64.15	59.86	VA012	77.79	72.60	WI031	54.95	51.28
TX448	64.15	59.86	VA013	62.80	58.61	WI043	55.34	51.66
TX449	60.94	56.88	VA014	62.80	58.61	WI045	54.95	51.28
TX452	73.18	68.32	VA015	56.16	52.42	WI047	54.95	51.28
TX454	60.94	56.88	VA016	78.90	73.64	WI048	54.95	51.28
TX455	82.23	76.75	VA017	77.79	72.60	WI060	89.79	83.81
TX456	72.96	68.10	VA018	56.16	52.42	WI064	60.98	56.92
TX457	68.34	63.79	VA019	114.69	107.05	WI065	55.34	51.66
TX458	63.99	59.72	VA020	70.56	65.85	WI068	55.85	52.12
TX459	71.76	66.98	VA021	56.16	52.42	WI069	55.85	52.12

PHA	A rate	B rate
WI070	54.95	51.28
WI083	65.72	61.34
WI085	54.95	51.28
WI091	54.95	51.28
WI096	54.95	51.28
WI127	54.95	51.28
WI131	54.95	51.28
WI142	65.72	61.34
WI160	54.95	51.28
WI166	54.95	51.28
WI183	60.04	56.03
WI186	55.09	51.41
WI193	54.95	51.28
WI195	67.96	63.42
WI201	65.72	61.34
WI203	60.98	56.92
WI204	55.85	52.12
WI205	54.95	51.28
WI206	54.95	51.28
WI208	54.95	51.28
WI213	55.34	51.66
WI214	73.14	68.27
WI218	65.72	61.34
WI219	60.98	56.92
WI221	54.95	51.28
WI222	54.95	51.28
WI231	54.95	51.28
WI233	54.95	51.28
WI237	55.97	52.24
WI241	54.95	51.28
WI242	54.95	51.28
WI244	60.32	56.30
WI245	54.95	51.28
WI246	55.58	51.87
WI248	54.95	51.28
WI256	54.95	51.28
WI901	54.95	51.28
WV001	73.20	68.32
WV003	59.05	55.11
WV004	60.35	56.32
WV005	57.93	54.07
WV006	61.01	56.94
WV009	61.66	57.55
WV010	63.75	59.50
WV015	57.93	54.07
WV016	61.97	57.84
WV017	57.70	53.86
WV018	57.70	53.86
WV027	58.91	54.99
WV034	57.70	53.86
WV035	58.91	54.99
WV037	60.35	56.32
WV039	57.93	54.07
WV042	57.93	54.07
WV045	57.70	53.86
WY002	85.45	79.76
WY003	68.38	63.83
WY004	102.96	96.10
WY013	68.38	63.83

Dominique Blom,

General Deputy Assistant Secretary for Public and Indian Housing.

[FR Doc. 2022-17252 Filed 8-12-22; 8:45 am]

BILLING CODE 4210-67-P

DEPARTMENT OF HOUSING AND URBAN DEVELOPMENT

[Docket No. FR-6340-D-01]

Delegation of Authority to the Principal Deputy Assistant Secretary for the Office of Policy Development and Research and General Deputy Assistant Secretary for the Office of Policy Development and Research

AGENCY: Office of the Deputy Secretary, Housing and Urban Development (HUD).

ACTION: Notice of delegation of authority.

SUMMARY: Through this notice, the Deputy Secretary of the Department of Housing and Urban Development delegates to the Principal Deputy Assistant Secretary for Policy Development and Research and the General Deputy Assistant Secretary for Policy Development and Research all authority delegated to the Assistant Secretary for Policy Development and Research by the Secretary in the Delegation of Authority for the Office of Policy Development and Research published on August 30, 2011, with the exception of the authority to issue and waive regulations.

DATES: Delegation authority effective August 4, 2022.

FOR FURTHER INFORMATION CONTACT: Todd M. Richardson, General Deputy Assistant Secretary, Office of Policy Development and Research, Department of Housing and Urban Development, 451 7th Street SW, Room 8100; Washington, DC 20410-6000 or telephone number 202-402-5706 (this is not a toll-free number). Persons with hearing or speech impairments may access this number through TTY by calling the Federal Relay Service at 1-800-877-8339 (this is a toll-free number).

SUPPLEMENTARY INFORMATION: On August 30, 2011 (76 FR 53934), the Secretary delegated authority over the Department's research agenda to the Assistant Secretary for Policy Development and Research in the Delegation of Authority for the Office of Policy Development and Research. Through the notice published in this issue of the **Federal Register**, the Deputy Secretary hereby delegates to the Principal Deputy Assistant Secretary for Policy Development and Research and the General Deputy Assistant Secretary for Policy Development and Research all authority delegated to the Assistant Secretary for Policy Development and Research on August 30, 2011 (76 FR

53934), with the exception of the authority to issue and waive regulations.

Accordingly, the Deputy Secretary delegates as follows:

Section A. Authority Delegated

The Deputy Secretary of HUD delegates concurrently to the Principal Deputy Assistant Secretary for Policy Development and Research and the General Deputy Assistant Secretary for Policy Development and Research all authority and powers delegated to the Assistant Secretary for Policy Development and Research as published in Section A of the Delegation of Authority for the Office of Policy Development and Research published in the **Federal Register** on August 30, 2011 (76 FR 53934), with the exception of the authority to issue and waive regulations. This includes the authority and responsibility over the Department's research agenda. In carrying out these responsibilities, the Principal Deputy Assistant Secretary for Policy Development and Research and the General Deputy Assistant Secretary for Policy Development and Research shall, among other duties:

1. Undertake programs of research, study, testing, and demonstration relating to the mission and programs of the Department under Title V of the Housing and Urban Development Act of 1970 (12 U.S.C. 1701z-1).

2. Administer programs related to policy development and research as assigned by the Secretary, including the following programs:

a. The Community Development Work Study Program, under section 107(c) of Title I of the Housing and Community Development Act of 1974 (42 U.S.C. 5307(c));

b. The Community Outreach Partnership Center Program, within the Community Outreach Partnership Act of 1992 (42 U.S.C. 5307 note), and section 107 of the Housing Development Act of 1974 (42 U.S.C. 5307(b)(3));

c. The Historically Black Colleges and Universities Program, under section 107(b)(3) of the Housing and Community Development Act of 1974 (42 U.S.C. 5307(b)(3));

d. The Hispanic-Serving Institutions Assisting Communities Program, as provided for in annual HUD appropriations acts (e.g., Pub. L. 111-117, 123 Stat. 3034, approved December 16, 2009);

e. The Alaska Native/Native Hawaiian Institutions Assisting Communities program as provided for in annual HUD appropriations acts (e.g., Pub. L. 111-117, 123 Stat. 3034, approved December 16, 2009);