and Taiwan.¹ On January 3, 2022, pursuant to section 751(c) of the Tariff Act of 1930, as amended (the Act), Commerce published the initiation of the fourth sunset reviews of the *Orders* and the ITC instituted its review of the *Orders*.²

As a result of its reviews, Commerce determined, pursuant to sections 751(c)(1) and 752(c) of the Act, that revocation of the *Orders* would likely lead to continuation or recurrence of dumping. Commerce, therefore, notified the ITC of the magnitude of the margins of dumping rates likely to prevail should these *Orders* be revoked.³

On August 12, 2022, the ITC published its determination, pursuant to sections 751(c) and 752(a) of the Act, that revocation of the *Orders* would likely lead to the continuation or recurrence of material injury to an industry in the United States within a reasonably foreseeable time.⁴

Scope of the Orders

The product covered by the Orders is certain polyester staple fiber (PSF). PSF is defined as synthetic staple fibers, not carded, combed or otherwise processed for spinning, of polyesters measuring 3.3 decitex (3 denier, inclusive) or more in diameter. This merchandise is cut to lengths varying from one inch (25 mm) to five inches (127 mm). The merchandise subject to these Orders may be coated, usually with a silicon or other finish, or not coated. PSF is generally used as stuffing in sleeping bags, mattresses, ski jackets, comforters, cushions, pillows, and furniture. Merchandise of less than 3.3 decitex (less than 3 denier) currently classifiable under the Harmonized Tariff Schedule of the United States (HTSUS) at subheading 5503.20.00.25 is specifically excluded from these Orders. Also

specifically excluded from these *Orders* are polyester staple fibers of 10 to 18 denier that are cut to lengths of 6 to 8 inches (fibers used in the manufacture of carpeting). In addition, low-melt PSF is excluded from these *Orders*. Low-melt PSF is defined as a bi-component polyester fiber having a polyester fiber component that melts at a lower temperature than the other polyester fiber component.

The merchandise subject to these *Orders* is currently classifiable in the HTSUS at subheadings 5503.20.00.45 and 5503.20.00.65. Although the HTSUS subheadings are provided for convenience and customs purposes, the written description of the merchandise under the *Orders* is dispositive.

Continuation of the Orders

As a result of the determinations by Commerce and the ITC that revocation of the *Orders* would likely lead to a continuation or recurrence of dumping and material injury to an industry in the United States, pursuant to section 751(d)(2) of the Act and 19 CFR 351.218(a), Commerce hereby orders the continuation of the *Orders*. The U.S. Customs and Border Protection will continue to collect AD cash deposits at the rates in effect at the time of entry for all imports of subject merchandise.

The effective date of the continuation of the *Orders* will be the date of publication in the **Federal Register** of this notice of continuation. Pursuant to section 751(c)(2) of the Act and 19 CFR 351.218(c)(2), Commerce intends to initiate the next five-year (sunset) reviews of the *Orders* not later than 30 days prior to the fifth anniversary of the effective date of continuation.

Administrative Protective Order (APO)

This notice also serves as the only reminder to parties subject to an APO of their responsibility concerning the return, destruction, or conversion to judicial protective order of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Failure to comply is a violation of the APO which may be subject to sanctions.

Notification to Interested Parties

These five-year sunset reviews and this notice are in accordance with section 751(c) of the Act and published pursuant to section 777(i)(1) of the Act and 19 CFR 351.218(f)(4).

Dated: August 15, 2022.

Lisa W. Wang,

Assistant Secretary for Enforcement and Compliance.

[FR Doc. 2022–17920 Filed 8–18–22; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

International Trade Administration [C-570-030; C-580-882]

Certain Cold-Rolled Steel Flat Products From the People's Republic of China and the Republic of Korea: Continuation of Countervailing Duty Orders

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: As a result of the determinations by the U.S. Department of Commerce (Commerce) and the U.S. International Trade Commission (ITC) that revocation of the countervailing duty (CVD) orders on certain cold-rolled steel flat products (cold-rolled steel or CRS) from the People's Republic of China (China) and the Republic of Korea (Korea) would likely lead to continuation or recurrence of net countervailable subsidies and material injury to an industry in the United States, Commerce is publishing a notice of continuation of the CVD orders.

DATES: Applicable August 19, 2022. FOR FURTHER INFORMATION CONTACT:

Tyler Weinhold or Harrison Tanchuck, AD/CVD Operations, Office VI, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW, Washington, DC 20230; telephone: (202) 482–1221 or (202) 482–7421, respectively.

SUPPLEMENTARY INFORMATION:

Background

On July 14 and September 20, 2016, Commerce published in the Federal Register the CVD orders on cold-rolled steel from China and Korea, respectively.¹ On June 1, 2021, Commerce published a notice of initiation of the first sunset review of the *Orders*, pursuant to section 751(c)(2) of the Tariff Act of 1930, as amended (the Act).² Commerce conducted expedited (120-day) sunset reviews of the *Orders*, pursuant to section 751(c)(3)(B) of the Act and 19 CFR 351.218(e)(1)(ii)(C)(2).

As a result of these reviews, pursuant to sections 751(c)(1) and 752(c) of the

¹ See Notice of Amended Final Determination of Sales at Less Than Fair Value: Certain Polyester Staple Fiber from the Republic of Korea and Antidumping Duty Orders: Certain Polyester Staple Fiber from the Republic of Korea and Taiwan, 65 FR 33807 (May 25, 2000) (Orders); see also Certain Polyester Staple Fiber from Korea: Notice of Amended Final Determination and Amended Order Pursuant to Final Court Decision, 68 FR 74552 (December 24, 2003).

² See Initiation Notice of Five-Year (Sunset) Reviews, 87 FR 76 (January 3, 2022); see also Polyester Staple Fiber from Korea and Taiwan; Institution of Five-Year Reviews, 87 FR 119 (January 3, 2022).

³ See Polyester Staple Fiber the Republic of Korea, and Taiwan: Final Results of the Expedited Sunset Reviews of the Antidumping Duty Orders, 87 FR 27567 (May 9, 2022), and accompanying Issues and Decision Memorandum.

⁴ See Certain Polyester Staple Fiber from South Korea and Taiwan, 87 FR 49886 (August 12, 2022); see also Certain Polyester Staple Fiber from South Korea and Taiwan, Investigation Nos. 731–TA–825-826 (Fourth Review), USITC Pub. 5341 (August 2022).

¹ See Certain Cold-Rolled Steel Flat Products from the People's Republic of China: Countervailing Duty Order, 81FR 45960 (July 14, 2016) (CRS China Order); and Certain Cold-Rolled Steel Flat Products from Brazil, India, and the Republic of Korea: Amended Final Affirmative Countervailing Duty Determination and Countervailing Duty Orders (the Republic of Korea) and Countervailing Duty Orders (Brazil and India), 81 FR 64436 (September 20, 2016) (CRS Korea Order) (collectively, the Orders).

² See Initiation of Five-Year (Sunset) Reviews, 86 FR 29239 (June 1, 2021).

Act, Commerce determined that revocation of the *Orders* on cold-rolled steel from China and Korea would likely lead to continuation or recurrence of countervailable subsidies. Commerce, therefore, notified the ITC of the magnitude of the net countervailable subsidy rates likely to prevail should the *Orders* be revoked.³

On August 12, 2022, the ITC published its determination, pursuant to sections 751(c) and 752(a) of the Act, that revocation of the *Orders* would likely lead to continuation or recurrence of material injury to an industry in the United States within a reasonably foreseeable time.⁴

Scope of the Orders

CRS From China 5

The products covered by this Order are certain cold-rolled (cold-reduced), flat-rolled steel products, whether or not annealed, painted, varnished, or coated with plastics or other non-metallic substances. The products covered do not include those that are clad, plated, or coated with metal. The products covered include coils that have a width or other lateral measurement ("width") of 12.7 mm or greater, regardless of form of coil (e.g., in successively superimposed layers, spirally oscillating, etc.). The products covered also include products not in coils (e.g., in straight lengths) of a thickness less than 4.75 mm and a width that is 12.7 mm or greater and that measures at least 10 times the thickness. The products covered also include products not in coils (e.g., in straight lengths) of a thickness of 4.75 mm or more and a width exceeding 150 mm and measuring at least twice the thickness. The products described above may be rectangular, square, circular, or other shape and include products of either rectangular or non-rectangular crosssection where such cross-section is achieved subsequent to the rolling process, *i.e.*, products which have been

"worked after rolling" (e.g., products which have been beveled or rounded at the edges). For purposes of the width and thickness requirements referenced above:

(1) Where the nominal and actual measurements vary, a product is within the scope if application of either the nominal or actual measurement would place it within the scope based on the definitions set forth above, and

(2) Where the width and thickness vary for a specific product (e.g., the thickness of certain products with non-rectangular cross-section, the width of certain products with non-rectangular shape, etc.), the measurement at its greatest width or thickness applies.

Steel products included in the scope of this *Order* are products in which: (1) iron predominates, by weight, over each of the other contained elements; (2) the carbon content is 2 percent or less, by weight; and (3) none of the elements listed below exceeds the quantity, by weight, respectively indicated:

- 2.50 percent of manganese, or
- 3.30 percent of silicon, or
- 1.50 percent of copper, or
- 1.50 percent of aluminum, or
- 1.25 percent of chromium, or
- 0.30 percent of cobalt, or
- 0.40 percent of lead, or
- 2.00 percent of nickel, or
- 0.30 percent of tungsten (also called wolfram), or
- 0.80 percent of molybdenum, or0.10 percent of niobium (also called
- columbium), or0.30 percent of vanadium, or
- 0.30 percent of variation, 6

Unless specifically excluded, products are included in this scope regardless of levels of boron and titanium.

For example, specifically included in this scope are vacuum degassed, fully stabilized (commonly referred to as interstitial-free (IF)) steels, high strength low alloy (HSLA) steels, motor lamination steels, Advanced High Strength Steels (AHSS), and Ultra High Strength Steels (UHSS). IF steels are recognized as low carbon steels with micro-alloying levels of elements such as titanium and/or niobium added to stabilize carbon and nitrogen elements. HSLA steels are recognized as steels with micro-alloying levels of elements such as chromium, copper, niobium, titanium, vanadium, and molybdenum. Motor lamination steels contain microalloying levels of elements such as silicon and aluminum. AHSS and UHSS are considered high tensile strength and high elongation steels, although AHSS and UHSS are covered whether or not they are high tensile strength or high elongation steels.

Subject merchandise includes coldrolled steel that has been further processed in a third country, including but not limited to annealing, tempering, painting, varnishing, trimming, cutting, punching, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of this *Order* if performed in the country of manufacture of the cold-rolled steel.

All products that meet the written physical description, and in which the chemistry quantities do not exceed any one of the noted element levels listed above, are within the scope of this *Order* unless specifically excluded. The following products are outside of and/or specifically excluded from the scope of this *Order*:

- Ball bearing steels; 6
- Tool steels; 7
- Silico-manganese steel; 8
- Grain-oriented electrical steels (GOES) as defined in the final determination of the U.S. Department of Commerce in Grain-Oriented Electrical Steel from Germany, Japan, and Poland.⁹
- Non-Oriented Electrical Steels (NOES), as defined in the antidumping

³ See Certain Cold-Rolled Steel Flat Products from the People's Republic of China and the Republic of Korea: Final Results of the Expedited First Sunset Review of the Countervailing Duty Orders, 86 FR 54677 (September 28, 2021), and accompanying Issues and Decision Memorandum (IDM).

⁴ See Cold-Rolled Steel Flat Products from Brazil, China, India, Japan, South Korea, and the United Kingdom, 87 FR 49886 (August 12, 2022).

⁵ See CRS China Order; see also Memorandum, "Certain Cold-Rolled Steel Flat Products from the People's Republic of China (C–570–030): Request from Customs and Border Protection to Update the ACE AD/CVD Case Reference File," dated September 13, 2021; and Certain Cold-Rolled Steel Flat Products from the People's Republic of China: Affirmative Final Determination of Circumvention of the Antidumping Duty and Countervailing Duty Orders, 83 FR 23891 (May 23, 2018), and accompanying IDM.

⁶ Ball bearing steels are defined as steels which contain, in addition to iron, each of the following elements by weight in the amount specified: (i) not less than 0.95 nor more than 1.13 percent of carbon; (ii) not less than 0.22 nor more than 0.48 percent of manganese; (iii) none, or not more than 0.03 percent of sulfur; (iv) none, or not more than 0.03 percent of phosphorus; (v) not less than 0.18 nor more than 0.37 percent of silicon; (vi) not less than 1.25 nor more than 1.65 percent of chromium; (vii) none, or not more than 0.28 percent of nickel; (viii) none, or not more than 0.38 percent of copper; and (ix) none, or not more than 0.09 percent of molyhdenum.

⁷Tool steels are defined as steels which contain the following combinations of elements in the quantity by weight respectively indicated: (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or (vi) not less than 0.5 percent tungsten.

⁸ Silico-manganese steel is defined as steels containing by weight: (i) not more than 0.7 percent of carbon; (ii) 0.5 percent or more but not more than 1.9 percent of manganese, and (iii) 0.6 percent or more but not more than 2.3 percent of silicon.

⁹ See Grain-Oriented Electrical Steel from Germany, Japan, and Poland: Final Determinations of Sales at Less Than Fair Value and Certain Final Affirmative Determination of Critical Circumstances, 79 FR 42501, 42503 (July 22, 2014). This determination defines grain-oriented electrical steel as "a flat-rolled alloy steel product containing by weight at least 0.6 percent but not more than 6 percent of silicon, not more than 0.08 percent of carbon, not more than 1.0 percent of aluminum, and no other element in an amount that would give the steel the characteristics of another alloy steel, in coils or in straight lengths."

orders issued by the U.S. Department of Commerce in Non-Oriented Electrical Steel from the People's Republic of China, Germany, Japan, the Republic of Korea, Sweden, and Taiwan.¹⁰

The products subject to this *Order* are currently classified in the Harmonized Tariff Schedule of the United States (HTSUS) under item numbers: 7209.15.0000, 7209.16.0030, 7209.16.0040, 7209.16.0045, 7209.16.0060, 7209.16.0070, 7209.16.0091, 7209.17.0030, 7209.17.0040, 7209.17.0045, 7209.17.0060, 7209.17.0070, 7209.17.0091, 7209.18.1530, 7209.18.1560, 7209.18.2510, 7209.18.2520, 7209.18.2580, 7209.18.6020, 7209.18.6090, 7209.25.0000, 7209.26.0000, 7209.27.0000, 7209.28.0000, 7209.90.0000, 7210.70.3000, 7211.23.1500, 7211.23.2000, 7211.23.3000, 7211.23.4500, 7211.23.6030, 7211.23.6060, 7211.23.6090, 7211.29.2030, 7211.29.2090, 7211.29.4500, 7211.29.6030, 7211.29.6080, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7225.50.6000, 7225.50.8080, 7225.99.0090, 7226.92.5000, 7226.92.7050, and 7226.92.8050.

The products subject to this Order may also enter under the following HTSUS numbers: 7210.90.9000, 7212.50.0000, 7215.10.0010, 7215.10.0080, 7215.50.0016, 7215.50.0018, 7215.50.0063, 7215.50.0065, 7215.50.0063, 7215.90.5000, 7217.10.1000, 7217.10.2000, 7217.10.3000, 7217.10.7000, 7217.90.5060, 7217.90.5060, 7217.90.5090, 7225.19.0000, 7226.19.1000, 7226.99.0180, 7228.50.5015,

7228.50.5040, 7228.50.5070, 7228.60.8000, and 7229.90.1000.

The HTSUŚ subheadings above are provided for convenience and customs purposes only. The written description of the scope of this *Order* is dispositive.

CRS From Korea 11

The products covered by this *Order* are certain cold-rolled (cold-reduced). flat-rolled steel products, whether or not annealed, painted, varnished, or coated with plastics or other non-metallic substances. The products covered do not include those that are clad, plated, or coated with metal. The products covered include coils that have a width or other lateral measurement ("width") of 12.7 mm or greater, regardless of form of coil (e.g., in successively superimposed layers, spirally oscillating, etc.). The products covered also include products not in coils (e.g., in straight lengths) of a thickness less than 4.75 mm and a width that is 12.7 mm or greater and that measures at least 10 times the thickness. The products covered also include products not in coils (e.g., in straight lengths) of a thickness of 4.75 mm or more and a width exceeding 150 mm and measuring at least twice the thickness. The products described above may be rectangular, square, circular, or other shape and include products of either rectangular or non-rectangular crosssection where such cross-section is achieved subsequent to the rolling process, *i.e.*, products which have been "worked after rolling" (e.g., products which have been beveled or rounded at the edges). For purposes of the width and thickness requirements referenced above:

(1) where the nominal and actual measurements vary, a product is within the scope if application of either the nominal or actual measurement would place it within the scope based on the definitions set forth above, and

(2) where the width and thickness vary for a specific product (e.g., the thickness of certain products with non-rectangular cross-section, the width of certain products with non-rectangular shape, etc.), the measurement at its greatest width or thickness applies.

Steel products included in the scope of this *Order* are products in which: (1) iron predominates, by weight, over each

of the other contained elements; (2) the carbon content is 2 percent or less, by weight; and (3) none of the elements listed below exceeds the quantity, by weight, respectively indicated:

- 2.50 percent of manganese, or
- 3.30 percent of silicon, or
- 1.50 percent of copper, or
- 1.50 percent of aluminum, or
- 1.25 percent of chromium, or
- 0.30 percent of cobalt, or
- 0.40 percent of lead, or
- 2.00 percent of nickel, or
- 0.30 percent of tungsten (also called wolfram), or
- 0.80 percent of molybdenum, or
- 0.10 percent of niobium (also called columbium), or
- 0.30 percent of vanadium, or
- 0.30 percent of zirconium

Unless specifically excluded, products are included in this scope regardless of levels of boron and titanium.

For example, specifically included in this scope are vacuum degassed, fully stabilized (commonly referred to as interstitial-free (IF)) steels, high strength low alloy (HSLA) steels, motor lamination steels, Advanced High Strength Steels (AHSS), and Ultra High Strength Steels (UHSS). IF steels are recognized as low carbon steels with micro-alloying levels of elements such as titanium and/or niobium added to stabilize carbon and nitrogen elements. HSLA steels are recognized as steels with micro-alloying levels of elements such as chromium, copper, niobium, titanium, vanadium, and molybdenum. Motor lamination steels contain microalloying levels of elements such as silicon and aluminum. AHSS and UHSS are considered high tensile strength and high elongation steels, although AHSS and UHSS are covered whether or not they are high tensile strength or high elongation steels.

Subject merchandise includes coldrolled steel that has been further processed in a third country, including but not limited to annealing, tempering, painting, varnishing, trimming, cutting, punching, and/or slitting, or any other processing that would not otherwise remove the merchandise from the scope of this *Order* if performed in the country of manufacture of the cold-rolled steel.

All products that meet the written physical description, and in which the chemistry quantities do not exceed any one of the noted element levels listed above, are within the scope of this *Order* unless specifically excluded. The following products are outside of and/ or specifically excluded from the scope of this *Order*:

¹⁰ See Non-Oriented Electrical Steel from the People's Republic of China, Germany, Japan, the Republic of Korea, Sweden, and Taiwan: Antidumping Duty Orders, 79 FR 71741, 71741–42 (December 3, 2014) (NOES from Germany, Japan, and Poland Order). The orders define NOES as "cold-rolled, flat-rolled, alloy steel products; whether or not in coils, regardless of width, having an actual thickness of 0.20 mm or more, in which the core loss is substantially equal in any direction of magnetization in the plane of the material. The term 'substantially equal' means that the cross grain direction of core loss is no more than 1.5 times the straight grain direction (i.e., the rolling direction) of core loss. NOES has a magnetic permeability that does not exceed 1.65 Tesla when tested at a field of 800 A/m (equivalent to 10 Oersteds) along (i.e., parallel to) the rolling direction of the sheet (i.e., B800 value). NOES contains by weight more than 1.00 percent of silicon but less than 3.5 percent of silicon, not more than 0.08 percent of carbon, and not more than 1.5 percent of aluminum. NOES has a surface oxide coating, to which an insulation coating may be applied.

¹¹ See CRS Korea Order; see also Memorandum "Certain Cold-Rolled Steel Flat Products from the Republic of Korea (C–580–882): Request from Customs and Border Protection to Update the ACE AD/CVD Case Reference File," dated September 13, 2021; and Certain Cold-Rolled Steel Flat Products from the Republic of Korea: Final Results of Countervailing Duty Administrative Review; 2018, 86 FR 40465 (July 28, 2021) (CRS Korea 2018 Final Results), and accompanying IDM.

- Ball bearing steels; 12
- Tool steels: 13
- Silico-manganese steel; 14
- Grain-oriented electrical steels (GOES) as defined in the final determination of the U.S. Department of Commerce in Grain-Oriented Electrical Steel from Germany, Japan, and Poland.¹⁵
- Non-Oriented Electrical Steels (NOES), as defined in the antidumping orders issued by the U.S. Department of Commerce in Non-Oriented Electrical Steel from the People's Republic of China, Germany, Japan, the Republic of Korea, Sweden, and Taiwan.¹⁶

The products subject to this *Order* are currently classified in the Harmonized

Tariff Schedule of the United States (HTSUS) under item numbers: 7209.15.0000, 7209.16.0030, 7209.16.0040, 7209.16.0045, 7209.16.0060, 7209.16.0070, 7209.16.0091, 7209.17.0030, 7209.17.0040, 7209.17.0045, 7209.17.0060, 7209.17.0070, 7209.17.0091, 7209.18.1530, 7209.18.1560, 7209.18.2510, 7209.18.2520, 7209.18.2580, 7209.18.6020, 7209.18.6090, 7209.25.0000, 7209.26.0000, 7209.27.0000, 7209.28.0000, 7209.90.0000, 7210.70.3000, 7211.23.1500, 7211.23.2000, 7211.23.3000, 7211.23.4500, 7211.23.6030, 7211.23.6060, 7211.23.6090, 7211.29.2030, 7211.29.2090, 7211.29.4500, 7211.29.6030, 7211.29.6080, 7211.90.0000, 7212.40.1000, 7212.40.5000, 7225.50.6000, 7225.50.8080, 7225.99.0090, 7226.92.5000, 7226.92.7050, and 7226.92.8050.

The products subject to this Order may also enter under the following HTSUS numbers: 7210.90.9000, 7212.50.0000, 7215.10.0010, 7215.10.0080, 7215.50.0016, 7215.50.0018, 7215.50.0020, 7215.50.0061, 7215.50.0063, 7215.50.0065, 7215.50.0090, 7215.90.5000, 7217.10.1000, 7217.10.2000, 7217.10.3000, 7217.10.7000, 7217.90.1000, 7217.90.5030, 7217.90.5060, 7217.90.5090, 7225.19.0000, 7226.19.1000, 7226.19.9000, 7226.99.0180, 7228.50.5015, 7228.50.5040, 7228.50.5070, 7228.60.8000, and 7229.90.1000.

The HTSUS subheadings above are provided for convenience and customs purposes only. The written description of the scope of this *Order* is dispositive.

Continuation of the Orders

As a result of the determinations by Commerce and the ITC that revocation of the *Orders* would likely lead to continuation or recurrence of countervailable subsidies as well as material injury to an industry in the United States, pursuant to section 751(d)(2) of the Act and 19 CFR 351.218(a), Commerce hereby orders the continuation of the *Orders*.

U.S. Customs and Border Protection will continue to collect CVD cash deposits at the rates in effect at the time of entry for all imports of subject merchandise. The effective date of continuation of the *Orders* will be the date of publication in the **Federal Register** of this notice of continuation. Pursuant to section 751(c)(2) of the Act and 19 CFR 351.281(c)(2), Commerce

intends to initiate the next five-year (sunset) review of the *Orders* no later than 30 days prior to the fifth anniversary of the effective date of continuation.

Administrative Protective Order

This notice also serves as the only reminder to parties subject to an administrative protective order (APO) of their responsibility concerning the return, destruction, or conversion to judicial protective order of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Failure to comply is a violation of the APO which may be subject to sanctions.

Notification to Interested Parties

This five-year sunset review and this notice are in accordance with section 751(c) and (d)(2) of the Act and published pursuant to section 777(i)(1) of the Act and 19 CFR 351.218(f)(4).

Dated: August 15, 2022.

Lisa W. Wang,

Assistant Secretary for Enforcement and Compliance.

[FR Doc. 2022–17919 Filed 8–18–22; 8:45 am]

BILLING CODE 3510-DS-P

DEPARTMENT OF COMMERCE

National Oceanic and Atmospheric Administration

[RTID 0648-XC283]

New England Fishery Management Council; Public Meeting

AGENCY: National Marine Fisheries Service (NMFS), National Oceanic and Atmospheric Administration (NOAA), Commerce.

ACTION: Notice of a public meeting.

SUMMARY: The New England Fishery Management Council (Council) is scheduling a public meeting of its Ecosystem-Based Fishery Management Committee via webinar to consider actions affecting New England fisheries in the exclusive economic zone (EEZ). Recommendations from this group will be brought to the full Council for formal consideration and action, if appropriate.

DATES: This webinar will be held on Wednesday, September 7, 2022, at 9:30 a.m. Webinar registration URL information: https://attendee.gotowebinar.com/register/8496704127565208587.

ADDRESSES: Council address: New England Fishery Management Council, 50 Water Street, Mill 2, Newburyport, MA 01950.

¹² Ball bearing steels are defined as steels which contain, in addition to iron, each of the following elements by weight in the amount specified: (i) not less than 0.95 nor more than 1.13 percent of carbon; (ii) not less than 0.22 nor more than 0.48 percent of manganese; (iii) none, or not more than 0.03 percent of sulfur; (iv) none, or not more than 0.03 percent of phosphorus; (v) not less than 0.18 nor more than 0.37 percent of silicon; (vi) not less than 1.25 nor more than 1.65 percent of chromium; (vii) none, or not more than 0.28 percent of nickel; (viii) none, or not more than 0.38 percent of copper; and (ix) none, or not more than 0.09 percent of molybdenum.

¹³ Tool steels are defined as steels which contain the following combinations of elements in the quantity by weight respectively indicated: (i) more than 1.2 percent carbon and more than 10.5 percent chromium; or (ii) not less than 0.3 percent carbon and 1.25 percent or more but less than 10.5 percent chromium; or (iii) not less than 0.85 percent carbon and 1 percent to 1.8 percent, inclusive, manganese; or (iv) 0.9 percent to 1.2 percent, inclusive, chromium and 0.9 percent to 1.4 percent, inclusive, molybdenum; or (v) not less than 0.5 percent carbon and not less than 3.5 percent molybdenum; or (vi) not less than 0.5 percent tungsten.

¹⁴ Silico-manganese steel is defined as steels containing by weight: (i) not more than 0.7 percent of carbon; (ii) 0.5 percent or more but not more than 1.9 percent of manganese, and (iii) 0.6 percent or more but not more than 2.3 percent of silicon.

¹⁵ See NOES from Germany, Japan, and Poland Order. This determination defines grain-oriented electrical steel as "a flat-rolled alloy steel product containing by weight at least 0.6 percent but not more than 6 percent of silicon, not more than 0.08 percent of carbon, not more than 1.0 percent of aluminum, and no other element in an amount that would give the steel the characteristics of another alloy steel, in coils or in straight lengths."

¹⁶ See NOES from Germany, Japan, and Poland Order. The orders define NOES as "cold-rolled, flatrolled, alloy steel products, whether or not in coils, regardless of width, having an actual thickness of 0.20 mm or more, in which the core loss is substantially equal in any direction of magnetization in the plane of the material. The term 'substantially equal' means that the cross grain direction of core loss is no more than 1.5 times the straight grain direction (i.e., the rolling direction) of core loss. NOES has a magnetic permeability that does not exceed 1.65 Tesla when tested at a field of 800 A/m (equivalent to 10 Oersteds) along (i.e., parallel to) the rolling direction of the sheet (i.e., B800 value). NOES contains by weight more than 1.00 percent of silicon but less than 3.5 percent of silicon, not more than 0.08 percent of carbon, and not more than 1.5 percent of aluminum. NOES has a surface oxide coating, to which an insulation coating may be applied.