

TABLE 1 TO SUBPART HHHHH OF PART 63—EMISSION LIMITS AND WORK PRACTICE STANDARDS FOR PROCESS VESSELS—Continued

[As required in § 63.8005, you must meet each emission limit and work practice standard in the following table that applies to your process vessels.]

For each . . .	You must . . .	And you must . . .
4. Halogenated vent stream from a process vessel subject to the requirements of item 2 or 3 of this table for which you use a combustion control device to control organic HAP emissions.	a. Use a halogen reduction device after the combustion control device; or b. Use a halogen reduction device before the combustion control device.	i. Reduce overall emissions of hydrogen halide and halogen HAP by ≥95 percent; or ii. Reduce overall emissions of hydrogen halide and halogen HAP to ≤0.45 kilogram per hour (kg/hr). Reduce the halogen atom mass emission rate to ≤0.45 kg/hr.

[FR Doc. 2023–03562 Filed 2–21–23; 8:45 am]

BILLING CODE 6560–50–P

**ENVIRONMENTAL PROTECTION AGENCY**

**40 CFR Parts 122 and 123**

[EPA–HQ–OW–2022–0834; FRL–10123–05–OW]

RIN 2040–AG27

**NPDES Small MS4 Urbanized Area Clarification; Withdrawal of Direct Final Rule**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Withdrawal of direct final rule.

**SUMMARY:** Due to the receipt of an adverse comment, the Environmental Protection Agency (EPA) is withdrawing the direct final rule “NPDES Small MS4 Urbanized Area Clarification,” published on December 2, 2022.

**DATES:** Effective February 22, 2023, the EPA withdraws the direct final rule published at 87 FR 73965, on December 2, 2022.

**FOR FURTHER INFORMATION CONTACT:** Heather Huddle, Water Permits Division (MC4203), Environmental Protection Agency, 1200 Pennsylvania Ave. NW, Washington, DC 20004; telephone number: (202) 564–7932; email address: [huddle.heather@epa.gov](mailto:huddle.heather@epa.gov).

**SUPPLEMENTARY INFORMATION:** On December 2, 2022, the EPA published a direct final rule (87 FR 73965). We stated in that direct final rule that if we received adverse comment by January 3, 2023 (extended to January 18, 2023 (87 FR 80079, December 29, 2022)), the direct final rule would not take effect and we would publish a timely withdrawal in the **Federal Register**. Because the EPA subsequently received adverse comment on that direct final rule, we are withdrawing the direct final rule.

The EPA published a parallel proposed rule on the same day (87 FR 74066, December 2, 2022) as the direct

final rule, which proposed the same rule changes as the direct final rule. The proposed rule invited comment on the substance of these rule changes. The EPA will respond to comments as part of any final action it takes on the parallel proposed rule. As stated in the direct final rule and the parallel proposed rule, we will not institute a second comment period on this action.

**List of Subjects**

*40 CFR Part 122*

Environmental protection, Stormwater, Water pollution.

*40 CFR Part 123*

Environmental protection, Stormwater, Water pollution.

**Michael S. Regan,**  
*Administrator.*

■ Accordingly, as of February 22, 2023, the EPA withdraws the direct final rule amending 40 CFR parts 122 and 123, which published at 87 FR 73965, on December 2, 2022.

[FR Doc. 2023–03590 Filed 2–21–23; 8:45 am]

BILLING CODE 6560–50–P

**ENVIRONMENTAL PROTECTION AGENCY**

**40 CFR Part 300**

[EPA–HQ–OLEM–2022–0319; EPA–HQ–OLEM–2022–0527; EPA–HQ–OLEM–2022–0579; FRL–10632–02–OLEM]

**Deletion From the National Priorities List**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Final rule.

**SUMMARY:** The Environmental Protection Agency (EPA) announces the deletion of one site and the partial deletion of two sites from the Superfund National Priorities List (NPL). The NPL, created under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) of 1980, as amended, is an

appendix of the National Oil and Hazardous Substances Pollution Contingency Plan (NCP). The EPA and the states, through their designated state agencies, have determined that all appropriate response actions under CERCLA have been completed. However, this deletion does not preclude future actions under Superfund.

**DATES:** The document is effective February 22, 2023.

**ADDRESSES:** *Docket:* EPA has established a docket for this action under the Docket Identification included in Table 1 in the **SUPPLEMENTARY INFORMATION** section of this document. All documents in the docket are listed on the <https://www.regulations.gov> website. The Final Close-Out Report (FCOR, for a full site deletion) or the Partial Deletion Justification (PDJ, for a partial site deletion) is the primary document which summarizes site information to support the deletion. It is typically written for a broad, non-technical audience and this document is included in the deletion docket for each of the sites in this rulemaking. Although listed in the index, some information is not publicly available, *i.e.*, Confidential Business Information or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, is not placed on the internet and will be publicly available only in hard copy form. Docket materials are available through <https://www.regulations.gov> or at the corresponding Regional Records Centers. Locations, addresses, and phone numbers of the Regional Records Center follows.

- Region 4 (AL, FL, GA, KY, MS, NC, SC, TN), U.S. EPA, 61 Forsyth Street SW, Mail code 9T25, Atlanta, GA 30303.
- Region 5 (IL, IN, MI, MN, OH, WI), U.S. EPA Superfund Division Records Manager, Mail code SRC–7J, Metcalfe Federal Building, 7th Floor South, 77 West Jackson Boulevard, Chicago, IL 60604; 312/886–4465.
- Region 6 (AR, LA, NM, OK, TX), US EPA Region 6 Records Center 1201 Elm