- (i) Pratt & Whitney Service Bulletin PW1000G-C-72-00-0208-00A-930A-D, Issue 001, dated September 13, 2022.
  - (ii) [Reserved]
- (3) For Pratt & Whitney service information identified in this AD, contact International Aero Engines, LLC, 400 Main Street, East Hartford, CT 06118; phone: (860) 565-0140; email: help24@pw.utc.com; website: connect.prattwhitney.com.
- 4) You may view this service information at FAA, Airworthiness Products Section, Operational Safety Branch, 1200 District Avenue, Burlington, MA 01803. For information on the availability of this material at the FAA, call (817) 222-5110.
- (5) You may view this service information that is incorporated by reference at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, email: fr.inspection@nara.gov, or go to: www.archives.gov/federal-register/cfr/ibrlocations.html.

Issued on September 29, 2023.

#### Victor Wicklund.

Deputy Director, Compliance & Airworthiness Division, Aircraft Certification Service.

[FR Doc. 2023-22174 Filed 10-4-23: 8:45 am]

BILLING CODE 4910-13-P

#### DEPARTMENT OF TRANSPORTATION

#### Federal Aviation Administration

## 14 CFR Part 39

[Docket No. FAA-2023-1987; Project Identifier MCAI-2023-00807-T]

RIN 2120-AA64

## Airworthiness Directives; ATR—GIE Avions de Transport Régional **Airplanes**

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking

(NPRM).

**SUMMARY:** The FAA proposes to supersede Airworthiness Directive (AD) 2021-17-02, which applies to all ATR-GIE Avions de Transport Régional Model ATR42–200, –300, and –320 airplanes. AD 2021-17-02 requires a one-time inspection for discrepancies of the wire bundles between the left- and right-hand angle of attack (AOA) probes and the crew alerting computer, and, depending on findings, applicable corrective actions. AD 2021-17-02 also required for certain airplanes, modifying the captain stick shaker wiring, and for all airplanes, revising the existing aircraft flight manual (AFM) and applicable corresponding operational procedures to incorporate procedures for the stick pusher/shaker. Since the FAA issued AD 2021-17-02, a

modification was developed to the affected wiring. This proposed AD would require installing a new AOA power supply unit and revising the existing AFM, as specified in a European Union Aviation Safety Agency (EASA) AD, which is proposed for incorporation by reference (IBR). The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by November 20,

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following

- Federal eRulemaking Portal: Go to regulations.gov. Follow the instructions for submitting comments.
- Fax: 202–493–2251. Mail: U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.
- Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at regulations.gov under Docket No. FAA-2023-1987; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

- Material Incorporated by Reference: For the EASA ADs identified in this NPRM, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu; website easa.europa.eu. You may find this material on the EASA website ad.easa.europa.eu. It is also available at regulations.gov under Docket No. FAA-2023-1987.
- · You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th Street, Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.

FOR FURTHER INFORMATION CONTACT: Shahram Daneshmandi, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; telephone: 206–231–3220; email: shaħram.daneshmandi@faa.gov.

## SUPPLEMENTARY INFORMATION:

#### **Comments Invited**

The FAA invites you to send any written relevant data, views, or

arguments about this proposal. Send vour comments to an address listed under ADDRESSES. Include "Docket No. FAA-2023-1987; Project Identifier MCAI-2023-00807-T" at the beginning of your comments. The most helpful comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

Except for Confidential Business Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to regulations.gov, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

#### **Confidential Business Information**

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Shahram Daneshmandi, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; telephone: 206-231-3220: email: shahram.daneshmandi@faa.gov. Anv commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket

## **Background**

for this rulemaking.

The FAA issued AD 2021-17-02, Amendment 39–21685 (86 FR 48490, August 31, 2021) (AD 2021-17-02), for all ATR—GIE Avions de Transport Régional Model ATR42-200, -300, and -320 airplanes. AD 2021-17-02 was prompted by an MCAI originated by EASA, which is the Technical Agent for the Member States of the European Union. EASA issued AD 2021-0024, dated January 19, 2021, to correct false

activation of the stall warning system due to wiring damage on the wire bundle between an AOA probe and the

crew alerting computer.

AD 2021–17–02 requires a one-time inspection for discrepancies of the wire bundles between the left- and right-hand AOA probes and the crew alerting computer, and, depending on findings, applicable corrective actions. AD 2021–17–02 also required for certain airplanes, modifying the captain stick shaker wiring, and for all airplanes, revising the existing AFM and applicable corresponding operational procedures to incorporate procedures for the stick pusher/shaker.

# Actions Since AD 2021–17–02 Was Issued

The preamble to AD 2021–17–02 explained that the FAA considered the requirements "interim action" and was considering further rulemaking. The FAA has now determined that further rulemaking is indeed necessary, and this proposed AD follows from that determination.

Since the FAA issued AD 2021–17–02, EASA superseded AD 2021–0024, dated January 19, 2021, and issued EASA AD 2023–0134, dated July 5, 2023 (EASA AD 2023–0134) (also referred to as the MCAI), to correct an unsafe condition for all ATR—GIE Avions de Transport Régional Model ATR42–200, –300, and –320 airplanes. The MCAI states final modification instructions of the affected wiring were developed. This proposed AD requires installing a new AOA power supply unit, and removes the AFM amendment.

The FAA is proposing this AD to address false activation of the stall warning system, which could result in loss of control of the airplane during take-off and landing phases. You may examine the MCAI in the AD docket at regulations.gov under Docket No. FAA–2023–1987.

# **Explanation of Retained Requirements**

Although this proposed AD does not explicitly restate the requirements of AD 2021–17–02, this proposed AD would retain all of the requirements of AD 2021–17–02. Those requirements are referenced in EASA AD 2023–0134, which, in turn, is referenced in paragraph (g) of this proposed AD.

#### Related Service Information Under 1 CFR Part 51

EASA AD 2023–0134 specifies procedures for installing the AOA power supply unit and removing the AFM amendment. This material is reasonably available because the interested parties have access to it through their normal course of business or by the means identified in the ADDRESSES section.

#### **FAA's Determination**

This product has been approved by the aviation authority of another country and is approved for operation in the United States. Pursuant to the FAA's bilateral agreement with this State of Design Authority, it has notified the FAA of the unsafe condition described in the MCAI referenced above. The FAA is issuing this NPRM after determining that the unsafe condition described previously is likely to exist or develop in other products of the same type design.

# Proposed AD Requirements in This NPRM

This proposed AD would retain all of the requirements of AD 2021–17–02. This proposed AD would require accomplishing the actions specified in EASA AD 2023–0134 described previously.

EASA AD 2023–0134 requires operators to amend the AFM to "inform all flight crews" of revisions to the AFM; and thereafter to "operate the aeroplane accordingly." However, this AD would not specifically require those actions as those actions are already required by FAA regulations. FAA regulations require operators furnish to pilots any changes to the AFM (for example, 14 CFR 121.137), and to ensure the pilots are familiar with the AFM (for example, 14 CFR 91.505). As with any other flightcrew training requirement, training on the updated AFM content is tracked by the operators and recorded in each pilot's training record, which is available for the FAA to review. FAA regulations also require pilots to follow the procedures in the existing AFM including all updates. 14 CFR 91.9 requires that any person operating a civil aircraft must comply with the operating limitations specified

in the AFM. Therefore, including a requirement in this AD to operate the airplane according to the revised AFM would be redundant and unnecessary. Further, compliance with such a requirement in an AD would be impracticable to demonstrate or track on an ongoing basis; therefore, a requirement to operate the airplane in such a manner would be unenforceable. Further, EASA AD 2023–0134 provides for the removal of the AFM amendment concurrently with the required modification.

# **Explanation of Required Compliance Information**

In the FAA's ongoing efforts to improve the efficiency of the AD process, the FAA developed a process to use some civil aviation authority (CAA) ADs as the primary source of information for compliance with requirements for corresponding FAA ADs. The FAA has been coordinating this process with manufacturers and CAAs. As a result, the FAA proposes to incorporate EASA AD 2023-0134 by reference in the FAA final rule. This proposed AD would, therefore, require compliance with EASA AD 2023-0134 in its entirety through that incorporation, except for any differences identified as exceptions in the regulatory text of this proposed AD. Using common terms that are the same as the heading of a particular section in EASA AD 2023-0134 does not mean that operators need comply only with that section. For example, where the AD requirement refers to "all required actions and compliance times,' compliance with this AD requirement is not limited to the section titled "Required Action(s) and Compliance Time(s)" in EASA AD 2023-0134. Service information required by EASA AD 2023-0134 for compliance will be available at regulations.gov under Docket No. FAA-2023-1987 after the FAA final rule is published.

## **Costs of Compliance**

The FAA estimates that this AD, if adopted as proposed, would affect 26 airplanes of U.S. registry. The FAA estimates the following costs to comply with this proposed AD:

## ESTIMATED COSTS FOR REQUIRED ACTIONS

Action	Labor cost	Parts cost	Cost per product	Cost on U.S. operators
Retained actions from AD 2021–17–02. New proposed actions	Up to 14 work-hours × \$85 per hour = Up to \$1,190. 50 work-hours × \$85 per hour		Up to \$1,290	
New proposed delions	= \$4,250.	0	Ψ4,200	ψ110,000.

### Authority for This Rulemaking

Title 49 of the United States Code specifies the FAA's authority to issue rules on aviation safety. Subtitle I, section 106, describes the authority of the FAA Administrator. Subtitle VII: Aviation Programs, describes in more detail the scope of the Agency's authority.

The FAA is issuing this rulemaking under the authority described in Subtitle VII, Part A, Subpart III, Section 44701: General requirements. Under that section, Congress charges the FAA with promoting safe flight of civil aircraft in air commerce by prescribing regulations for practices, methods, and procedures the Administrator finds necessary for safety in air commerce. This regulation is within the scope of that authority because it addresses an unsafe condition that is likely to exist or develop on products identified in this rulemaking action.

## **Regulatory Findings**

The FAA determined that this proposed AD would not have federalism implications under Executive Order 13132. This proposed AD would not have a substantial direct effect on the States, on the relationship between the national Government and the States, or on the distribution of power and responsibilities among the various levels of government.

For the reasons discussed above, I certify this proposed regulation:

- (1) Is not a "significant regulatory action" under Executive Order 12866,
- (2) Would not affect intrastate aviation in Alaska, and
- (3) Would not have a significant economic impact, positive or negative, on a substantial number of small entities under the criteria of the Regulatory Flexibility Act.

## List of Subjects in 14 CFR Part 39

Air transportation, Aircraft, Aviation safety, Incorporation by reference, Safety.

## The Proposed Amendment

Accordingly, under the authority delegated to me by the Administrator, the FAA proposes to amend 14 CFR part 39 as follows:

# PART 39—AIRWORTHINESS DIRECTIVES

■ 1. The authority citation for part 39 continues to read as follows:

Authority: 49 U.S.C. 106(g), 40113, 44701.

#### § 39.13 [Amended]

■ 2. The FAA amends § 39.13 by:

- a. Removing Airworthiness Directive 2021–17–02, Amendment 39–21685 (86 FR 48490, August 31, 2021); and
- b. Adding the following new Airworthiness Directive:

#### ATR—GIE Avions de Transport Régional: Docket No. FAA–2023–1987; Project Identifier MCAI–2023–00807–T.

#### (a) Comments Due Date

The FAA must receive comments on this airworthiness directive (AD) by November 20, 2023.

#### (b) Affected ADs

This AD replaces AD 2021–17–02, Amendment 39 21685 (86 FR 48490, August 31, 2021) (AD 2021–17–02).

#### (c) Applicability

This AD applies to all ATR—GIE Avions de Transport Régional Model ATR42–200, –300, and –320 airplanes, certificated in any category.

#### (d) Subject

Air Transport Association (ATA) of America Code: 31, Instruments.

#### (e) Unsafe Condition

This AD was prompted by false activation of the stall warning system due to wiring damage on the wire bundle between an angle of attack (AOA) probe and the crew alerting computer, and the development of a wiring modification and aircraft flight manual (AFM) update to address the unsafe condition. The FAA is issuing this AD to address this condition, which could result in loss of control of the airplane during take-off and landing phases.

## (f) Compliance

Comply with this AD within the compliance times specified, unless already done.

### (g) Requirements

Except as specified in paragraph (h) of this AD: Comply with all required actions and compliance times specified in, and in accordance with, EASA AD 2023–0134, dated July 5, 2023 (EASA AD 2023–0134).

## (h) Exceptions to EASA AD 2023-0134

- (1) Where EASA AD 2023–0134 refers to "27 October 2020 [the effective date of EASA AD 2020–0221]," this AD requires using "December 3, 2020 (the effective date of AD 2020–23–13)".
- (2) Where EASA AD 2023–0134 refers to "02 February 2021 [the effective date of EASA AD 2021–00024]," this AD requires using "October 5, 2021 (the effective date of AD 2021–17–02, Amendment 39–21330 (85 FR 73407, November 18, 2020))".
- (3) Where paragraph (2) of EASA AD 2023–0134 refers to "discrepancies," for this AD, discrepancies include, but are not limited to, wire damage, missing or damaged conduits, and incorrect routing of wiring and conduits.
- (4) Where paragraph (2) of EASA AD 2023– 0134 specifies to "contact ATR for approved instructions for corrective action and accomplish those instructions accordingly" if discrepancies are detected; for this AD if any

discrepancy is detected, the discrepancy must be repaired before further flight using a method approved by the Manager, International Validation Branch, FAA; or EASA; or ATR—GIE Avions de Transport Régional's EASA Design Organization Approval (DOA). If approved by the DOA, the approval must include the DOA-authorized signature.

(5) Paragraphs (4), (5), and (6) of EASA AD 2023–0134 specify amending "the applicable AFM [aircraft flight manual] of that aeroplane by inserting the AFM change provided in Appendix 1 of this [EASA] AD," however this AD requires amending "the existing AFM and applicable corresponding operational procedures to incorporate the limitations and procedures specified in Appendix 1 of EASA AD 2023–0134."

(6) Where paragraphs (4) and (5) of EASA AD 2023–0134 specify to "inform all flight crews, and, thereafter, operate the aeroplane accordingly," this AD does not require those actions as those actions are already required by existing FAA operating regulations (see 14 CFR 91.9, 91.505, and 121.137).

- (7) Where EASA AD 2023–0134 refers to its effective date, this AD requires using the effective date of this AD.
- (8) This AD does not adopt the "Remarks" section of EASA AD 2023–0134.

#### (i) Additional AD Provisions

The following provisions also apply to this AD:

- (1) Alternative Methods of Compliance (AMOCs): The Manager, International Validation Branch, FAA, has the authority to approve AMOCs for this AD, if requested using the procedures found in 14 CFR 39.19. In accordance with 14 CFR 39.19, send your request to your principal inspector or responsible Flight Standards Office, as appropriate. If sending information directly to the manager of the International Validation Branch, mail it to the address identified in paragraph (j) of this AD or email to: 9-AVS-AIR-730-AMOC@faa.gov. If mailing information, also submit information by email. Before using any approved AMOC, notify your appropriate principal inspector, or lacking a principal inspector, the manager of the responsible Flight Standards Office.
- (2) Contacting the Manufacturer: For any requirement in this AD to obtain instructions from a manufacturer, the instructions must be accomplished using a method approved by the Manager, International Validation Branch, FAA; or EASA; or ATR—GIE Avions de Transport Régional's EASA DOA. If approved by the DOA, the approval must include the DOA-authorized signature.

#### (j) Additional Information

For more information about this AD, contact Shahram Daneshmandi, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; telephone: 206–231–3220; email: shahram.daneshmandi@faa.gov.

## (k) Material Incorporated by Reference

(1) The Director of the Federal Register approved the incorporation by reference (IBR) of the service information listed in this paragraph under 5 U.S.C. 552(a) and 1 CFR part 51.

- (2) You must use this service information as applicable to do the actions required by this AD, unless this AD specifies otherwise.
- (i) European Union Aviation Safety Agency (EASA) AD 2023-0134, dated July 5, 2023 (EASA AD 2023-0134).
  - (ii) [Reserved]
- (3) For EASA AD 2023–0134, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu; website easa.europa.eu. You may find this EASA AD on the EASA website ad.easa.europa.eu.
- (4) You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th Street, Des Moines, WA. For information on the availability of this material at the FAA, call 206-231-3195.
- (5) You may view this material that is incorporated by reference at the National Archives and Records Administration (NARA). For information on the availability of this material at NARA, email fr.inspection@nara.gov, or go to: www.archives.gov/federal-register/cfr/ibrlocations.html.

Issued on September 28, 2023.

#### Victor Wicklund,

Deputy Director, Compliance & Airworthiness Division, Aircraft Certification Service.

[FR Doc. 2023-22071 Filed 10-4-23; 8:45 am]

BILLING CODE 4910-13-P

#### DEPARTMENT OF TRANSPORTATION

### **Federal Aviation Administration**

#### 14 CFR Part 39

[Docket No. FAA-2023-1896; Project Identifier MCAI-2023-00837-T]

RIN 2120-AA64

Airworthiness Directives; Saab AB, Support and Services (Formerly Known as Saab AB, Saab Aeronautics) **Airplanes** 

**AGENCY:** Federal Aviation Administration (FAA), DOT.

**ACTION:** Notice of proposed rulemaking

SUMMARY: The FAA proposes to adopt a new airworthiness directive (AD) for all Saab AB, Support and Services Model SAAB 2000 airplanes. This proposed AD was prompted by a review of the anti-skid system revealed the possibility of inadvertently connecting the inboard harness to the outboard channel (and vice versa) of the wheel speed transducers in the main landing gear (MLG) wheel axles. This proposed AD would require installing color markings on the harnesses and the wheel axles, to ensure proper installation and connection of the anti-skid harnesses, as specified in a European Union Aviation Safety Agency (EASA) AD, which is

proposed for incorporation by reference (IBR). The FAA is proposing this AD to address the unsafe condition on these products.

**DATES:** The FAA must receive comments on this proposed AD by November 20, 2023.

ADDRESSES: You may send comments, using the procedures found in 14 CFR 11.43 and 11.45, by any of the following methods:

- Federal eRulemaking Portal: Go to regulations.gov. Follow the instructions for submitting comments.
  - Fax: 202-493-2251.
- Mail: U.S. Department of Transportation, Docket Operations, M-30, West Building Ground Floor, Room W12-140, 1200 New Jersey Avenue SE, Washington, DC 20590.
- Hand Delivery: Deliver to Mail address above between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays.

AD Docket: You may examine the AD docket at regulations.gov under Docket No. FAA-2023-1896; or in person at Docket Operations between 9 a.m. and 5 p.m., Monday through Friday, except Federal holidays. The AD docket contains this NPRM, the mandatory continuing airworthiness information (MCAI), any comments received, and other information. The street address for Docket Operations is listed above.

- Material Incorporated by Reference: For material that is proposed for IBR in this AD, contact EASA, Konrad-Adenauer-Ufer 3, 50668 Cologne, Germany; telephone +49 221 8999 000; email ADs@easa.europa.eu; website easa.europa.eu. You may find this material on the EASA website ad.easa.europa.eu. It is also available at regulations.gov under Docket No. FAA-
- You may view this material at the FAA, Airworthiness Products Section, Operational Safety Branch, 2200 South 216th Street, Des Moines, WA. For information on the availability of this material at the FAA, call 206–231–3195.

FOR FURTHER INFORMATION CONTACT: Shahram Daneshmandi, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; telephone: 206-231-3220; email: shahram.daneshmandi@faa.gov.

## SUPPLEMENTARY INFORMATION:

#### **Comments Invited**

2023-1896.

The FAA invites you to send any written relevant data, views, or arguments about this proposal. Send vour comments to an address listed under ADDRESSES. Include "Docket No. FAA-2023-1896; Project Identifier MCAI-2023-00837-T" at the beginning of your comments. The most helpful  $\,$ comments reference a specific portion of the proposal, explain the reason for any recommended change, and include supporting data. The FAA will consider all comments received by the closing date and may amend this proposal because of those comments.

**Except for Confidential Business** Information (CBI) as described in the following paragraph, and other information as described in 14 CFR 11.35, the FAA will post all comments received, without change, to regulations.gov, including any personal information you provide. The agency will also post a report summarizing each substantive verbal contact received about this NPRM.

#### **Confidential Business Information**

CBI is commercial or financial information that is both customarily and actually treated as private by its owner. Under the Freedom of Information Act (FOIA) (5 U.S.C. 552), CBI is exempt from public disclosure. If your comments responsive to this NPRM contain commercial or financial information that is customarily treated as private, that you actually treat as private, and that is relevant or responsive to this NPRM, it is important that you clearly designate the submitted comments as CBI. Please mark each page of your submission containing CBI as "PROPIN." The FAA will treat such marked submissions as confidential under the FOIA, and they will not be placed in the public docket of this NPRM. Submissions containing CBI should be sent to Shahram Daneshmandi, Aviation Safety Engineer, FAA, 1600 Stewart Avenue, Suite 410, Westbury, NY 11590; telephone: 206-231-3220; email: shahram.daneshmandi@faa.gov. Any commentary that the FAA receives which is not specifically designated as CBI will be placed in the public docket for this rulemaking.

### **Background**

EASA, which is the Technical Agent for the Member States of the European Union, has issued EASA AD 2023-0135, dated July 10, 2023 (EASA AD 2023-0135) (also referred to as the MCAI), to correct an unsafe condition for all Saab AB, Support and Services Model SAAB 2000 airplanes. The MCAI states a system review of the anti-skid system revealed the possibility of inadvertently connecting the inboard harness to the outboard channel (and vice versa) of the wheel speed transducers in the main landing gear (MLG) wheel axles. To address the unsafe condition, the MCAI requires modification of the MLG and