

dimension combinations of: (1) CAT4 temper, 1.00/.050 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 33.1875 inch ordered width; or (2) CAT5 temper, 1.00/0.50 pound/base box coating, 75 pound/base box (0.0082 inch) thickness, and 34.9375 inch or 34.1875 inch ordered width; or (3) CAT5 temper, 1.00/0.50 pound/base box coating, 107 pound/base box (0.0118 inch) thickness, and 30.5625 inch or 35.5625 inch ordered width; or (4) CADR8 temper, 1.00/0.50 pound/base box coating, 85 pound/base box (0.0093 inch) thickness, and 35.5625 inch ordered width; or (5) CADR8 temper, 1.00/0.25 pound/base box coating, 60 pound/base box (0.0066 inch) thickness, and 35.9375 inch ordered width; or (6) CADR8 temper, 1.00/0.25 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 32.9375 inch, 33.125 inch, or 35.1875 inch ordered width.

- Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents on the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.5 mg/square foot of chromium applied as a cathodic dichromate treatment, with ultra flat scroll cut sheet form, with CAT5 temper with 1.00/0.10 pound/base box coating, with a lithograph logo printed in a uniform pattern on the 0.10 pound coating side with a clear protective coat, with both sides waxed to a level of 15–20 mg/216 sq. inch, with ordered dimension combinations of (1) 75 pound/base box (0.0082 inch) thickness and 34.9375 inch x 31.748 inch scroll cut dimensions; or (2) 75 pound/base box (0.0082 inch) thickness and 34.1875 inch x 29.076 inch scroll cut dimensions; or (3) 107 pound/base box (0.0118 inch) thickness and 30.5625 inch x 34.125 inch scroll cut dimension.

- Tin-free steel coated with a metallic chromium layer between 100–200 mg/m² and a chromium oxide layer between 5–30 mg/m²; chemical composition of 0.05% maximum carbon, 0.03% maximum silicon, 0.60% maximum manganese, 0.02% maximum phosphorus, and 0.02% maximum sulfur; magnetic flux density (Br) of 10 kg minimum and a coercive force (Hc) of 3.8 Oe minimum.

- Tin-free steel laminated on one or both sides of the surface with a polyester film, consisting of two layers (an amorphous layer and an outer crystal layer), that contains no more than the indicated amounts of the following environmental hormones: 1 mg/kg BADGE (BisPhenol—A Di-glycidyl Ether), 1 mg/kg BFDGE (BisPhenol—F Di-glycidyl Ether), and 3 mg/kg BPA (BisPhenol—A).

The merchandise subject to this investigation is currently classified in the Harmonized Tariff Schedule of the United States (HTSUS), under HTSUS subheadings 7210.11.0000, 7210.12.0000, 7210.50.0020, 7210.50.0090, 7212.10.0000, and 7212.50.0000 if of non-alloy steel and under HTSUS subheadings 7225.99.0090, and 7226.99.0180 if of alloy steel. Although the subheadings are provided for convenience and customs purposes, the written description of the scope of the investigation is dispositive.

Appendix II

List of Topics Discussed in the Issues and Decision Memorandum

- I. Summary
- II. Background
- III. Period of Investigation
- IV. Scope of the Investigation
- V. Changes Since the *Preliminary Determination*
- VI. Final Negative Determination of Critical Circumstances
- VII. Discussion of the Issues
 - Comment 1: Home Market Viability
 - Comment 2: Date of Sale
 - Comment 3: Physical Characteristics
 - Comment 4: U.S. Sales in 2023
 - Comment 5: Verification Schedule
 - Comment 6: Differential Pricing
- VIII. Recommendation

[FR Doc. 2024–00319 Filed 1–9–24; 8:45 am]

BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

International Trade Administration

[A–580–915]

Tin Mill Products From the Republic of Korea: Final Affirmative Determination of Sales at Less Than Fair Value

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: The U.S. Department of Commerce (Commerce) determines that tin mill products from the Republic of Korea (Korea) are being, or are likely to be, sold in the United States at less than fair value (LTFV) for the period of investigation (POI) January 1, 2022, through December 31, 2022.

DATES: Applicable January 10, 2024.

FOR FURTHER INFORMATION CONTACT: Fred Baker or Preston Cox, AD/CVD Operations, Office VI, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW, Washington, DC 20230; telephone: (202) 482–2924 or (202) 482–5041, respectively.

SUPPLEMENTARY INFORMATION:

Background

On August 22, 2023, Commerce published in the *Federal Register* its preliminary negative determination in the LTFV investigation of tin mill products from Korea, in which we also postponed the final determination until January 4, 2023.¹ We invited interested

¹ See *Tin Mill Products from the Republic of Korea: Preliminary Negative Determination of Sales at Less Than Fair Value and Postponement of Final Determination*, 88 FR 57093 (August 22, 2023) (*Preliminary Determination*), and accompanying Preliminary Decision Memorandum (PDM).

parties to comment on the *Preliminary Determination*.² No interested party submitted comments. Consequently, no decision memorandum accompanies this notice.

Scope of the Investigation

The products covered by this investigation are tin mill products from Korea. For a complete description of the scope of this investigation, see the appendix to this notice.

Scope Comments

During the course of this investigation, Commerce received scope comments from parties. Commerce issued a Preliminary Scope Decision Memorandum to address these comments and set aside a period of time for parties to address scope issues in scope-specific case and rebuttal briefs.³ We received comments from parties on the Preliminary Scope Decision Memorandum, which we address in the Final Scope Decision Memorandum.⁴ We did not make any changes to the scope of this investigation from the scope published in the *Preliminary Determination*, as noted in the appendix to this notice.

Verification

Commerce verified the sales and cost information submitted by KG Dongbu Steel Co., Ltd. (KG Dongbu) and TCC Steel Corp. (TCC) for use in our final determination, consistent with section 782(i) of the Tariff Act of 1930, as amended (the Act). We used standard verification procedures, including an examination of relevant sales and accounting records, and original source documents provided by KG Dongbu and TCC.⁵

Changes Since the Preliminary Determination

We made certain changes to the preliminary weighted-average margin

² See *Preliminary Determination*, 88 FR at 57094.

³ See Memorandum, “Preliminary Scope Decision Memorandum,” dated August 16, 2023 (Preliminary Scope Decision Memorandum).

⁴ See Memorandum, “Final Scope Decision Memorandum,” dated concurrently with this memorandum (Final Scope Decision Memorandum).

⁵ See Memoranda, “Verification of the Cost Response of TCC Steel Corp.,” dated November 6, 2023; “Verification of the Cost Response of KG Dongbu Steel Co., Ltd.,” dated November 28, 2023 (KG Dongbu Cost Verification Report); “Sales Verification Report for KG Dongbu Steel Co., Ltd.,” dated December 4, 2023 (KG Dongbu Sales Verification Report); “Constructed Export Price Sales Verification Report for KG Steel USA,” dated December 4, 2023 (KG Steel USA Sales Verification Report); “Verification of the Sales Response of TCC Steel Corp.,” dated December 4, 2023 (TCC Sales Verification Report); and “Verification of the Sales Response of TCC America Corporation,” dated December 5, 2023 (TAC Sales Verification Report).

calculations for KG Dongbu and TCC to incorporate the minor corrections submitted by each company at verification.⁶ For KG Dongbu, this resulted in no change to the company's preliminary weighted-average dumping margin (*i.e.*, 0.00 percent).⁷ For TCC, this resulted in a change to the company's weighted-average dumping margin; for this final determination, we calculate a weighted-average dumping margin of 2.69 percent.⁸

We revised the sales data reported by TCC to incorporate the corrections provided by the company at verification.⁹ Based on the revised data, the application of the Cohen's *d* confirms the existence of a pattern of prices that differ significantly among purchasers, regions, or time periods.¹⁰ This difference is meaningful because the weighted-average dumping margin crosses the *de minimis* threshold when calculated using the average-to-average method and when calculated using alternative comparison methods.¹¹ Further, in accordance with Commerce's practice, if the value of sales to purchasers, regions, and time periods that pass the Cohen's *d* test accounts for more than 33 percent and less than 66 percent of the value of total sales, then the results support applying an average-to-transaction method to those sales identified as passing the Cohen's *d* test as an alternative to the average-to-average method and application of the average-to-average method to those sales identified as not passing the Cohen's *d* test.¹² On this basis, for purposes of this final determination, we are applying the average-to-transaction method to those U.S. sales which passed the Cohen's *d* test and the average-to-average method to those sales which did not pass the Cohen's *d* test to calculate the weighted-average dumping margin for TCC (*i.e.*, mixed-alternative method). This change from the *Preliminary Determination*¹³ results in an estimated weighted-average

dumping margin for TCC of 2.69 percent for this final determination.¹⁴

All-Others Rate

Section 735(c)(5)(A) of the Act provides that the estimated weighted-average dumping margin for all other producers and exporters not individually investigated shall be equal to the weighted average of the estimated weighted-average dumping margins established for individually investigated exporters and producers, excluding rates that are zero, *de minimis*, or determined entirely under section 776 of the Act, *i.e.*, facts otherwise available.

In this investigation, Commerce calculated an individual estimated weighted-average dumping margin for TCC that is not zero, *de minimis*, or based entirely on facts otherwise available. Consequently, Commerce assigned the estimated weighted-average dumping margin calculated for TCC to all other producers and exporters of the merchandise under consideration, pursuant to section 735(c)(5)(A) of the Act.

Final Determination

Commerce determines that the following estimated weighted-average dumping margins exist:

| Exporter/producer | Estimated weighted-average dumping margin (percent) |
|--------------------------------|---|
| KG Dongbu Steel Co., Ltd | 0.00 |
| TCC Steel Corp | 2.69 |
| All Others | 2.69 |

Disclosure

Commerce intends to disclose the calculations performed in connection with this final determination within five days of any public announcement or, if there is no public announcement, within five days of the date of publication of this notice, in accordance with 19 CFR 351.224(b).

Suspension of Liquidation

In accordance with section 733(d)(2) of the Act, Commerce will direct U.S. Customs and Border Protection (CBP) to suspend liquidation of all entries of tin mill products from Korea as described in the appendix, entered, or withdrawn from warehouse, for consumption on or after the date of publication of this notice in the **Federal Register**, except for those entries of subject merchandise produced and exported by KG Dongbu.

Because the estimated weighted-average dumping margin for KG Dongbu as the producer and exporter is zero, entries of shipments of subject merchandise that are produced and exported by KG Dongbu will not be subject to suspension of liquidation or cash deposit requirements. Accordingly, Commerce will direct CBP not to suspend liquidation of entries of subject merchandise produced and exported by KG Dongbu. In accordance with section 735(a)(4) of the Act and 19 CFR 351.204(e)(1), should the investigation result in an antidumping duty order pursuant to section 736 of the Act, entries of shipments of subject merchandise from this producer/exporter combination will be excluded from the order. However, entries of shipments of subject merchandise from this company in any other producer/exporter combination, or by third parties that sourced subject merchandise from the excluded producer/exporter combination, will be subject to suspension of liquidation at the all-others rate.

Further, pursuant to section 733(d)(1)(B) of the Act and 19 CFR 351.205(d), Commerce will instruct CBP to require a cash deposit equal to the estimated weighted-average dumping margin or the estimated all-others rate, as follows: (1) the cash deposit rate for the respondents listed in the table above is the company-specific cash deposit rate listed for the respondent in the table; (2) if the exporter is not a respondent identified in the table above, but the producer is, then the cash deposit rate will be equal to the company-specific estimated weighted-average dumping margin established for that producer of the subject merchandise; and (3) the cash deposit rate for all other producers and exporters will be equal to the all-others estimated weighted-average dumping margin.

U.S. International Trade Commission Notification

In accordance with section 735(d) of the Act, we will notify the U.S. International Trade Commission (ITC) of this final affirmative determination of sales at LTFV. Because Commerce's final determination is affirmative, in accordance with section 735(b)(2) of the Act, the ITC will make its final determination as to whether the domestic industry in the United States is materially injured, or threatened with material injury, by reason of imports or sales (or the likelihood of sales) for importation of tin mill products no later than 45 days after this final determination. If the ITC determines

⁶ See KG Dongbu Cost Verification Report at 2; see also KG Dongbu Sales Verification Report at 2-3; KG Steel USA Sales Verification Report at 2-3; TCC Sales Verification Report at 2-3; and TAC Sales Verification Report at 2-3.

⁷ See Memorandum, "Final Determination Analysis Memorandum for KG Dongbu Steel Co., Ltd.," dated concurrently with this notice.

⁸ See Memorandum, "Final Analysis Memorandum for TCC Steel Corp.," dated concurrently with this notice (TCC Final Analysis Memorandum).

⁹ TCC Sales Verification Report at 2-3.

¹⁰ *Id.*

¹¹ *Id.*

¹² See *Preliminary Determination* PDM at 6.

¹³ *Id.* at 7; see also Memorandum, "Preliminary Analysis Memorandum for TCC Steel Corp.," dated August 16, 2023, at 3; and "Analysis of Ministerial Error Allegation for TCC Steel Corp.," dated September 22, 2023, at Attachment II.

¹⁴ See TCC Final Analysis Memorandum.

that such injury does not exist, this proceeding will be terminated, all cash deposits posted will be refunded, and suspension of liquidation will be lifted. If the ITC determines that such injury does exist, Commerce will issue an antidumping duty order directing CBP to assess, upon further instruction by Commerce, antidumping duties on all imports of the subject merchandise entered, or withdrawn from warehouse, for consumption on or after the effective date of the suspension of liquidation, as discussed in the "Continuation of Suspension of Liquidation" section above.

Administrative Protective Order

This notice serves as the only reminder to parties subject to an administrative protective order (APO) of their responsibility concerning the disposition of proprietary information disclosed under APO in accordance with 19 CFR 351.305(a)(3). Timely written notification of return or destruction of APO materials or conversion to judicial protective order is hereby requested. Failure to comply with the regulations and the terms of an APO is a sanctionable violation.

Notification to Interested Parties

This determination and this notice are issued and published pursuant to sections 735(d) and 777(i) of the Act and 19 CFR 351.210(c).

Dated: January 4, 2024.

Abdelali Elouaradia,

Deputy Assistant Secretary for Enforcement and Compliance.

Appendix

Scope of the Investigation

The products within the scope of this investigation are tin mill flat-rolled products that are coated or plated with tin, chromium, or chromium oxides. Flat-rolled steel products coated with tin are known as tinplate. Flat-rolled steel products coated with chromium or chromium oxides are known as tin-free steel or electrolytic chromium-coated steel. The scope includes all the noted tin mill products regardless of thickness, width, form (in coils or cut sheets), coating type (electrolytic or otherwise), edge (trimmed, untrimmed or further processed, such as scroll cut), coating thickness, surface finish, temper, coating metal (tin, chromium, chromium oxide), reduction (single- or double-reduced), and whether or not coated with a plastic material.

All products that meet the written physical description are within the scope of this investigation unless specifically excluded. The following products are outside and/or specifically excluded from the scope of this investigation:

- Single reduced electrolytically chromium coated steel with a thickness 0.238 mm (85 pound base box) ($\pm 10\%$) or 0.251 mm

(90 pound base box) ($\pm 10\%$) or 0.255 mm ($\pm 10\%$) with 770 mm (minimum width) (± 1.588 mm) by 900 mm (maximum length if sheared) sheet size or 30.6875 inches (minimum width) ($\pm 1/16$ inch) and 35.4 inches (maximum length if sheared) sheet size; with type MR or higher (per ASTM) A623 steel chemistry; batch annealed at T2 $\frac{1}{2}$ anneal temper, with a yield strength of 31 to 42 kpsi (214 to 290 Mpa); with a tensile strength of 43 to 58 kpsi (296 to 400 Mpa); with a chrome coating restricted to 32 to 150 mg/m²; with a chrome oxide coating restricted to 6 to 25 mg/m² with a modified 7B ground roll finish or blasted roll finish; with roughness average (Ra) 0.10 to 0.35 micrometers, measured with a stylus instrument with a stylus radius of 2 to 5 microns, a trace length of 5.6 mm, and a cut-off of 0.8 mm, and the measurement traces shall be made perpendicular to the rolling direction; with an oil level of 0.17 to 0.37 grams/base box as type BSO, or 2.5 to 5.5 mg/m² as type DOS, or 3.5 to 6.5 mg/m² as type ATBC; with electrical conductivity of static probe voltage drop of 0.46 volts drop maximum, and with electrical conductivity degradation to 0.70 volts drop maximum after stoving (heating to 400 degrees F for 100 minutes followed by a cool to room temperature).

- Single reduced electrolytically chromium- or tin-coated steel in the gauges of 0.0040 inch nominal, 0.0045 inch nominal, 0.0050 inch nominal, 0.0061 inch nominal (55 pound base box weight), 0.0066 inch nominal (60 pound base box weight), and 0.0072 inch nominal (65 pound base box weight), regardless of width, temper, finish, coating or other properties.

- Single reduced electrolytically chromium coated steel in the gauge of 0.024 inch, with widths of 27.0 inches or 31.5 inches, and with T-1 temper properties.

- Single reduced electrolytically chromium coated steel, with a chemical composition of 0.005% max carbon, 0.030% max silicon, 0.25% max manganese, 0.025% max phosphorous, 0.025% max sulfur 0.070% max aluminum, and the balance iron, with a metallic chromium layer of 70–130 mg/m², with a chromium oxide layer of 5–30 mg/m², with a tensile strength of 260–440 N/mm², with an elongation of 28–48%, with a hardness (HR-30T) of 40–58, with a surface roughness of 0.5–1.5 microns Ra, with magnetic properties of Bm (kg) 10.0 minimum, Br (kg) 8.0 minimum, Hc (Oe) 2.5–3.8, and MU 1400 minimum, as measured with a Riken Denshi DC magnetic characteristic measuring machine, Model BHU-60.

- Bright finish tin-coated sheet with a thickness equal to or exceeding 0.0299 inch, coated to thickness of $\frac{3}{4}$ pound (0.000045 inch) and 1 pound (0.00006 inch).

- Electrolytically chromium coated steel having ultra flat shape defined as oil can maximum depth of 5/64 inch (2.0 mm) and edge wave maximum of 5/64 inch (2.0 mm) and no wave to penetrate more than 2.0 inches (51.0 mm) from the strip edge and coilset or curling requirements of average maximum of 5/64 inch (2.0 mm) (based on six readings, three across each cut edge of a 24 inches (61 cm) long sample with no single

reading exceeding 4/32 inch (3.2 mm) and no more than two readings at 4/32 inch (3.2 mm)) and (for 85 pound base box item only: crossbuckle maximums of 0.001 inch (0.0025 mm) average having no reading above 0.005 inch (0.127 mm)), with a camber maximum of $\frac{1}{4}$ inch (6.3 mm) per 20 feet (6.1 meters), capable of being bent 120 degrees on a 0.002 inch radius without cracking, with a chromium coating weight of metallic chromium at 100 mg/m² and chromium oxide of 10 mg/m², with a chemistry of 0.13% maximum carbon, 0.60% maximum manganese, 0.15% maximum silicon, 0.20% maximum copper, 0.04% maximum phosphorous, 0.05% maximum sulfur, and 0.20% maximum aluminum, with a surface finish of Stone Finish 7C, with a DOS-A oil at an aim level of 2 mg/square meter, with not more than 15 inclusions/foreign matter in 15 feet (4.6 meters) (with inclusions not to exceed 1/32 inch (0.8 mm) in width and 3/64 inch (1.2 mm) in length), with thickness/temper combinations of either 60 pound base box (0.0066 inch) double reduced CADR8 temper in widths of 25.00 inches, 27.00 inches, 27.50 inches, 28.00 inches, 28.25 inches, 28.50 inches, 29.50 inches, 29.75 inches, 30.25 inches, 31.00 inches, 32.75 inches, 33.75 inches, 35.75 inches, 36.25 inches, 39.00 inches, or 43.00 inches, or 85 pound base box (0.0094 inch) single reduced CAT4 temper in widths of 25.00 inches, 27.00 inches, 28.00 inches, 30.00 inches, 33.00 inches, 33.75 inches, 35.75 inches, 36.25 inches, or 43.00 inches, with width tolerance of $\frac{1}{8}$ inch, with a thickness tolerance of 0.0005 inch, with a maximum coil weight of 20,000 pounds (9071.0 kg), with a minimum coil weight of 18,000 pounds (8164.8 kg), with a coil inside diameter of 16 inches (40.64 cm) with a steel core, with a coil maximum outside diameter of 59.5 inches (151.13 cm), with a maximum of one weld (identified with a paper flag) per coil, with a surface free of scratches, holes, and rust.

- Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents in the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.7 mg/square foot of chromium applied as a cathodic dichromate treatment, with coil form having restricted oil film weights of 0.3–0.4 grams/base box of type DOS-A oil, coil inside diameter ranging from 15.5 to 17 inches, coil outside diameter of a maximum 64 inches, with a maximum coil weight of 25,000 pounds, and with temper/coating/dimension combinations of: (1) CAT4 temper, 1.00/0.50 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 33.1875 inch ordered width; or (2) CAT5 temper, 1.00/0.50 pound/base box coating, 75 pound/base box (0.0082 inch) thickness, and 34.9375 inch or 34.1875 inch ordered width; or (3) CAT5 temper, 1.00/0.50 pound/base box coating, 107 pound/base box (0.0118 inch) thickness, and 30.5625 inch or 35.5625 inch ordered width; or (4) CADR8 temper, 1.00/0.50 pound/base box coating, 85 pound/base box (0.0093 inch) thickness, and 35.5625 inch ordered width; or (5) CADR8

temper, 1.00/0.25 pound/base box coating, 60 pound/base box (0.0066 inch) thickness, and 35.9375 inch ordered width; or (6) CADR8 temper, 1.00/0.25 pound/base box coating, 70 pound/base box (0.0077 inch) thickness, and 32.9375 inch, 33.125 inch, or 35.1875 inch ordered width.

- Electrolytically tin coated steel having differential coating with 1.00 pound/base box equivalent on the heavy side, with varied coating equivalents on the lighter side (detailed below), with a continuous cast steel chemistry of type MR, with a surface finish of type 7B or 7C, with a surface passivation of 0.5 mg/square foot of chromium applied as a cathodic dichromate treatment, with ultra flat scroll cut sheet form, with CAT5 temper with 1.00/0.10 pound/base box coating, with a lithograph logo printed in a uniform pattern on the 0.10 pound coating side with a clear protective coat, with both sides waxed to a level of 15–20 mg/216 sq. inch, with ordered dimension combinations of (1) 75 pound/base box (0.0082 inch) thickness and 34.9375 inch x 31.748 inch scroll cut dimensions; or (2) 75 pound/base box (0.0082 inch) thickness and 34.1875 inch x 29.076 inch scroll cut dimensions; or (3) 107 pound/base box (0.0118 inch) thickness and 30.5625 inch x 34.125 inch scroll cut dimension.

- Tin-free steel coated with a metallic chromium layer between 100–200 mg/m² and a chromium oxide layer between 5–30 mg/m²; chemical composition of 0.05% maximum carbon, 0.03% maximum silicon, 0.60% maximum manganese, 0.02% maximum phosphorous, and 0.02% maximum sulfur; magnetic flux density (Br) of 10 kg minimum and a coercive force (Hc) of 3.8 Oe minimum.

- Tin-free steel laminated on one or both sides of the surface with a polyester film, consisting of two layers (an amorphous layer and an outer crystal layer), that contains no more than the indicated amounts of the following environmental hormones: 1 mg/kg BADGE (BisPhenol—A Di-glycidyl Ether), 1 mg/kg BFDGE (BisPhenol—F Di-glycidyl Ether), and 3 mg/kg BPA (BisPhenol—A).

The merchandise subject to this investigation is currently classified in the Harmonized Tariff Schedule of the United States (HTSUS), under HTSUS subheadings 7210.11.0000, 7210.12.0000, 7210.50.0020, 7210.50.0090, 7212.10.0000, and 7212.50.0000 if of non-alloy steel and under HTSUS subheadings 7225.99.0090, and 7226.99.0180 if of alloy steel. Although the subheadings are provided for convenience and customs purposes, the written description of the scope of the investigation is dispositive.

[FR Doc. 2024–00323 Filed 1–9–24; 8:45 am]

BILLING CODE 3510–DS–P

DEPARTMENT OF COMMERCE

International Trade Administration

[A–570–601]

Tapered Roller Bearings and Parts Thereof, Finished and Unfinished, From the People's Republic of China: Final Results of Antidumping Duty Administrative Review; 2021–2022

AGENCY: Enforcement and Compliance, International Trade Administration, Department of Commerce.

SUMMARY: The U.S. Department of Commerce (Commerce) determines that Shanghai Tainai Bearing Co., Ltd. (Tainai) sold tapered roller bearings and parts thereof, finished and unfinished, (TRBs) from the People's Republic of China (China) at less than normal value (NV) during the period of review (POR), June 1, 2021, through May 31, 2022.

DATES: Applicable January 10, 2024.

FOR FURTHER INFORMATION CONTACT: Jerry Xiao, AD/CVD Operations, Office II, Enforcement and Compliance, International Trade Administration, U.S. Department of Commerce, 1401 Constitution Avenue NW, Washington, DC 20230; telephone: (202) 482–2273.

SUPPLEMENTARY INFORMATION:

Background

On July 7, 2023, Commerce published in the *Federal Register* the *Preliminary Results*¹ of the 2021–2022 administrative review of the antidumping duty (AD) order on TRBs from China² and invited interested parties to comment.³ Subsequent to the *Preliminary Results*, we received a case brief from Tainai and a rebuttal brief from the Timken Company (the petitioner).⁴ On October 6, 2023, in accordance with section 751(a)(3)(A) of the Tariff Act of 1930, as amended (the Act), Commerce extended the deadline for issuing these final results until

¹ See *Tapered Roller Bearings and Parts Thereof, Finished and Unfinished, from the People's Republic of China: Preliminary Results and Partial Rescission of Antidumping Duty Administrative Review; 2021–2022*, 88 FR 43290 (July 7, 2023) (*Preliminary Results*), and accompanying Preliminary Decision Memorandum (PDM).

² See *Tapered Roller Bearings and Parts Thereof, Finished or Unfinished, from the People's Republic of China*, 52 FR 22667 (June 15, 1987), as amended in *Tapered Roller Bearings from the People's Republic of China: Amendment to Final Determination of Sales at Less Than Fair Value and Antidumping Duty Order in Accordance with Decision Upon Remand*, 55 FR 6669 (February 26, 1990) (collectively, *Order*).

³ See *Preliminary Results*, 88 FR at 43290.

⁴ See Tainai's Letter, "Case Brief," dated August 7, 2023; and Petitioner's Letter, "Rebuttal Brief," dated August 14, 2023.

January 3, 2024.⁵ For a complete description of the events that occurred since the *Preliminary Results*, see the Issues and Decision Memorandum.⁶

Scope of the Order

The merchandise covered by the *Order* is tapered roller bearings and parts thereof, finished and unfinished, from China. A full description of the scope of the *Order* is contained in the Issues and Decision Memorandum.⁷

Analysis of Comments Received

All issues raised in case and rebuttal briefs filed by parties in this administrative review are addressed in the Issues and Decision Memorandum and are listed in the appendix to this notice. The Issues and Decision Memorandum is a public document and on file electronically via Enforcement and Compliance's Antidumping and Countervailing Duty Centralized Electronic Service System (ACCESS). ACCESS is available to registered users at <https://access.trade.gov>. In addition, a complete version of the Issues and Decision Memorandum can be accessed directly at <https://access.trade.gov/public/FRNoticesListLayout.aspx>.

Changes Since the Preliminary Results

Based on our review of the record and comments received from interested parties regarding our *Preliminary Results*, and for the reasons explained in the Issues and Decision Memorandum, we made certain changes to the margin calculations for Tainai and updated the rate assigned to the non-examined, separate-rate respondent, Zhejiang Jingli Bearing Technology Co., Ltd. (Jingli).⁸

Rate for Non-Examined Separate Rate Respondent

In the *Preliminary Results*, we determined that Jingli demonstrated its eligibility for a separate rate. We did not receive any comments or argument since the issuance of the *Preliminary Results* that provide a basis for reconsideration of this determination. Therefore, for these final results, we continue to find that Jingli is eligible for a separate rate.

The statute and our regulations do not address the establishment of a rate to be

⁵ See Memorandum, "Extension of Deadline for Final Results of Antidumping Duty Administrative Review," dated October 6, 2023.

⁶ See Memorandum, "Decision Memorandum for the Final Results of the 2021–2022 Administrative Review of the Antidumping Duty Order on Tapered Roller Bearings and Parts Thereof, Finished and Unfinished, from the People's Republic of China," dated concurrently with, and hereby adopted by, this notice (Issues and Decision Memorandum).

⁷ *Id.*

⁸ *Id.*