

Document description	ADAMS accession No.
Similar Amendments	
Braidwood Station, Units 1 and 2—Issuance of Amendments Nos. 218 and 218 Re: Revision of Technical Specifications for the Ultimate Heat Sink (EPID L-2020-LLA-0159), dated September 24, 2020.	ML20245E419.
Braidwood Station, Units 1 and 2—Issuance of Amendments Nos. 222 and 222 Re: Revision of Technical Specifications for the Ultimate Heat Sink (EPID L-2020-LLA-0095), dated July 13, 2021.	ML21154A046.
Braidwood Station, Units 1 and 2—Issuance of Amendments Nos. 228 and 228 Re: Revision of Technical Specifications for the Ultimate Heat Sink (EPID L-2022-LLA-0082), dated August 10, 2022.	ML22173A214.
Braidwood Station, Units 1 and 2—Issuance of Amendment Nos. 232 and 232 Re: Revision of Technical Specifications for the Ultimate Heat Sink (EPID L-2022-LLA-0042), dated July 13, 2023.	ML23087A076.
Other Referenced Documents	
Cairns J. 1956. Effects of heat on fish. <i>Industrial Wastes</i> , 1:180–183	n/a. ¹
Banner A, Van Arman JA. 1973. Thermal effects on eggs, larvae and juveniles of bluegill sunfish. Washington, DC: U.S. Environmental Protection Agency. EPA-R3-73-041.	n/a. ¹
Ecological Specialists, Inc. Final Report: Five Year Post-Construction Monitoring of the Unionid Community Near the Braidwood Station Kankakee River Discharge, dated September 29, 2015.	ML15274A093 (Package).
Exelon Generation Company, LLC. Byron and Braidwood Stations, Units 1 and 2, License Renewal Application, Braidwood Station Applicant’s Environmental Report, Responses to Requests for Additional Information, Environmental RAls AQ-11 to AQ-15, dated April 30, 2014, as modified by letter dated October 8, 2014 (ML14281A019).	ML14339A044.
U.S. Fish and Wildlife Service. Concurrence Letter Concluding Informal Consultation with the NRC for Braidwood License Renewal, dated October 20, 2015.	ML15299A013.
Exelon Generation Company, LLC. License Amendment to Braidwood Station, Units 1 and 2, Technical Specification 3.7.9, “Ultimate Heat Sink,” dated July 15, 2020.	ML20197A434.
Exelon Generation Company, LLC Supplement to License Amendment to Braidwood Station, Unit 1 and 2, Technical Specification 3.7.9, “Ultimate Heat Sink,” dated August 14, 2020.	ML20227A375.
U.S. Nuclear Regulatory Commission. Generic Environmental Impact Statement for License Renewal of Nuclear Plants: Regarding Braidwood Station, Units 1 and 2, Final Report (NUREG-1437, Supplement 55), dated November 30, 2015.	ML15314A814.
U.S. Nuclear Regulatory Commission. Constellation Energy Generation, LLC; Docket No. STN 50-456; Braidwood Station, Unit 1 Renewed Facility Operating License, issued on January 27, 2016, as amended through amendment number 234.	ML053040362.
U.S. Nuclear Regulatory Commission. Constellation Energy Generation, LLC; Docket No. STN 50-457; Braidwood Station, Unit 2 Renewed Facility Operating License, issued on January 27, 2016, as amended through amendment number 234.	ML053040366.
U.S. Nuclear Regulatory Commission. Record of Decision; U.S. Nuclear Regulatory Commission; Docket Nos. 50-456 and 560-457; License Renewal Application for Braidwood Station, Units 1 and 2, dated January 27, 2016.	ML15322A317.
U.S. Nuclear Regulatory Commission. Environmental Assessment and Finding of No Significant Impact Related to Ultimate Heat Sink Modification, dated July 18, 2016.	ML16181A007.
U.S. Nuclear Regulatory Commission. Braidwood Station, Units 1 and 2—Issuance of Amendments Re: Ultimate Heat Sink Temperature Increase, dated July 26, 2016.	ML16133A438.
U.S. Nuclear Regulatory Commission. Environmental Assessment and Finding of No Significant Impact Related to Temporary Revision of Technical Specifications for the Ultimate Heat Sink, dated September 3, 2020.	ML20231A469.
U.S. Nuclear Regulatory Commission. Environmental Assessment and Finding of No Significant Impact Related to Temporary Revision of Technical Specifications for the Ultimate Heat Sink, dated June 30, 2021.	ML21165A041.
U.S. Nuclear Regulatory Commission. Federal Register Notice, Environmental Assessment and Finding of No Significant Impact Related to Temporary Revision of Technical Specifications for the Ultimate Heat Sink, dated July 15, 2022.	ML22159A176.
U.S. Nuclear Regulatory Commission. Federal Register Notice, Environmental Assessment and Finding of No Significant Impact Related to Temporary Revision of Technical Specifications for the Ultimate Heat Sink, dated June 12, 2023.	ML23110A122.

¹ These references are subject to copyright laws and are, therefore, not reproduced in ADAMS.

Dated: July 26, 2024.
For the Nuclear Regulatory Commission.

Joel S. Wiebe,
Senior Project Manager, Licensing Projects Branch III, Division of Operating Reactors, Office of Nuclear Reactor Regulation.

[FR Doc. 2024-16895 Filed 7-30-24; 8:45 am]

BILLING CODE 7590-01-P

NUCLEAR REGULATORY COMMISSION

[Docket Nos. 50-338 and 50-339; NRC-2020-0201]

Virginia Electric and Power Company; North Anna Power Station, Unit Nos. 1 and 2; Final Site-Specific Environmental Impact Statement

AGENCY: Nuclear Regulatory Commission.

ACTION: Notice; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) has published a final

site-specific environmental impact statement (EIS), issued as NUREG-1437, Supplement 7a, Second Renewal, “Site-Specific Environmental Impact Statement for License Renewal of Nuclear Plants Regarding Subsequent License Renewal for North Anna Power Station Units 1 and 2, Final Report.” This EIS evaluates, on a site-specific basis, the environmental impacts of subsequent license renewal of Facility Operating License Nos. NPF-4 and NPF-7 for an additional 20 years of operation for North Anna Power Station (NAPS), Unit Nos. 1 and 2, respectively.

NAPS is located in Louisa County, Virginia. Alternatives to the proposed action of subsequent license renewal for NAPS include the no-action alternative and reasonable replacement power alternatives.

DATES: NUREG–1437, Supplement 7a, Second Renewal is available as of July 22, 2024.

ADDRESSES: Please refer to Docket ID NRC–2020–0201 when contacting the NRC about the availability of information regarding this document. You may obtain publicly available information related to this document using any of the following methods:

- **Federal Rulemaking Website:** Go to <https://www.regulations.gov> and search for Docket ID NRC–2020–0201. Address questions about Docket IDs in *Regulations.gov* to Stacy Schumann; telephone: 301–415–0624; email: Stacy.Schumann@nrc.gov. For technical questions contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- **NRC's Agencywide Documents Access and Management System (ADAMS):** You may access publicly available documents online in the ADAMS Public Documents collection at <https://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1–800–397–4209, at 301–415–4737, or by email to PDR.Resource@nrc.gov. NUREG–1437, Supplement 7a, Second Renewal is available in ADAMS under Accession No. ML24204A104.

- **NRC's PDR:** The PDR, where you may examine and order copies of publicly available documents, is open by appointment. To make an appointment to visit the PDR, please send an email to PDR.Resource@nrc.gov or call 1–800–397–4209 or 301–415–4737, between 8 a.m. and 4 p.m. eastern time (ET), Monday through Friday, except Federal holidays.

- **Public Library:** A copy of the final EIS will be available for public inspection at the Louisa County Library, 881 Davis Highway, Mineral, VA 23117. The NRC staff encourages those addressees with mailing addresses listed in Chapter 7 of the final EIS, to visit the NRC's NUREG-Series Publication website (<https://www.nrc.gov/reading-rm/doc-collections/nuregs/staff.html>) or the NAPS project website (<https://www.nrc.gov/reactors/operating/licensing/renewal/applications/northanna-1-2-subsequent.html>) to download an electronic copy. You may also obtain

an electronic copy by contacting Tam Tran via email at Tam.Tran@nrc.gov.

FOR FURTHER INFORMATION CONTACT: Tam Tran, Office of Nuclear Material Safety and Safeguards, U.S. Nuclear Regulatory Commission, Washington, DC 20555–0001; telephone: 301–415–3617; email: Tam.Tran@nrc.gov.

SUPPLEMENTARY INFORMATION:

I. Background

In accordance with section 51.118 of title 10 of the *Code of Federal Regulations* (10 CFR), "Final environmental impact statement—notice of availability," the NRC is making available for public inspection NUREG–1437, Supplement 7a, Second Renewal, regarding the subsequent license renewal of Virginia Electric and Power Company's (Dominion), renewed Facility Operating License Nos. NPF–4 and NPF–7 for an additional 20 years of operation for NAPS. A notice of availability of the site-specific draft EIS (DEIS) (NUREG–1437, Supplement 7a, Second Renewal) was published in the **Federal Register** on January 8, 2024, (89 FR 960) by the NRC, and on January 5, 2024 (89 FR 781) as amended January 19, 2024 (89 FR 3653), by the Environmental Protection Agency. The public comment period on the site-specific DEIS (NUREG–1437, Supplement 7a, Second Renewal) ended on February 22, 2024, and the comments received on the site-specific DEIS are addressed in the final EIS (NUREG–1437, Supplement 7a, Second Renewal).

II. Discussion

The site-specific draft EIS (NUREG–1437, Supplement 7a, Second Renewal) superseded a draft Supplemental EIS (SEIS) (NUREG–1437, Supplement 7, Second Renewal), that the NRC had issued for public comment on August 25, 2021 (86 FR 47525). The site-specific final EIS addresses the comments received on both the site-specific draft EIS (NUREG–1437, Supplement 7a, Second Renewal) and the previous draft SEIS (NUREG–1437, Supplement 7, Second Renewal). As discussed in Chapter 4 of the final EIS (NUREG–1437, Supplement 7a, Second Renewal), the NRC staff has determined that the adverse environmental impacts of subsequent license renewal for NAPS for an additional 20 years beyond the expiration dates of the initial renewed licenses are not so great that preserving the option of subsequent license renewal for energy-planning decisionmakers would be unreasonable. This recommendation is based on: (1) information provided in the

environmental report, as supplemented, and other documents submitted by Dominion; (2) consultation with Federal, State, Tribal, and local governmental agencies; (3) the NRC staff's independent environmental review; and (4) consideration of public comments received during the scoping process, on the site-specific DEIS (NUREG–1437, Supplement 7a, Second Renewal), and on the previous draft SEIS (NUREG–1437, Supplement 7, Second Renewal).

Dated: July 26, 2024.

For the Nuclear Regulatory Commission.

John Moses,

Deputy Director, Division of Rulemaking, Environmental, and Financial Support, Office of Nuclear Material Safety, and Safeguards.

[FR Doc. 2024–16886 Filed 7–30–24; 8:45 am]

BILLING CODE 7590–01–P

POSTAL REGULATORY COMMISSION

[Docket Nos. CP2024–142; CP2024–167; MC2024–448 and CP2024–455; MC2024–450 and CP2024–457; MC2024–453 and CP2024–460; MC2024–454 and CP2024–461]

New Postal Products

AGENCY: Postal Regulatory Commission.

ACTION: Notice.

SUMMARY: The Commission is noticing a recent Postal Service filing for the Commission's consideration concerning a negotiated service agreement. This notice informs the public of the filing, invites public comment, and takes other administrative steps.

DATES: *Comments are due:* August 2, 2024.

ADDRESSES: Submit comments electronically via the Commission's Filing Online system at <http://www.prc.gov>. Those who cannot submit comments electronically should contact the person identified in the **FOR FURTHER INFORMATION CONTACT** section by telephone for advice on filing alternatives.

FOR FURTHER INFORMATION CONTACT: David A. Trissell, General Counsel, at 202–789–6820.

SUPPLEMENTARY INFORMATION:

Table of Contents

- I. Introduction
- II. Docketed Proceeding(s)

I. Introduction

The Commission gives notice that the Postal Service filed request(s) for the Commission to consider matters related to negotiated service agreement(s). The request(s) may propose the addition or