

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground Modified	Communities affected
Marshland	At Burlington Northern Railroad tracks	* 20	Snohomish County (Unincorporated Areas) and City of Everett.
Snohomish River	At divergence from Snohomish River Approximately 1.2 miles downstream of State Highway 529	* 23 * 8	Snohomish County (Unincorporated Areas), City of Monroe, City of Snohomish, and City of Everett.
Steamboat Slough	At confluence with Skykomish and Snoqualmie Rivers Approximately 2.08 miles downstream of Burlington Northern Railroad bridge.	* 41 * 8	Snohomish County (Unincorporated Areas), City of Marysville, and City of Everett.
Union Slough	At divergence from Snohomish River Approximately 0.24 miles downstream of Burlington Northern Railroad bridge. Approximately 1,270 feet downstream of divergence from Snohomish River.	* 13 * 8 * 12	Snohomish County (Unincorporated Areas) and City of Everett.

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Unincorporated Areas of Snohomish County

Maps are available for inspection at the Snohomish County Planning Department, 3000 Rockefeller Avenue, Everett, Washington 98201.

City of Monroe

Maps are available for inspection at the Engineering Department, City Hall, 806 West Main Street, Monroe, Washington 98272.

City of Marysville

Maps are available for inspection at the Public Works Department, 80 Columbia Avenue, Marysville, Washington 98270.

City of Everett

Maps are available for inspection at the Public Works Department, 3200 Cedar Street, Everett, Washington 98201.

City of Snohomish

Maps are available for inspection at the Engineering Department, 116 Union Avenue, Snohomish, Washington 98290.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: October 18, 2006.

David I. Maurstad,

Director, Mitigation Division, Federal Emergency Management Agency, Department of Homeland Security.

[FR Doc. E6-18306 Filed 10-31-06; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Department of Homeland Security, Mitigation Division.

ACTION: Final rule.

SUMMARY: Base (1% annual chance) Flood Elevations (BFEs) and modified BFEs are made final for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that

each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATE: The date of issuance of the Flood Insurance Rate Map (FIRM) showing BFEs and modified BFEs for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: William R. Blanton, Jr., CFM, Acting

Section Chief, Engineering Management Section, Mitigation Division, 500 C Street, SW., Washington, DC 20472, (202) 646-3151.

SUPPLEMENTARY INFORMATION: FEMA makes the final determinations listed below for the modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Mitigation Division Director has resolved any appeals resulting from this notification.

This final rule is issued in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR part 67.

The Agency has developed criteria for floodplain management in floodprone areas in accordance with 44 CFR part 60.

Interested lessees and owners of real property are encouraged to review the proof Flood Insurance Study and FIRM

available at the address cited below for each community. The BFEs and modified BFEs are made final in the communities listed below. Elevations at selected locations in each community are shown.

NATIONAL ENVIRONMENTAL POLICY ACT. This rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. As flood elevation determinations are not within the scope of the Regulatory Flexibility Act, 5 U.S.C. 601-612, a regulatory flexibility analysis is not required.

Regulatory Classification. This final rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 13132, Federalism. This rule involves no policies that have

federalism implications under Executive Order 13132.

Executive Order 12988, Civil Justice Reform. This rule meets the applicable standards of Executive Order 12988.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, flood insurance, reporting and recordkeeping requirements.

■ Accordingly, 44 CFR part 67 is amended as follows:

PART 67—[AMENDED]

■ 1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.11 [Amended]

■ 2. The tables published under the authority of § 67.11 are amended as follows:

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. * Elevation in feet (NGVD) + Elevation in feet (NAVD) Modified
Healdsburg, California Docket No.: FEMA-B-7453				
California	City of Healdsburg	Russian River	Just upstream of U.S. Highway 101	*90
			Approximately 6,750 feet Railroad	*104
		Russian River-Split Flow ..	At the Convergence with Russian River ..	*90
			At the Divergence from Russian River	*99

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

City of Healdsburg

Maps are available for inspection at City of Healdsburg, City Hall, 401 Grove Street, Healdsburg, California 95448.

Sonoma County, California Docket No.: FEMA-B-7453				
California	Sonoma County	Russian River	At confluence with Dry Creek	*85
			At U.S. Highway 101	*90

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Sonoma County Unincorporated Areas

Maps are available for inspection at Permit and Resource Management Department, 2550 Ventura Avenue, Santa Rosa, California 95403.

Silt, Colorado Docket No.: FEMA-B-7454				
Colorado	Town of Silt	Colorado River	Approximately 1100 feet upstream of I-70.	*5,404
			Just downstream of County Road 311	*5,428

Depth in feet above ground.
* National Geodetic Vertical Datum.

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. * Elevation in feet (NGVD) + Elevation in feet (NAVD) Modified
-------	------------------	--------------------	----------	---

+ North American Vertical Datum.

ADDRESSES

Town of Silt

Maps are available for inspection at the Town Hall, 231 North 7th Street, Silt, Colorado 81652.

**Knox County, Kentucky
Docket No.: FEMA-B-7454**

Kentucky	Knox County	Cumberland River	Approximately 6,410 feet southwest of the intersection of Goodin Creek Road and Kentucky State Highway 11. Approximately 4,495 feet upstream of the confluence of Elys Branch.	+966 +1,014
----------------	-------------------	------------------------	---	--------------------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Knox County Unincorporated Areas

Maps are available for inspection at Community Map Repository, County Courthouse, 104 Court Square, Barbourville, Kentucky 40906.

City of Barbourville

Maps are available for inspection at Community Map Repository, County Courthouse, 104 Court Square, Barbourville, Kentucky 40906.

**Williamsburg, Kentucky
Docket No.: FEMA-B-7454**

Kentucky	City of Williamsburg	Cumberland River	Just downstream of State Route 204 Approximately 4,570 feet upstream from Goodin Creek.	+906 +966
----------------	----------------------------	------------------------	--	--------------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Whitley County Unincorporated Areas

Maps are available for inspection at Community Map Repository, Whitley County Courthouse, 310 Main Street, Williamsburg, Kentucky 40769.

City of Williamsburg

Maps are available for inspection at Community Map Repository, Williamsburg City Hall, office of Mayor, 116 North Second Street, Williamsburg, Kentucky 40769.

**Eagle Lake, Maine
Docket No.: FEMA-B-7454**

Maine	Town of Eagle Lake	Eagle Lake	Entire Shoreline at Eagle Lake within the corporate limits.	+581
-------------	--------------------------	------------------	---	------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Town of Eagle Lake

Maps are available for inspection at the 36 Devoe Brook Road, Eagle Lake, Maine 04739.

**Milan, New Hampshire
Docket No.: FEMA-B-7454**

New Hampshire	Town of Milan	Androscoggin River	Approximately 7,800 feet of Halt Road extended. Approximately 1,500 feet upstream of Owens Road extended.	+1,109 +1,114
---------------------	---------------------	--------------------------	--	------------------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Town of Milan

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. * Elevation in feet (NGVD) + Elevation in feet (NAVD) Modified
-------	------------------	--------------------	----------	---

Maps are available for inspection at the Town Hall, 20 Bridge Street, Milan, New Hampshire 03588.

Lincoln County, Montana
Docket No.: FEMA-B-7454

Montana	Lincoln County	Big Cherry Creek	At the confluence with Libby Creek Approximately 3,600 feet upstream of Granite Creek Road.	*2,152 *2,358
		Libby Creek	Just upstream of railroad crossing prior to confluence with Kootenai River. Approximately 3,500 feet upstream of U.S. Route 2.	*2,065 *2,773

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Lincoln County Unincorporated Areas

Maps are available for inspection at the County Courthouse, 512 California Avenue, Libby, Montana 59923.

Wakefield, New Hampshire
Docket No.: FEMA-B-7454

New Hampshire	Town of Wakefield	Belleau Lake	At Moose Road Entire Shoreline of Belleau Lake above Woodman Lake.	+584 +584
---------------------	-------------------------	--------------------	---	--------------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Town of Wakefield

Maps are available for inspection at the Map Repository, Town of Wakefield, Assessor's Office, 2 High Street, Sanbornville, New Hampshire 03872.

Granville, Pennsylvania
Docket No.: FEMA-B-7454

Pennsylvania	Township of Granville ..	Strodes Run	Approximately at the confluence with Juniata River. Approximately 55 feet upstream of Ferguson Valley Road.	+490 +621
--------------------	--------------------------	-------------------	--	--------------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Township of Granville

Maps are available for inspection at the Granville Municipal Offices, 100 Helen Street Lewistown, Pennsylvania 17044.

Oliver, Pennsylvania
Docket No.: FEMA-B-7454

Pennsylvania	Township of Oliver	Strodes Run	Approximately at the confluence with Juniata River. Approximately 55 feet upstream of Ferguson Valley Road.	+490 +621
--------------------	--------------------------	-------------------	--	--------------

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Township of Oliver

Maps are available for inspection at Municipal Offices, 274 Lockport Road, Lewistown, Pennsylvania 17044.

State	City/town/county	Source of flooding	Location	# Depth in feet above ground. * Elevation in feet (NGVD) + Elevation in feet (NAVD) Modified
Lewis County, Washington Docket No.: FEMA 7442				
Washington	Lewis County	Newaukum River	Confluence with Chehalis River	*183
			Confluence of North and South Fork Newaukum River.	*268
Washington	Lewis County	Newaukum River Overflow	Approximately 750 feet upstream of Rice Road.	*185
			Approximately 2.1 miles upstream of Rice Road.	*199
Washington	City of Chehalis	Newaukum River	Approximately 500 feet upstream of Railroad.	*184
			Approximately 3,650 feet upstream of Railroad.	*185
Washington	City of Chehalis	Newaukum River Overflow	Approximately 1,200 feet downstream of Rice Road.	*185
			Approximately 750 feet upstream of Rice Road.	*185
Washington	City of Napavine	Newaukum River	Approximately 2,000 feet downstream of Rush Road.	*224
			Approximately 100 feet upstream of Kirkland Road.	*240

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Lewis County Unincorporated Areas

Maps are available for inspection at Lewis County Public Works Department, 350 North Market Boulevard, Chehalis, Washington 98532.

City of Chehalis

Maps are available for inspection at 1321 South Market Boulevard, Chehalis, Washington 98532.

City of Napavine

Maps are available for inspection at 214 Second Avenue Northeast, Napavine, Washington 98565.

Ohio County, West Virginia
Docket No.: FEMA B-7454

West Virginia	Ohio County	Little Wheeling Creek	Approximately 475 feet upstream of Middle Wheeling Creek Road.	*718
			Approximately 158 feet upstream of U.S. Route 40.	*782

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Ohio County Unincorporated areas

Maps are available for inspection at the City County Building, 1500 Chapline Street, Room 215, Wheeling, West Virginia 26003.

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground. Modified	Communities affected
--------------------	----------------------------------	---	----------------------

Morgan County, Alabama and Incorporated Areas
Docket No.: FEMA D-7606

Bakers Creek	Approximately 1,600 feet upstream of the confluence with the Tennessee River.	+558	Morgan County (Unincorporated Areas), City of Decatur.
Tributary to Bakers Creek	Approximately 100 feet downstream of West Morgan Road	+621	Morgan County (Unincorporated Areas), City of Decatur.
	At the confluence with Bakers Creek	+595	

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground. Modified	Communities affected
Betty Rye Branch	Approximately 150 feet upstream of Cumberland Avenue Southwest. Approximately 0.8 mile upstream of the confluence with the Tennessee River.	+611 +559	Morgan County (Unincorporated Areas), City of Decatur.
Black Branch	Approximately 150 feet upstream of Bedford Drive Southwest. Just upstream of Point Mallard Drive (8th Street southeast)	+607 +562	Morgan County (Unincorporated Areas), City of Decatur.
Brush Creek	Approximately 0.2 mile upstream of Regency Boulevard Approximately 650 feet downstream of Brookmead Road ...	+566 +562	City of Decatur.
Chapel Hill Branch	Approximately 0.2 mile upstream of Royal Drive Approximately 0.4 mile upstream of the confluence with West Flint Creek.	+568 +572	Morgan County (Unincorporated Areas), City of Decatur.
Clark Spring Branch	Approximately 2.0 miles upstream of the confluence with West Flint Creek. Approximately 800 feet upstream of the confluence with Brush Creek.	+594 +568	City of Decatur.
Clark Spring Branch Tributary.	Approximately 400 feet upstream of Asheville Drive Southwest. At the confluence with Clark Spring Branch	+641 +587	City of Decatur.
Dry Branch	Approximately 300 feet upstream of Danville Park Drive Southwest. Approximately 0.5 mile downstream of Washington Street ..	+613 +559	Morgan County (Unincorporated Areas), City of Decatur.
North Dinsmore	Approximately 900 feet upstream of Runnymead Avenue Southwest. Just downstream of U.S. Highway 31	+604 +564	City of Decatur.
South Dinsmore Middle Tributary.	Approximately 100 feet upstream of Cedar Lake Road Approximately 50 feet downstream of U.S. Highway 31	+575 +564	Morgan County (Unincorporated Areas), City of Decatur.
South Dinsmore North Tributary.	Approximately 250 feet upstream of Spring Avenue At the confluence with South Dinsmore Middle Tributary	+610 +567	City of Decatur.
South Dinsmore South Tributary.	Approximately 0.5 mile upstream of Lenwood Road At the confluence with South Dinsmore Middle Tributary	+570 +571	Morgan County (Unincorporated Areas), City of Decatur.
	Approximately 1,600 feet upstream of Central Avenue	+576	

#Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

City of Decatur

Maps available for inspection at the City of Decatur Building Department, 403 Lee Street Northeast, Fourth floor, Decatur, Alabama 35603.

Morgan County Unincorporated Areas

Maps available for inspection at the Morgan County Engineering Department, 580 Shull Road, Northeast, Hartselle, Alabama 35601.

**Harlan County, Kentucky and Incorporated Areas
Docket No.: FEMA B-7454**

Catron Creek	At the confluence of Catron Creek with Martins Fork	+1,188	Harlan County (Unincorporated Areas) City of Harlan.
	Approximately 270 feet upstream of the confluence of Lower Double Branch.	+1,472	
Clover Fork	At the confluence of Clover Fork with Cumberland River	+1,178	Harlan County (Unincorporated Areas) City of Everts, City of Harlan.
	Approximately 1,140 feet upstream of the confluence of Breedens Creek.	+1,722	

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground. Modified	Communities affected
Cloverlick Creek	At the confluence of Cloverlick Creek with Poor Fork	+1,427	City of Loyall Harlan County (Unincorporated Areas) City of Cumberland.
	Approximately 45 feet upstream of the confluence of Gilley Branch.	+1,453	
Cumberland River	Approximately 1,440 feet downstream of the confluence of Jerry's Branch.	+1,098	Harlan County (Uninc. Areas) City of Loyall, City of Wallins Creek.
	At the confluence of Clover Fork and Poor Fork	+1,178	
Looney Creek	At the confluence of Looney Creek with Poor Fork	+1,437	Harlan County (Uninc. Areas) City of Benham, City of Cumberland, City of Lynch.
	Approximately 735 feet downstream of the confluence of Long Rock Branch.	+1,884	
Martins Fork	At the confluence of Martins Fork with Clover Fork	+1,181	Harlan County (Unincorporated Areas) City of Harlan.
	Approximately 2,990 feet upstream of the confluence of Raccoon Branch.	+1,264	
Poor Fork	At the confluence of Poor Fork with Cumberland River	+1,178	Harlan County (Unincorporated Areas) City of Cumberland, City of Loyall.
	Approximately 3,670 feet upstream of the confluence of Coldiron Branch.	+1,522	
Wallins Creek	At the confluence of Wallins Creek with Cumberland River	+1,133	Harlan County (Unincorporated Areas) City of Wallins Creek.
	Approximately 175 feet upstream of the confluence of Brock Branch.	+1,154	
Yocum Creek	At the confluence of Yocum Creek with Clover Fork	+1,300	Harlan County (Unincorporated Areas).
	Approximately 575 feet downstream of the confluence of Reds Creek.	+1,519	

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Harlan County (Unincorporated Areas)

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Benham

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Cumberland

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Evarts

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Harlan

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Loyall

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Lynch

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

City of Wallins Creek

Maps are available for inspection at the County Courthouse, Harlan, Kentucky 40871.

**Barry County, Missouri and Incorporated Areas
Docket Nos.: FEMA B-7453 and B-7454**

Unnamed Tributary No. 1	Just upstream of the confluence with Flat Creek	+1,309	Barry County (Unincorporated Areas) and City of Cassville.
	Approximately 2,325 feet upstream of Highway 248	+1,320	
Town Branch	Approximately 750 feet downstream of Main Street	+1,308	City of Cassville.
	Approximately 2,950 feet upstream of County House Road	+1,350	
Brock Branch	Just upstream of the confluence with Flat Creek	+1,310	City of Cassville.
	Approximately 1,535 feet upstream of the confluence with Flat Creek.	+1,319	
Hawk Branch	Approximately 1,220 feet downstream of Presley Drive	+1,321	City of Cassville.

Flooding source(s)	Location of referenced elevation	* Elevation in feet (NGVD) + Elevation in feet (NAVD) # Depth in feet above ground. Modified	Communities affected
Flat Creek	Approximately 160 feet upstream of Oak Hill Drive Approximately 1,500 feet downstream of Thirteenth Street	+1,338 +1,298	Barry County (Unincorporated Areas) and City of Cassville.
Boys Drain	Approximately 3,100 feet upstream of County Bridge Just upstream of the confluence with Unnamed Tributary ...	+1,320 +1,298	City of Monett.
Chapel Drain	Approximately 220 feet upstream of the Sixth Street Just upstream of the confluence with Kelly Creek	+1,338 +1,328	Barry County (Unincorporated Areas) and City of Monett.
Chapel Drain	At the intersection of Chapel Drain and Cleveland Street (Highway 60). At confluence with Kelly Creek	+1,334 +1,328	City of Monett.
Clear Creek	Just upstream of Chapel Drive	+1,336	Barry County (Unincorporated Areas) and City of Monett.
Kelly Creek	Approximately 850 feet downstream of the confluence with Unnamed Tributary. Approximately 225 feet upstream of Farm Road 1090 Approximately 300 feet downstream of Dairy Street	+1,245 +1,345 +1,290	Barry County (Unincorporated Areas) and City of Monett.
Kelly Creek Tributary	Approximately 4,850 feet upstream of Chapel Drive Just upstream of the confluence with Kelly Creek	+1,353 +1,303	City of Monett.
Tributary # 1 to Unnamed Tributary to Clear Creek.	Approximately 3,700 feet upstream of Cleveland Street At confluence with Unnamed Tributary	+1,366 +1,326	City of Monett.
Unnamed Tributary	Approximately 750 feet upstream of confluence with Unnamed Tributary. Just upstream of the confluence with Clear Creek	+1,333 +1,250	Barry County (Unincorporated Areas) and City of Monett.
Unnamed Tributary to Clear Creek.	Approximately 1,440 feet upstream of Highway 37 At Lawrence County—Barry County Boundary. Approximately 1,075 feet upstream of Missouri State Highway "H" and just downstream of Farm Road 2330..	+1,350 +1,285 +1,377	City of Monett.

Depth in feet above ground.
* National Geodetic Vertical Datum.
+ North American Vertical Datum.

ADDRESSES

Barry County (Unincorporated Areas) Missouri

Maps are available for inspection at the County Courthouse, 700 Main Street, Cassville, Missouri 65625.

City of Cassville

Maps are available for inspection at City Hall, 300 Main Street, Cassville, Missouri 65625.

City of Monett

Maps are available for inspection at City Hall, 217 Fifth Street, Monett, Missouri 65708.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: October 18, 2006.

David I. Maurstad,

Director, Mitigation Division, Federal Emergency Management Agency, Department of Homeland Security.

[FR Doc. E6-18308 Filed 10-31-06; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

Final Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Department of Homeland Security, Mitigation Division.

ACTION: Final rule.

SUMMARY: Base (1% annual chance) Flood Elevations (BFEs) and modified BFEs are made final for the communities listed below. The BFEs

and modified BFEs are the basis for the floodplain management measures that each community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

EFFECTIVE DATES: The date of issuance of the Flood Insurance Rate Map (FIRM) showing BFEs and modified BFEs for each community. This date may be obtained by contacting the office where the maps are available for inspection as indicated on the table below.

ADDRESSES: The final BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The