

Kamuela, HI, Waimea-Kohala, VOR/DME RWY 4, Amdt 1

Boone, IA, Boone Muni, Copter NDB OR GPS 225, Amdt 4A, CANCELLED

Boone, IA, Boone Muni, NDB RWY 15, Amdt 19B, CANCELLED

Boone, IA, Boone Muni, NDB RWY 33, Amdt 6B, CANCELLED

Carroll, IA, Arthur N Neu, NDB RWY 31, Amdt 7, CANCELLED

Council Bluffs, IA, Council Bluffs Muni, Takeoff Minimums and Obstacle DP, Amdt 1

Decorah, IA, Decorah Muni, NDB RWY 29, Amdt 1A, CANCELLED

Decorah, IA, Decorah Muni, Takeoff Minimums and Obstacle DP, Amdt 2

Guthrie Center, IA, Guthrie County Rgnl, NDB RWY 18, Orig-A, CANCELLED

Perry, IA, Perry Muni, NDB RWY 14, Amdt 2B, CANCELLED

Perry, IA, Perry Muni, NDB RWY 32, Amdt 5B, CANCELLED

Sibley, IA, Sibley Muni, Takeoff Minimums and Obstacle DP, Orig

Chicago, IL, Chicago-O'Hare Intl, ILS OR LOC RWY 22R, Amdt 8A

Kingman, KS, Kingman Airport-Clyde Cessna Field, Takeoff Minimums and Obstacle DP, Orig

Homer, LA, Homer Muni, NDB RWY 12, Amdt 2, CANCELLED

Homer, LA, Homer Muni, RNAV (GPS) RWY 12, Amdt 1, CANCELLED

Homer, LA, Homer Muni, RNAV (GPS) RWY 30, Amdt 1, CANCELLED

Homer, LA, Homer Muni, Takeoff Minimums and Obstacle DP, Orig, CANCELLED

Lake Charles, LA, Lake Charles Rgnl, Takeoff Minimums and Obstacle DP, Orig

Lake Providence, LA, Byerley, RNAV (GPS) RWY 17, Orig, CANCELLED

Lake Providence, LA, Byerley, Takeoff Minimums and Obstacle DP, Orig, CANCELLED

Nantucket, MA, Nantucket Memorial, RNAV (GPS) RWY 33, Orig-A

Kalamazoo, MI, Kalamazoo/Battle Creek Intl, GPS RWY 5, Orig-A, CANCELLED

Kalamazoo, MI, Kalamazoo/Battle Creek Intl, GPS RWY 23, Orig-A, CANCELLED

Kalamazoo, MI, Kalamazoo/Battle Creek Intl, RNAV (GPS) RWY 5, Orig

Kalamazoo, MI, Kalamazoo/Battle Creek Intl, RNAV (GPS) RWY 23, Orig

Marlette, MI, Marlette, Takeoff Minimums and Obstacle DP, Orig

Niles, MI, Jerry Tyler Memorial, RNAV (GPS) RWY 15, Orig

Niles, MI, Jerry Tyler Memorial, RNAV (GPS) RWY 33, Orig

Niles, MI, Jerry Tyler Memorial, Takeoff Minimums and Obstacle DP, Amdt 6

Niles, MI, Jerry Tyler Memorial, VOR-A, Orig

Niles, MI, Jerry Tyler Memorial, VOR OR GPS RWY 3, Amdt 7A, CANCELLED

Niles, MI, Jerry Tyler Memorial, VOR OR GPS RWY 21, Amdt 3A, CANCELLED

Ada/Twin Valley, MN, Norman County Ada/Twin Valley, GPS RWY 33, Orig-A, CANCELLED

Ada/Twin Valley, MN, Norman County Ada/Twin Valley, RNAV (GPS) RWY 33, Orig

Fergus Falls, MN, Fergus Falls Muni-Einar Mickelson Fld, RNAV (GPS) RWY 13, Orig

Grand Marais, MN, Grand Marais/Cook County, RNAV (GPS) RWY 9, Orig

Grand Marais, MN, Grand Marais/Cook County, RNAV (GPS) RWY 27, Amdt 1

Little Falls, MN, Little Falls/Morrison County-Lindberg Fld, Takeoff Minimums and Obstacle DP, Amdt 4

Wadena, MN, Wadena Muni, Takeoff Minimums and Obstacle DP, Orig

Ahoskie, NC, Tri-County, Takeoff Minimums and Obstacle DP, Orig

New Bern, NC, Coastal Carolina Rgnl, RADAR-1, Amdt 2B, CANCELLED

Fargo, ND, Hector Intl, ILS OR LOC RWY 36, Amdt 1

Kenmare, ND, Kenmare Muni, Takeoff Minimums and Obstacle DP, Orig

Concord, NH, Concord Muni, RNAV (GPS) RWY 12, Orig-B

Concord, NH, Concord Muni, RNAV (GPS) RWY 17, Orig-B

Concord, NH, Concord Muni, RNAV (GPS) RWY 35, Orig-B

Newark, NJ, Newark Liberty Intl, GLS RWY 22L, Orig-B

Newark, NJ, Newark Liberty Intl, ILS OR LOC RWY 11, Amdt 2A

Newark, NJ, Newark Liberty Intl, ILS OR LOC RWY 22L, ILS RWY 22L (SA CAT I), ILS RWY 22L (SA CAT II), Amdt 12A

Raton, NM, Raton Muni/Crews Field, GPS RWY 2, Amdt 1A, CANCELLED

Raton, NM, Raton Muni/Crews Field, GPS RWY 25, Amdt 1, CANCELLED

Raton, NM, Raton Muni/Crews Field, NDB RWY 2, Amdt 5, CANCELLED

Raton, NM, Raton Muni/Crews Field, RNAV (GPS) RWY 2, Orig

Raton, NM, Raton Muni/Crews Field, RNAV (GPS) RWY 25, Orig

Ruidoso, NM, Sierra Blanca Rgnl, CAPITAN ONE Graphic DP

Ruidoso, NM, Sierra Blanca Rgnl, GPS RWY 24, Orig-A, CANCELLED

Ruidoso, NM, Sierra Blanca Rgnl, RNAV (GPS) RWY 24, Orig

Ardmore, OK, Ardmore Downtown Executive, GPS RWY 17, Orig-A, CANCELLED

Ardmore, OK, Ardmore Downtown Executive, GPS RWY 35, Orig-A, CANCELLED

Ardmore, OK, Ardmore Downtown Executive, RNAV (GPS) RWY 17, Orig

Ardmore, OK, Ardmore Downtown Executive, RNAV (GPS) RWY 35, Orig

Kingsville, TX, Kleberg County, NDB RWY 13, Amdt 6

Muleshoe, TX, Muleshoe Muni, Takeoff Minimums and Obstacle DP, Orig

Uvalde, TX, Garner Field, Takeoff Minimums and Obstacle DP, Orig

Waco, TX, TSTC Waco, GPS RWY 17L, Orig-B, CANCELLED

Waco, TX, TSTC Waco, GPS RWY 35R, Orig-A, CANCELLED

Waco, TX, TSTC Waco, NDB RWY 35R, Amdt 11

Waco, TX, TSTC Waco, RNAV (GPS) RWY 17L, Orig

Waco, TX, TSTC Waco, RNAV (GPS) RWY 35R, Orig

Fort Atkinson, WI, Atkinson Muni, Takeoff Minimums and Obstacle DP, Orig

[FR Doc. 2011-6117 Filed 3-24-11; 8:45 am]

BILLING CODE 4910-13-P

DEPARTMENT OF ENERGY

Federal Energy Regulatory Commission

18 CFR Part 40

Docket No. RM09-19-000; Order No. 746J

Western Electric Coordinating Council Qualified Transfer Path Unscheduled Flow Relief Regional Reliability Standard

AGENCY: Federal Energy Regulatory Commission, Energy.

ACTION: Final rule.

SUMMARY: Under section 215 of the Federal Power Act, the Commission approves regional Reliability Standard of the Western Electricity Coordinating Council (WECC) IRO-006-WECC-1 (Qualified Transfer Path Unscheduled Flow Relief) and six associated new definitions submitted to the Commission for approval by the North American Electric Reliability Corporation. This Reliability Standard is intended to mitigate transmission overloads due to unscheduled flow on a transfer path designated by WECC as being qualified for unscheduled flow mitigation.

DATES: Effective Date: This rule will become effective May 24, 2011.

FOR FURTHER INFORMATION CONTACT: Terence Burke (Legal Information), Office of the General Counsel, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426, (202) 502-6498.

Danny Johnson (Technical Information), Office of Electric Reliability, Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426, (202) 502-8892.

SUPPLEMENTARY INFORMATION: Before Commissioners: Jon Wellinghoff, Chairman; Marc Spitzer, Philip D. Moeller, John R. Norris, and Cheryl A. LaFleur.

Final Rule

1. Under section 215 of the Federal Power Act (FPA),¹ the Commission approves regional Reliability Standard of the Western Electricity Coordinating Council (WECC) IRO-006-WECC-1 (Qualified Transfer Path Unscheduled Flow Relief) and six associated new definitions submitted to the Commission for approval by the North American Electric Reliability Corporation (NERC), the Electric Reliability Organization (ERO) certified by the Commission. The approved

¹ 16 U.S.C. 824o.

Reliability Standard is intended to mitigate transmission overloads due to unscheduled flow on Qualified Transfer Paths.²

I. Background

A. NERC Reliability Standard IRO-006

2. On March 16, 2007, the Commission issued Order No. 693 approving 83 Reliability Standards proposed by NERC, including Interconnection Reliability Operations and Coordination (IRO) Reliability Standard IRO-006-3, titled "Reliability Coordination—Transmission Loading Relief."³ In addition, under section 215(d)(5) of the FPA, the Commission directed the ERO to develop modifications to IRO-006-3 and other approved Reliability Standards to address specific issues identified by the Commission.

3. NERC Reliability Standard IRO-006-3 establishes a Transmission Loading Relief (TLR) process for use in the Eastern Interconnection to alleviate loadings on the system by curtailing or changing transactions based on their priorities and according to different levels of TLR procedures. Requirement R2.2 provides that "the equivalent Interconnection-wide transmission loading relief procedure for use in the Western Interconnection is the WECC Unscheduled Flow Mitigation Plan." This document provides detailed instructions for addressing unscheduled flows, i.e., parallel path flows, based on the topography and configuration of the Bulk-Power System in the Western Interconnection. The Unscheduled Flow Mitigation Plan identifies nine "steps" to address unscheduled flows. In the first three steps, the Mitigation Plan relies on phase angle regulators, series capacitors, and back-to-back DC lines to mitigate contingencies without curtailing transactions. Steps four through nine involve curtailment of transactions.

4. On March 19, 2009, the Commission approved IRO-006-4, which modified the prior version of the Reliability Standard and addressed the Commission's directives from Order No. 693.⁴ The Commission subsequently

² The term "Qualified Transfer Path" is defined as "[a] transfer path designated by the WECC Operating Committee as being qualified for WECC unscheduled flow mitigation." When the Standard becomes effective, this definition will be added to the *NERC Glossary of Terms Used in Reliability Standards*.

³ *Mandatory Reliability Standards for the Bulk-Power System*, Order No. 693, FERC Stats. & Regs. ¶ 31,242, order on reh'g, Order No. 693-A, 120 FERC ¶ 61,053 (2007).

⁴ *Modification of Interchange and Transmission Loading Relief Reliability Standards; and Electric Reliability Organization Interpretation of Specific Requirements of Four Reliability Standards*, Order

accepted an erratum to that Reliability Standard that corrected the reference in Requirement R1.2 to the Unscheduled Flow Mitigation Plan (Mitigation Plan).⁵

B. WECC Delegation Agreement and WECC Regional Reliability Standard IRO-STD-006-0

5. On April 19, 2007, the Commission approved delegation agreements between NERC and each of the eight Regional Entities, including WECC.⁶ In that approval, the Commission accepted WECC as a Regional Entity organized on an Interconnection-wide basis and accepted WECC's Standards Development Manual, which sets forth the process for development of WECC's Reliability Standards.⁷

6. On June 8, 2007, the Commission approved eight WECC regional Reliability Standards that apply in the Western Interconnection, including IRO-STD-006-0.⁸ The regional Reliability Standard applies to transmission operators, load-serving entities and balancing authorities within the Western Interconnection. It addresses the mitigation of transmission overloads due to unscheduled line flow on specified paths. Specifically, Requirement R1 of IRO-STD-006-0 states that:

WECC's Unscheduled Flow Mitigation Plan (Plan) * * * specifies that members shall comply with requests from (Qualified) Transfer Path Operators to take actions that will reduce unscheduled flow on the Qualified Path in accordance with the table entitled "WECC Unscheduled Flow Procedure Summary of Curtailment Actions," which is located in Attachment 1 of the Plan.⁹

The regional Reliability Standard then provides excerpts from the plan that describe actions entities must take to address unscheduled flow.

7. The June 8, 2007 Order directed WECC to develop certain modifications to the eight WECC Reliability Standards to address issues identified by the Commission. With respect to IRO-STD-006-0, the Commission directed WECC

No. 713-A, 126 FERC ¶ 61,252 (2009), *reh'g denied*, Order No. 713-B, 130 FERC ¶ 61,032 (2010).

⁵ *North American Electric Reliability Corp.*, Docket No. RD09-9-000 (Dec. 10, 2009) (unpublished letter order). Note that Reliability Standard IRO-006-4.1, Requirement R1.2 refers to the "WECC Unscheduled Flow Reduction Procedure," which is Attachment 1 to the Mitigation Plan, the term we use herein.

⁶ See *North American Electric Reliability Corp.*, 119 FERC ¶ 61,060, order on reh'g, 120 FERC ¶ 61,260 (2007).

⁷ *Id.* P 469-470.

⁸ *North American Electric Reliability Corp.*, 119 FERC ¶ 61,260 (2007) (June 8, 2007 Order).

⁹ Regional Reliability Standard IRO-STD-006-0, available at <http://www.wecc.biz/Standards/Approved%20Standards/IRO-STD-006-0.pdf>.

to clarify the term "receiver" used in the Reliability Standard. The Commission also directed WECC to address concerns raised by a commenter regarding WECC's inclusion of load-serving entities, which may be unable to meet the Reliability Standard's requirements, in the applicability section of the Reliability Standard.¹⁰ The Commission directed WECC to remove a Sanctions Table that is inconsistent with the NERC Sanctions Guidelines. The Commission also directed WECC to address NERC's concerns regarding formatting, use of standard terms, and the need for greater specificity in the actions that a responsible entity must take.

C. Proposed Regional Reliability Standard

8. In a June 17, 2009 filing (NERC Petition), NERC requested Commission approval of proposed regional Reliability Standard IRO-006-WECC-1, which was developed in response to the Commission's directives in the June 8, 2007 Order, to replace the currently effective regional Standard. NERC stated that the purpose of IRO-006-WECC-1 is to mitigate transmission overloads due to unscheduled flow on Qualified Transfer Paths. Under the Reliability Standard, reliability coordinators are responsible for initiating schedule curtailments, and balancing authorities are responsible for implementing the curtailments. Specifically, proposed regional Reliability Standard IRO-006-WECC-1 contains the following two Requirements:

R.1. Upon receiving a request of Step 4 or greater (see Attachment 1-IRO-006-WECC-1) from the Transmission Operator of a Qualified Transfer Path, the Reliability Coordinator shall approve (actively or passively) or deny that request within five minutes.

R.2. The Balancing Authorities shall approve curtailment requests to the schedules as submitted, implement alternative actions, or a combination thereof that collectively meets the Relief Requirement.

An attachment to IRO-006-WECC-1 summarizes the nine steps and related actions to address unscheduled flows.

D. Notice of Proposed Rulemaking

9. On October 29, 2010, the Commission issued its Notice of Proposed Rulemaking proposing to approve the regional IRO Reliability Standard IRO-006-WECC-1.¹¹ In

¹⁰ June 8, 2007 Order, 119 FERC ¶ 61,260 at P 70-71.

¹¹ *Western Electric Coordinating Council Qualified Transfer Path Unscheduled Flow Relief Regional Reliability Standard*, Notice of Proposed Rulemaking, 75 FR 66702 (Oct. 29, 2010), FERC Stats & Regs. ¶ 32,663 (2010) (NOPR).

addition, the Commission raised concerns with respect to: (1) How entities will know whether to follow the national or regional Standard in a given situation; (2) WECC's and NERC's reliance on TOP-007-WECC-1 to ensure that entities manage power flows using steps one through three of the Mitigation Plan prior to requesting curtailments; (3) how the webSAS¹² tool will work with respect to the national and regional Standard; and (4) the potential reliability impact of reliability coordinators' inability to request curtailments.

10. In response to the NOPR, comments were filed by NERC, WECC, and Nevada Power Company and Sierra Pacific Power Company, both d/b/a NV Energy (NV Energy). In the discussion below, we address these comments.

II. Discussion

A. Approval of IRO-006-WECC-1

11. In the NOPR, the Commission proposed to approve regional Reliability Standard IRO-006-WECC-1 stating that it adequately addresses a number of the directives identified in the June 8, 2007 Order and represents an improvement to the current Standard. As stated in the NOPR, the Standard addresses our concern regarding the use of the term "receiver" by removing the term, thus removing potential confusion arising from the use of the undefined term. The Reliability Standard also provides additional clarity by removing load-serving entities from its applicability section since load-serving entities may not be able to meet the Standard's requirements regarding curtailment procedures. Further, the Standard includes reliability coordinators as an applicable entity and addresses their role in curtailment procedures. The Standard goes beyond the corresponding NERC Reliability Standard by requiring a reliability coordinator to approve or deny a transmission operator's curtailment request within five minutes. Finally, the WECC Reliability Standard addresses formatting concerns, conformance with NERC's Violation Severity Level and Violation Risk Factor matrix, and the elimination of a WECC sanction table. NERC, WECC, and NV Energy all support approval. Accordingly the Commission adopts the NOPR proposal

¹² The webSAS (Security Analysis System) is a proprietary internet based application that is used by WECC to analyze, initiate, communicate, and provide compliance reports for implementation of the Unscheduled Flow Reduction Procedure. It is available by subscription through the vendor to provide notification of Unscheduled Flow Events, calculate and display required relief, and provide a rapid method of transaction curtailments.

and approves regional Reliability Standard IRO-006-WECC-1 as just, reasonable, not unduly discriminatory or preferential, and in the public interest.

12. We raised in the NOPR several concerns regarding how the regional Reliability Standard would work in practice to ensure Reliable Operation in the Western Interconnect. As a result of the comments submitted, our concerns have been adequately addressed, and we do not direct any modifications to the regional Reliability Standard.

B. Issues Raised in NOPR

1. Consistency Between NERC and WECC

13. Requirement R1.2 in NERC Reliability Standard IRO-006-4 refers to the WECC Unscheduled Flow Reduction Procedure with regard to transmission loading relief in the Western Interconnection. In the NOPR, the Commission requested comment on the interaction between the differing requirements contained in the regional versus the national Reliability Standards, on which of the two Standards' requirements take precedence, and on how NERC intends to ensure compliance and consistent enforcement with regard to the Standards.

Comments

14. WECC and NV Energy comment that the Standards differ in their applicability. They state that NERC's IRO-006-4 addresses the obligations of the reliability coordinator and the balancing authority if an Interconnection-wide procedure is selected for the mitigation of overloads on transmission facilities. According to WECC and NV Energy, Regional Reliability Standard IRO-006-WECC-1 sets out reliability obligations for the reliability coordinator and balancing authority regarding transmission loading relief on the narrow subset of Western Interconnect transmission facilities designated as Qualified Transfer Paths. The two commenters assert there is no conflict between the NERC Reliability Standard and the regional Standard, as they work together.

15. NERC states that it recognized some potential for confusion in this matter and will soon file for approval a proposed Reliability Standard IRO-006-5¹³ that, among other things, eliminates

¹³ Subsequent to filing its comments in this Docket, NERC filed its Petition for Approval of Proposed New Interconnection Reliability Operations and Coordination Reliability Standards, Glossary Term and Implementation Plan on January 13, 2011 in Docket No. RD11-2-000.

reference to the WECC Unscheduled Flow Reduction Procedure as a procedure that may be selected by the reliability coordinator to achieve loading relief and, instead, mentions the procedure as an example for which coordination must occur.

Commission Determination

16. The Commission finds that NERC's plan to eliminate the opportunity for confusion with respect to this Reliability Standard adequately addresses the concerns raised in the NOPR.

2. TOP-007-WECC-1 and the Mitigation Plan

17. In the June 8, 2007 Order, the Commission determined that the regional Reliability Standard IRO-STD-006-0 is superior to the NERC Standard based in part on the specified pre-curtailment steps one through three of the Mitigation Plan.¹⁴ As stated above, the Mitigation Plan is no longer referenced in IRO-006-WECC-1. The NERC Petition stated that proposed WECC regional Reliability Standard TOP-007-WECC-1, would work in conjunction with IRO-006-WECC-1 to ensure that pre-curtailment steps one through three of the Mitigation Plan are performed.¹⁵ In the NOPR, the Commission requested comment as to whether WECC's reliance on proposed regional Standard TOP-007-WECC-1 or currently effective Reliability Standard TOP-STD-007-0 (whichever is in effect) is an adequate replacement for the currently required pre-curtailment actions set forth in steps one through three of the Mitigation Plan.

Comments

18. Each of the commenters note that Reliability Standard IRO-006-WECC-1 and the proposed regional Standard TOP-007-WECC-1 were intended to meet the performance objective of enhanced reliability but not to prescribe a specific method for achieving that objective. WECC and NV Energy assert that the pre-curtailment steps were not mandatory, but, as before, they remain tools available to transmission operators for the mitigation of transmission facility overloading. WECC states that reliability would suffer if transmission operators were limited in their action by a mandatory adherence to the Mitigation Plan.

¹⁴ June 18, 2007 Order, 119 FERC ¶ 61,260 at P 69.

¹⁵ NERC's petition for approval of regional Reliability Standard TOP-007-WECC-1 is currently pending before the Commission in Docket No. RM09-14-000.

Commission Determination

19. The Commission acknowledges the comments offered and is satisfied that IRO-006-WECC-1 does not present a reduction in reliability. The Commission also highlights the comment made by WECC that the Standard is applicable to reliability coordinators and balancing authorities, not to transmission operators. Under the Standard, the reliability coordinator must approve or deny the implementation of a step four or higher action, and the balancing authority must grant relief so the transmission operator does not violate a system operating limit (SOL) or an interconnection reliability operating limit (IROL) operating limit. But transmission operator's obligations remain unchanged by IRO-006-WECC-1. They continue to be required to take immediate steps to relieve an SOL or IROL operating limit violation.

3. Operation of webSAS

20. According to the NERC Petition, the webSAS tool calculates curtailment and, unless the reliability coordinator actively denies the request, approves the curtailment within five minutes. The Commission requested in the NOPR additional information regarding how the webSAS program works in relation to WECC's proposed IRO-006-WECC-1 as well as the currently effective IRO-006-4, and whether conflicts could arise between the webSAS programming and the Mitigation Plan.

Comments

21. NV Energy and WECC comments describe of the webSAS program, explaining that it utilizes impedance modeling of the transmission network in the Western Interconnection and is able to determine transmission distribution factors that correspond to discrete transactions. It is configured to prescribe curtailments in accordance with the curtailment table in the WECC Unscheduled Flow Reduction Procedure, and is only one of the methods a balancing authority might use in devising curtailments. WECC notes that webSAS merely suggests strategies; the responsible balancing authority must implement those strategies. WECC further comments that WebSAS operates similarly whether utilized under the regional or the national Reliability Standard.

Commission Determination

22. The Commission is satisfied with the commenters' explanation of the operation of webSAS, as well as its proposed use within the mitigation process set out in Reliability Standard IRO-006-WECC-1.

4. Reliability Coordinators' Role in Curtailment

23. In the NOPR the Commission stated that, because reliability coordinators are the only entities with the wide-area view, the Commission believes it is appropriate that they, as the entities with the highest level of authority to ensure reliability, have the ability to initiate relief procedures.¹⁶ In the NOPR, the Commission requested comment regarding its concerns that the proposed regional Reliability Standard does not mention the reliability coordinators' ability to request curtailments, and that automatic approval of curtailments may occur through the webSAS tool without reliability coordinator review.

Comments

24. WECC and NV Energy comment that the reliability coordinator always has the ability to issue directives or take other actions to ensure Reliable Operations under the authority granted in Reliability Standard IRO-001-1.1. NV Energy states that the automatic approval of requested curtailments after five minutes is an appropriate balance between allowing for the reliability coordinators' participation and adequately ensuring that transmission loading relief is obtained for the next hour.

Commission Determination

25. The Commission agrees with the commenters that NERC Reliability Standard IRO-001-1.1 provides the reliability coordinator authority to take actions to ensure Reliable Operations, and no further clarification is required.

5. Alternative Revisions

26. Because of the concerns expressed in the NOPR, the Commission questioned whether it might be more efficient and appropriate if all the WECC rules and procedures with respect to unscheduled flow mitigation were incorporated in a single document.

Comments

27. WECC asserts that regional Reliability Standard IRO-006-4 does not mandate following the Mitigation Plan but only suggests that the Mitigation Plan is a procedure available to a reliability coordinator. Therefore, incorporating the WECC rules and procedures into the Mitigation Plan would not eliminate the need for an enforceable regional Reliability Standard. WECC also comments that the differing purposes of the Mitigation Plan, IRO-006-WECC-1, and TOP-007-WECC-1 would thwart efforts to combine them. NERC notes that it has already undertaken eliminating the regional differences from the continent-wide standard in its proposed IRO-006-5.

Commission Determination

28. The clarification provided by WECC adequately addresses the Commission's concerns. Accordingly, the Commission finds that IRO-006-WECC-1 represents an improvement to reliability.

III. Information Collection Statement

29. The following collections of information contained in this Reliability Standard have been submitted to the Office of Management and Budget (OMB) for review under section 3507(d) of the Paperwork Reduction Act of 1955.¹⁷ OMB's regulations require OMB to approve certain information collection requirements imposed by agency rule.¹⁸

30. The Commission solicited comments on the burden to implement IRO-006-WECC-1 which, rather than creating entirely new requirements, instead modifies the existing regional Reliability Standard governing qualified transfer path unscheduled flow relief and thus imposes a minimal additional burden on the affected entities. The Commission received no comments as to the issue of reporting burden estimates. The Commission has not directed any modifications to the Requirements of the Reliability Standard being approved. Thus this Final Ruled does not materially or adversely affect the burden estimates provided in the NOPR.

31. *Burden Estimate:* The burden for the requirements in this final rule follow:

¹⁷ 44 U.S.C. 3507(d).

¹⁸ 5 CFR 1320.11.

¹⁶ NOPR, FERC Stats. & Regs. ¶ 32,663 at P 30.

Data collection FERC-725E	Number of respondents	Number of responses	Hours per response	Total annual hours
35 Balancing Authorities and 1 Reliability Coordinator—Reporting Requirement	36	1	1	36
35 Balancing Authorities and 1 Reliability Coordinator—Recordkeeping Requirement	36	1	1	36
Total	72

Total Annual hours for Collection: 36 reporting +36 recordkeeping = 72 hours.

Reporting = 36 hours @ \$120/hour = \$4320.

Recordkeeping = 36 hours @ \$40/hour = \$1440.

Total Costs = Reporting (\$4320) + Recordkeeping (\$1440) = \$5760.

Title: FERC 725E, Mandatory Reliability Standards for the Western Electric Coordinating Council.

Action: Proposed collection of information.

OMB Control No: 1902-0246.

Respondents: Balancing Authorities and Reliability Coordinator in the Western Electricity Coordinating Council.

Frequency of Responses: On Occasion.

Necessity of the Information: This Final Rule would approve a revised Reliability Standard modifying the existing requirement for entities to respond to requests for curtailment. The proposed Reliability Standard requires entities to maintain documentation evidencing their response to such requests.

Internal review: The Commission has reviewed the requirements pertaining to proposed regional Reliability Standard IRO-006-WECC-1 and believes it to be just, reasonable, not unduly discriminatory or preferential, and in the public interest. These requirements conform to the Commission's plan for efficient information collection, communication and management within the energy industry. The Commission has assured itself, by means of internal review, that there is specific, objective support for the burden estimates associated with the information requirements.

32. Interested persons may obtain information on the reporting requirements by contacting: Federal Energy Regulatory Commission, 888 First Street, NE., Washington, DC 20426 [Attention: Ellen Brown, Office of the Executive Director, Phone: (202) 502-8663, fax: (202) 273-0873, e-mail: DataClearance@ferc.gov]. Comments on the requirements of this Final Rule may also be sent to the Office of Information and Regulatory Affairs, Office of Management and Budget, Washington,

DC 20503 [Attention: Desk Officer for the Federal Energy Regulatory Commission]. For security reasons, comments should be sent by e-mail to OMB at: oir_submission@omb.eop.gov. Please reference OMB Control Number 1902-0246 and the docket number of this final rulemaking in your submission.

IV. Environmental Analysis

33. The Commission is required to prepare an Environmental Assessment or an Environmental Impact Statement for any action that may have a significant adverse effect on the human environment.¹⁹ The action taken in the Final Rule fall within the categorical exclusion in the Commission's regulations for rules that are clarifying, corrective or procedural, for information gathering, analysis, and dissemination.²⁰ Accordingly, neither an environmental impact statement nor an environmental assessment is required.

V. Regulatory Flexibility Act

34. The Regulatory Flexibility Act of 1980 (RFA)²¹ generally requires a description and analysis of final rules that will have significant economic impact on a substantial number of small entities. The RFA mandates consideration of regulatory alternatives that accomplish the stated objectives of a proposed rule and that minimize any significant economic impact on a substantial number of small entities. The Small Business Administration's (SBA) Office of Size Standards develops the numerical definition of a small business.²² The SBA has established a size standard for electric utilities, stating that a firm is small if, including its affiliates, it is primarily engaged in the transmission, generation and/or distribution of electric energy for sale and its total electric output for the

¹⁹ Regulations Implementing the National Environmental Policy Act, Order No. 486, 52 FR 47897 (Dec. 17, 1987), FERC Stats. & Regs., Regulations Preambles 1986-1990 ¶ 30,783 (1987).

²⁰ 18 CFR 380.4(a)(5).

²¹ 5 U.S.C. 601-612.

²² 13 CFR 121.101.

preceding twelve months did not exceed four million megawatt hours.²³

35. Most of the entities (*i.e.*, reliability coordinators and balancing authorities) to which the requirements of this Rule would apply do not fall within the definition of small entities. The Commission estimates that only 2-4 of the 35 balancing authorities are small and that the economic impact on each of these is \$160 per year. The Commission does not consider this to be a significant economic impact. Based on the foregoing, the Commission certifies that this Rule will not have a significant impact on a substantial number of small entities. Accordingly, no regulatory flexibility analysis is required.

VI. Document Availability

36. In addition to publishing the full text of this document in the Federal Register, the Commission provides all interested persons an opportunity to view and/or print the contents of this document via the Internet through FERC's Home Page (<http://www.ferc.gov>) and in FERC's Public Reference Room during normal business hours (8:30 a.m. to 5 p.m. Eastern time) at 888 First Street, NE., Room 2A, Washington, DC 20426.

37. From FERC's Home Page on the Internet, this information is available on eLibrary. The full text of this document is available on eLibrary in PDF and Microsoft Word format for viewing, printing, and/or downloading. To access this document in eLibrary, type the docket number excluding the last three digits of this document in the docket number field.

38. User assistance is available for eLibrary and the FERC's Web site during normal business hours from FERC Online Support at (202) 502-6652 (toll free at 1-866-208-3676) or e-mail at ferconlinesupport@ferc.gov, or the Public Reference Room at (202) 502-8371, TTY (202) 502-8659. E-mail the Public Reference Room at public.referenceroom@ferc.gov.

VII. Effective Date and Congressional Notification

39. These regulations are effective May 24, 2011. The Commission notes

²³ 13 CFR 121.201, Sector 22, Utilities & n. 1.

that although the determinations made in this Final Rule are effective May 24, 2011, regional Reliability Standard IRO-006-WECC-1 approved in this Final Rule will not become effective until the first day of the first quarter after applicable regulatory approval. The Commission has determined, with the concurrence of the Administrator of the Office of Information and Regulatory Affairs of OMB, that this rule is not a "major rule" as defined in section 351 of the Small Business Regulatory Enforcement Fairness Act of 1996.

By the Commission.

Kimberly D. Bose,
Secretary.

[FR Doc. 2011-7040 Filed 3-24-11; 8:45 am]

BILLING CODE 6717-01-P

ENVIRONMENTAL PROTECTION AGENCY

40 CFR Part 52

[EPA-R09-OAR-2010-0794; FRL-9279-2]

Revisions to the California State Implementation Plan, San Joaquin Valley Unified Air Pollution Control District

AGENCY: Environmental Protection Agency (EPA).

ACTION: Final rule.

SUMMARY: EPA is finalizing approval of revisions to the San Joaquin Valley Unified Air Pollution Control District (SJVAPCD) portion of the California State Implementation Plan (SIP). These revisions were proposed in the **Federal Register** on November 5, 2010 and concern oxides of nitrogen (NO_x), carbon monoxide (CO), oxides of sulfur (SO₂) and particulate matter emissions from boilers, steam generators and process heaters greater than 5.0 MMBtu/hour. We are approving a local rule that regulates these emission sources under the Clean Air Act as amended in 1990 (CAA or the Act).

DATES: *Effective Date:* This rule is effective on April 25, 2011.

ADDRESSES: EPA has established docket number EPA-R09-OAR-2010-0794 for this action. The index to the docket is available electronically at <http://www.regulations.gov> and in hard copy at EPA Region IX, 75 Hawthorne Street, San Francisco, California. While all documents in the docket are listed in the index, some information may be publicly available only at the hard copy location (e.g., copyrighted material), and some may not be publicly available in either location (e.g., CBI). To inspect the hard copy materials, please schedule an appointment during normal business hours with the contact listed in the **FOR FURTHER INFORMATION CONTACT** section.

FOR FURTHER INFORMATION CONTACT: Idalia Pérez, EPA Region IX, (415) 972-3284, perez.idalia@epa.gov.

SUPPLEMENTARY INFORMATION: Throughout this document, "we," "us" and "our" refer to EPA.

Table of Contents

- I. Proposed Action
- II. Public Comments and EPA Responses
- III. EPA Action
- IV. Statutory and Executive Order Reviews

I. Proposed Action

On November 5, 2010 (75 FR 68294), EPA proposed to approve the following rule into the California SIP.

Local agency	Rule No.	Rule title	Adopted	Submitted
SJVUAPCD	4320	Advance Emission Reduction Options for Boilers, Steam Generators and Process Heaters greater than 5.0 MMBtu/hr.	10/16/08	03/17/09

We proposed to approve this rule because we determined that it complied with the relevant CAA requirements. Our proposed action contains more information on the rule and our evaluation.

II. Public Comments and EPA Responses

EPA's proposed action provided a 30-day public comment period. During this period, we received comments from Paul Cort, Earthjustice; letter dated December 6, 2010 and received December 6, 2010. The comments and our responses are summarized below.

Comment #1: Earthjustice supported EPA's proposed approval of Rule 4320 and EPA's assertion that the fee provisions in the rule fail to comply with EPA policy on economic incentive programs.

Response #1: No response needed.

Comment #2: Earthjustice asked EPA to clarify that no emission reduction credit is appropriate for Rule 4320 until SJVAPCD submits additional documentation, subject to public review

and comment, including documentation demonstrating permanent, enforceable, surplus and quantifiable CO and NO_x reductions associated with fees paid in lieu of direct control of these and documentation demonstrating the PM reductions associated with SO₂ controls.

Response #2: The discussion of SIP credits in our TSD and proposal was included for information only and does not affect our action on Rule 4320. Our proposed approval of Rule 4320 relied largely on a finding that the rule improved the SIP, and not on if or how many emission reductions the rule provides. Comments on whether SJVAPCD ensures adequate emission reductions are more appropriate to action on plans. When EPA approves a plan, we are effectively approving the emission reduction assumptions for specific rules that it is based on. Proposed rulemaking on a plan is subject to notice and comment and would be the appropriate forum to raise issues on whether reductions from

specific rules should be credited to the SIP.

III. EPA Action

No comments were submitted that change our assessment that the submitted rule complies with the relevant CAA requirements. Therefore, as authorized in section 110(k)(3) of the Act, EPA is fully approving this rule into the California SIP.

IV. Statutory and Executive Order Reviews

Under the Clean Air Act, the Administrator is required to approve a SIP submission that complies with the provisions of the Act and applicable Federal regulations. 42 U.S.C. 7410(k); 40 CFR 52.02(a). Thus, in reviewing SIP submissions, EPA's role is to approve State choices, provided that they meet the criteria of the Clean Air Act. Accordingly, this action merely approves State law as meeting Federal requirements and does not impose additional requirements beyond those