

TABLE 1—DATA RECEIVED IN RESPONSE TO TSCA SECTION 4 TEST RULE AT 40 CFR 799.5115, TITLED “IN VITRO DERMAL ABSORPTION RATE TESTING OF CERTAIN CHEMICALS OF INTEREST TO THE OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION,” DOCKET ID NUMBER EPA–HQ–OPPT–2003–0006—Continued

Chemical identity	Data received	Document No. for the item in docket No. EPA–HQ–OPPT–2003–0006	Chemical use
Dicyclopentadiene (4,7-Methano-1H-indene, 3a,4,7,7a-tetrahydro-) (CASRN 77–73–6).	Percutaneous Absorption and Cutaneous Disposition of [¹⁴ C]-Dicyclopentadiene <i>In Vitro</i> in Human Skin.	0358	Chemical intermediate for insecticides, ethylene propylene diene monomer (EPDM) elastomers, metallocenes, paints and varnishes, flame retardant for plastics.
Methyl isoamyl ketone (2-Hexanone, 5-methyl-) (CASRN 110–12–3).	Percutaneous Absorption and Cutaneous Disposition of [¹⁴ C]-Methyl Isoamyl Ketone <i>In Vitro</i> in Human Skin.	0359	Solvent for nitrocellulose, cellulose acetate butyrate, acrylics, vinyl copolymers.
Diacetone alcohol (2-Pentanone, 4-hydroxy-4-methyl-) (CASRN 123–42–2).	Percutaneous Absorption and Cutaneous Disposition of [¹⁴ C]-Diacetone Alcohol <i>In Vitro</i> in Human Skin.	0360	Solvent for nitrocellulose, cellulose acetate, various oils, resins, waxes, fats, dyes, tars, lacquers, dopes, coating compositions, wood preservatives, stains, rayon and artificial leather, imitation gold leaf, dyeing mixtures, antifreeze mixtures, extraction of resins and waxes, preservative for animal tissue, metal-cleaning compounds, hydraulic compression fluids, stripping agent (textiles), laboratory reagent. The technical grade containing acetone has greater solvent power.
Cyclohexanol (CASRN 108–93–0)	The <i>In Vitro</i> Dermal Absorption of ¹⁴ C–Cyclohexanol through Human Skin.	0371	Soap making to incorporate solvents and phenolic insecticides; source of adipic acid for nylon textile finishing; solvent for alkyd and phenolic resins; cellulosics; blending agent for lacquers, paints, and varnishes; finish removers; emulsified products; leather degreasing; polishes; plasticizers; plastics; germicides.

Note: CASRN—Chemical Abstract Service Registry Number; Chemical Use Reference—Hawley’s Condensed Chemical Dictionary. Fifteenth Ed. Richard J. Lewis, Sr. Published by John Wiley & Sons, Inc., Hoboken, NJ. 2007.

Authority: 15 U.S.C. 2603.

List of Subjects

Environmental protection, Hazardous substances.

Dated: June 21, 2011.

Maria J. Doa,

Director, Chemical Control Division, Office of Pollution Prevention and Toxics.

[FR Doc. 2011–16183 Filed 6–28–11; 8:45 am]

BILLING CODE 6560–50–P

ENVIRONMENTAL PROTECTION AGENCY

[EPA–HQ–OPPT–2005–0033; FRL–8872–4]

Toxic Substances Control Act Chemical Testing; Receipt of Test Data

AGENCY: Environmental Protection Agency (EPA).

ACTION: Notice.

SUMMARY: This notice announces EPA’s receipt of test data on 12 chemicals listed in the Toxic Substance Control Act (TSCA) section 4 test rule titled “Testing of Certain High Production Volume Chemicals.”

FOR FURTHER INFORMATION CONTACT: *For technical information contact:* Kathy Calvo, Chemical Control Division (7405M), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460–0001; *telephone number:* (202) 564–8089; *fax number:* (202) 564–4765; *e-mail address:* calvo.kathy@epa.gov.

For general information contact: The TSCA–Hotline, ABVI–Goodwill, 422 South Clinton Ave., Rochester, NY 14620; *telephone number:* (202) 554–1404; *e-mail address:* TSCA-Hotline@epa.gov.

SUPPLEMENTARY INFORMATION:

I. General Information

A. Does this action apply to me?

This action is directed to the public in general. This action may, however, be of interest to those persons who are concerned about data on health and/or environmental effects and other characteristics of this chemical. Since other entities may also be interested, the Agency has not attempted to describe all the specific entities that may be affected by this action. If you have any questions

regarding the applicability of this action to a particular entity, consult the person listed under **FOR FURTHER INFORMATION CONTACT**.

B. How can I get copies of this document and other related information?

All documents in the docket are listed in the docket index available at <http://www.regulations.gov>. Although listed in the index, some information is not publicly available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available electronically at <http://www.regulations.gov>, or, if only available in hard copy, at the OPPT Docket. The OPPT Docket is located in the EPA Docket Center (EPA/DC) at Rm. 3334, EPA West Bldg., 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room hours of operation are 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding legal holidays. The telephone number of the EPA/DC Public Reading Room is (202) 566–1744, and the telephone number for the OPPT Docket is (202)

566–0280. Docket visitors are required to show photographic identification, pass through a metal detector, and sign the EPA visitor log. All visitor bags are processed through an X-ray machine and subject to search. Visitors will be provided an EPA/DC badge that must be visible at all times in the building and returned upon departure.

II. Test Data Submissions

EPA received test data on 12 chemicals listed in the TSCA section 4 test rule titled “Testing of Certain High Production Chemicals,” published in

the **Federal Register** issue of March 16, 2006 (71 FR 13708) (FRL–7335–2).

Section 4(d) of TSCA (15 U.S.C. 2603(d)) requires EPA to publish a notice in the **Federal Register** reporting the receipt of test data submitted pursuant to test rules promulgated under TSCA section 4(a) (15 U.S.C. 2603(a)). Each notice must:

1. Identify the chemical substance or mixture for which data have been received.

2. List the uses or intended uses of such substance or mixture and the information required by the applicable

standards for the development of test data.

3. Describe the nature of the test data developed.

The following table contains the information described in this document. See the applicable CFR cite, listed in this table, for test data requirements. EPA has completed its review and evaluation process for these submissions. Reviews have been added to the docket.

TABLE 1—DATA RECEIVED IN RESPONSE TO A TSCA SECTION 4 TEST RULE AT 40 CFR 799.4115, TITLED “CHEMICAL TESTING REQUIREMENTS FOR CERTAIN HIGH PRODUCTION VOLUME CHEMICALS,” DOCKET ID No. EPA–HQ–OPPT–2005–0033

Chemical identity	Data received	Document No. for the item in Docket ID No. EPA–HQ–OPPT–2005–0033	Chemical use
Methane, dibromo (CASRN 74–95–3).	Determination of Vapor Pressure	0254, transmittal; 0254.1	Organic synthesis, solvent.
	Determination of General Physico-Chemical Properties.	0254 and 0254.2.	
	Algal Growth Inhibition Test	0254 and 0254.3.	
	Chromosome Aberration Test in Human Lymphocytes <i>In Vitro</i> .	0254 and 0254.5.	
	Acute Toxicity to Rainbow Trout ..	0259, transmittal; 0259.1.	
	Acute Toxicity to Daphnia Magna	0259 and 0259.2.	
	Oral (Gavage) Reproduction/Developmental Toxicity Screening Test in the Rat.	0259, 0259.3, part 1, and 0259.4, part 2.	
1,3-Propanediol, 2,2-bis[(nitrooxy)methyl]-, dinitrate (CASRN 78–11–5).	Reproductive and Developmental Effects of Oral Exposure to Pentaerythritol-Tetranitrate (PETN) in the Rat.	0294, transmittal; and 0294.1	Demolition explosive, blasting caps, detonating compositions, “Primacord”.
	1. Determination of the Water Solubility	0294 and 0294.2. Copyrighted document. See note.	
	2. <i>n</i> -Octanol/Water Partition Coefficient		
	3. Biodegradation Potential of Pentaerythritol Tetranitrate (PETN).		
	Toxicity of Pentaerythritol Tetranitrate (PETN) to the Unicellular Green Alga (<i>Selenastrum capricornutum</i>) Under Static Test Conditions, Part 1.	0294 and 0294.3.	
	Toxicity of Pentaerythritol Tetranitrate (PETN) to the Unicellular Green Alga (<i>Selenastrum capricornutum</i>) Under Static Test Conditions, Part 2, (PETN Analytical Report).	0294 and 0294.4.	
9,10-Anthracenedione (CASRN 84–65–1).	Data for:	0182, transmittal; 0211	Intermediate for dyes and organics, organic inhibitor, and bird repellent for seeds.
	1. Melting Point.		
	2. Boiling Point.		
	3. Vapor Pressure.		
	Physical and Chemical Characteristics of Anthraquinone: <i>n</i> -Octanol/Water Partition Coefficient and Solubility.	0222, transmittal; 0222.1.	
	An Oral Reproduction/Developmental Toxicity Screening Study of Anthraquinone in Rats.	0222 and 0222.2.	

TABLE 1—DATA RECEIVED IN RESPONSE TO A TSCA SECTION 4 TEST RULE AT 40 CFR 799.4115, TITLED “CHEMICAL TESTING REQUIREMENTS FOR CERTAIN HIGH PRODUCTION VOLUME CHEMICALS,” DOCKET ID No. EPA–HQ–OPPT–2005–0033—Continued

Chemical identity	Data received	Document No. for the item in Docket ID No. EPA–HQ–OPPT–2005–0033	Chemical use
2,4-Hexadienoic acid (2E, 4E) (Sorbic acid) (CASRN 110–44–1).	Physical and Chemical Property Tests for: 1. Melting Point. 2. Water Solubility. 3. <i>n</i> -Octanol/Water Partition Coefficient. 4. Boiling Point. 5. Vapor Pressure. Fathead Minnow 96-Hour Acute Toxicity Test. Daphnia Magna 48-Hour Acute Toxicity Test. Pimephales Promelas Acute Toxicity Test.	0313 and 0335	Fungicide, food preservative (mold inhibitor), alkyd resin coatings, upgrading of drying oils, cold rubber additive, and intermediate for plasticizers and lubricants.
Dodecane, 1-chloro- (CASRN 112–52–7).	Determination of the Boiling Point/Boiling Range of 1-Chlorododecane. Determination of the Vapor Pressure of 1-Chlorododecane Using the Static Method. 1-Chlorododecane: Determination of <i>n</i> -Octanol/Water Partition Coefficient. Determination of the Water Solubility of 1-Chlorododecane. 1-Chlorododecane: Evaluation of Ultimate Biodegradability in an Aqueous Medium-Static Test, ISO/FDIS 9888:1999(E)(1) (Zahn-Wellens Method). 1-Chlorododecane: A 96-Hour Toxicity Test with the Freshwater Alga (<i>Pseudokirchneriella subcapitata</i>). A Flow-Through Life-Cycle Toxicity Study of 1-Chlorododecane with the Cladoceran (<i>Daphnia magna</i>). Acute Oral Toxicity with 1-Chlorododecane: Up and Down Procedure in Rats. A Combined 28-Day Repeated Dose Oral Toxicity Study with the Reproduction/Developmental Toxicity Screening Test of 1-Chlorododecane in Rats. Bacterial Reverse Mutation Assay of 1-Chlorododecane. <i>In Vitro</i> Mammalian Chromosome Aberration Test.	0314, transmittal; 0314.6 0314 and 0314.10. 0314 and 0314.8. 0314 and 0314.11. 0314 and 0314.9. 0314 and 0314.5. 0314 and 0314.7. 0314 and 0314.1. 0314 and 0314.4. 0314 and 314.2. 0314 and 0314.3.	Solvent, chemical intermediate to make photographic chemicals, pharmaceuticals, organic metallic compounds, and surfactants.
Phenol, 4,4'-methylenebis[2,6-bis(1,1-dimethylethyl)-] (CASRN 118–82–1).	Existing data for Determination of Water Solubility and <i>n</i> -Octanol/Water Partition Coefficient. Existing data for Bacterial Reverse Mutation Test (Ames Test). Re submittal for Bacterial Reverse Mutation Test (Ames Test). Existing data for Acute Oral Mammalian Toxicity Test. Existing data for Reproduction/Developmental Toxicity Screening Test.	0163 0181; transmittal; 0181.2. 0250, transmittal; 0250.1, and 0250.2. 0181 and 0181.1. 0181 and 0181.3.	Oxidation inhibitor, anti wear agent for motor oils, aviation piston engine oils, industrial oils, anti oxidant for rubbers, resins, and adhesives.

TABLE 1—DATA RECEIVED IN RESPONSE TO A TSCA SECTION 4 TEST RULE AT 40 CFR 799.4115, TITLED “CHEMICAL TESTING REQUIREMENTS FOR CERTAIN HIGH PRODUCTION VOLUME CHEMICALS,” DOCKET ID No. EPA–HQ–OPPT–2005–0033—Continued

Chemical identity	Data received	Document No. for the item in Docket ID No. EPA–HQ–OPPT–2005–0033	Chemical use
Methanesulfinic acid, 1-hydroxy-, sodium salt (1:1) (CASRN 149–44–0).	Chromosomal Aberration Test with AN–2 Cultured Chinese Hamster Ovary (CHO) Cells.	0257. Copyrighted document. See note.	Stripping and discharge agent for textiles, bleaching agent for molasses, soap.
	Activated Sludge Die-away Biodegradation Test with AN–2(4,4-methylenebis (2,6-di-tert-butylphenol) Using Non-adapted and Adapted Activated Sludge.	0275.1. Copyrighted document. See note.	
	1. Melting Point 2. Boiling Point. 3. Vapor Pressure.	0274.	
	1. Existing study for Biodegradation Test according to OECD 301B: Degradation of a Product. 2. Existing study for Acute Toxicity to Fish According to DIN Method 38412. 3. Existing study for Acute Toxicity to Daphnia According to OECD 202, Part 1. 4. Existing study for Determination of the 72-hour EC ₅₀ of “Brueggolit E02” towards <i>Scenedesmus subspicatus</i> (LAUS GmbH). 5. Existing study for Algae Inhibition Test According to OECD 201 (Jaeger).	0238	
	1. Melting Point (ASTM E 324) 2. Boiling Point (ASTM E1719), Water Partition Coefficient. 3. Water Solubility (ASTM E 1148) (40 CFR 799.6784). 4. Genetic Toxicity (chromosomal damage) (40 CFR 799.6784). 5. Combined Repeated Dose/Developmental/Reproductive Toxicity Test (40 CFR 799.9365).	0309.	
	Physicochemical Properties, i.e., Melting Point, Boiling Point, Vapor Pressure, and n-Octanol/Water Partition Coefficient.	0324, transmittal; 0324.15	
	Water Solubility	0324 and 0324.13.	
	Ready Biodegradability: OECD 301F Manometric Respirometry Test.	0324 and 0324.12.	
	Fish Acute Toxicity Test <i>Daphnia sp.</i> , Acute Immobilization Test.	0324 and 0324.11. 0324 and 0324.10.	
	Alga, Growth Inhibition Test Acute Oral Toxicity to the Rat Test. Bacterial Reverse Mutation Test .. <i>In Vitro</i> Mammalian Chromosome Aberration Test in Human Lymphocytes. Reproductive Developmental Toxicity Screening Test by Oral Gavage Administration to CD Rats.	0324 and 0324.9. 0324 and 0324.8. 0324 and 0324.6. 0324 and 0324.4. 0324, 0324.1, 0324.2.	
Heptenone, methyl- (CASRN 409–02–9).			Organic synthesis, inexpensive perfumes, flavoring.

TABLE 1—DATA RECEIVED IN RESPONSE TO A TSCA SECTION 4 TEST RULE AT 40 CFR 799.4115, TITLED “CHEMICAL TESTING REQUIREMENTS FOR CERTAIN HIGH PRODUCTION VOLUME CHEMICALS,” DOCKET ID No. EPA–HQ–OPPT–2005–0033—Continued

Chemical identity	Data received	Document No. for the item in Docket ID No. EPA–HQ–OPPT–2005–0033	Chemical use
Methane, isocyanato-(CASRN 624–83–9).	<p>Robust summaries of publicly available existing data on:</p> <ol style="list-style-type: none"> 1. Melting Point. 2. Boiling Point. 3. Vapor Pressure. 4. Partition Coefficient. 5. Solubility in Different Media: Solubility in Water. 6. Stability in Water. 7. Biodegradation. 8. Acute/Prolonged Toxicity to Fish 9. Acute Toxicity to Aquatic Invertebrates 10. Toxicity to Aquatic Plants, <i>e.g.</i>, Algae 	0249	Production of pesticides, polyurethane foam, and plastics.
Benzenesulfonic acid, [[4-[[4-(phenylamino)phenyl][4-(phenylimino)-2,5-cyclohexadien-1-ylidene]methyl]phenylamino]- (C.I. Pigment Blue 61) (CASRN 1324–76–1).	<p>These data were claimed as CBI. The public version includes a robust summary of existing data for:</p> <ol style="list-style-type: none"> 1. Acute Toxicity to Fish. 2. Acute Mammalian toxicity. 3. Ames Bacterial Reverse Mutation. 4. Cytogenetic Micronucleous Assay (Chromosomal damage). <p>Existing data for:</p> <ol style="list-style-type: none"> 1. Melting Point. 2. Boiling Point. 3. Water Solubility. <p>These data were claimed as CBI. The public version includes a robust summary for n-Octanol/ Water Partition Coefficient.</p> <p>These data were claimed as CBI. The public version includes a robust summary for Inherent Biodegradation.</p> <p>Data for Vapor Pressure</p> <p>These data were submitted as CBI. The public version includes data on:</p> <ol style="list-style-type: none"> 1. Acute Toxicity in Daphnia Magna with C.I. Pigment Blue 61. 2. Fresh Water Algae Growth Inhibition Test with C.I. Pigment Blue 61. 3. Combined 28-Day Repeated Dose Toxicity Study with the Reproduction/Developmental Toxicity Screening Test. 	<p>0286 and 0322</p> <p>0185, 0246, and 0280.</p> <p>0185, 0246, 0318, and 0280.</p> <p>0185, 0246, and 0279.</p> <p>0280 and 0318.</p> <p>0318.</p> <p>0168, transmittal; 0169, and 0184</p> <p>0174 and 0184.</p> <p>0175 and 0184.</p> <p>0176 and 0184.</p> <p>0170 and 0184.</p>	<p>Intermediate for antifouling paint agents, catalyst in organic reactions, used by offset ink makers to produce inks for heatset, coldset and sheet-fed applications.</p> <p>Plastics, rubber, Bakelite, ink, paint, carbon paper, and leather shoe coloring.</p>
C.I. Solvent Black 7 (CASRN 8005–02–5).	<p>Existing data for: Inherent Biodegradation: ISO 9888 (Zahn-Wellens method).</p> <p>Acute Toxicity to Rainbow Trout by Zahn-Wellens test, OECD 302B.</p> <p>Acute Toxicity to Daphnia, Daphnia Static Acute, OECD 202.</p> <p>Acute Toxicity to Plants, Algae Growth Inhibition, OECD 201.</p> <p>Acute Mammalian Toxicity, Rat, OECD 401.</p>	<p>0168, transmittal; 0169, and 0184</p> <p>0174 and 0184.</p> <p>0175 and 0184.</p> <p>0176 and 0184.</p> <p>0170 and 0184.</p>	<p>Plastics, rubber, Bakelite, ink, paint, carbon paper, and leather shoe coloring.</p>

TABLE 1—DATA RECEIVED IN RESPONSE TO A TSCA SECTION 4 TEST RULE AT 40 CFR 799.4115, TITLED “CHEMICAL TESTING REQUIREMENTS FOR CERTAIN HIGH PRODUCTION VOLUME CHEMICALS,” DOCKET ID No. EPA–HQ–OPPT–2005–0033—Continued

Chemical identity	Data received	Document No. for the item in Docket ID No. EPA–HQ–OPPT–2005–0033	Chemical use
Urea, reaction products with formaldehyde (CASRN 68611–64–3).	Reverse Mutation Assay using Salmonella Typhimarium, OECD 471.	0171 and 0184.	Adhesive or binder for particle board, medium density fiber board, hardwood plywood, glass fiber roofing materials.
	Micronucleous Assay, Nigrossine Base Ex: Metaphase Analysis in Chi Cells <i>In Vitro</i> .	0172 and 0184.	
	Twenty-Eight Day Sub-acute Oral (Gavage) Toxicity Study in the Rat, OECD 407.	0173 and 0184.	
	Determination of Physico-Chemical Properties of C.I. Solvent Black 7, including Melting Point ASTM E 324 (capillary tube).	0290, transmittal; 0290.1, pg. 4; and 0290.2.	
	Boiling Point: ASTM E 1719 (ebulliometry)	0290.1, pg. 7; and 0290.2.	
	Vapor Pressure: ASTM E 1782 (thermal analysis).	0290.1, pg. 15; and 0290.2.	
	<i>n</i> -Octanol/Water Partition Coefficient.	0290, 0290.1, pg. 17; and 0290.2.	
	Water Solubility	0290, 0290.1, pg. 20; and 0290.2.	
	A Prenatal Developmental Toxicity Study of C.I. Solvent Black 7 in Rats by Oral Gavage.	0290, 290.4, and 0184.	
	For Fulfillment of Data Requirements for Urea, Reaction Products with Formaldehyde under TSCA Section 4.	0360 and 0361	

Notes:

1. *Chemical use reference*: Hawley's Condensed Chemical Dictionary. Fifteenth Ed. Richard J. Lewis, Sr. published by John Wiley & Sons, Inc. Hoboken, NJ. 2007.

2. Copyrighted publications: See Unit I.B.

3. Terms: ASTM—ASTM International, producer of international voluntary consensus standards (formerly the American Society for Testing and Materials); CASRN—Chemical Abstract Service Registry Number; CBI—Confidential Business Information; DIN—The German Institute for Standardization; ISO/FDIS—International Organization for Standardization/Final Draft International Standard; OECD—Organisation for Economic Co-operation and Development; TSCA—Toxic Substances Control Act.

Authority: 15 U.S.C. 2603.

List of Subjects

Environmental protection, Hazardous substances.

Dated: June 21, 2011.

Maria J. Doa,

Director, Chemical Control Division, Office of Pollution Prevention and Toxics.

[FR Doc. 2011–16162 Filed 6–28–11; 8:45 am]

BILLING CODE 6560–50–P

FEDERAL ACCOUNTING STANDARDS ADVISORY BOARD**Notice of Release of the Exposure Draft Revisions to Identifying and Reporting Earmarked Funds: Amending Statement of Federal Financial Accounting Standards 27**

AGENCY: Federal Accounting Standards Advisory Board.

ACTION: Notice.

Board Action: Pursuant to 31 U.S.C. 3511(d), the Federal Advisory

Committee Act (Pub. L. 92–463), as amended, and the FASAB Rules of Procedure, as amended in October, 2010, notice is hereby given that the Federal Accounting Standards Advisory Board (FASAB) has released the *Exposure Draft Revisions to Identifying and Reporting Earmarked Funds: Amending Statement of Federal Financial Accounting Standards 27*.

The Exposure Draft is available on the FASAB home page <http://www.fasab.gov/board-activities/documents-for-comment/exposure-drafts-and-documents-for-comment/>. Copies can be obtained by contacting FASAB at (202) 512–7350.

Respondents are encouraged to comment on any part of the exposure draft. Written comments on the Exposure Draft are requested by August 22, 2011. Comments on the Exposure Drafts should be sent to: Wendy M. Payne, Executive Director, Federal Accounting Standards Advisory Board, 441 G Street, NW., Suite 6814, Mail Stop 6K17V, Washington, DC 20548.

FOR FURTHER INFORMATION CONTACT:

Wendy Payne, Executive Director, at (202) 512–7350.

Authority: Federal Advisory Committee Act, Public Law 92–463.

Dated: June 23, 2011.

Charles Jackson,

Federal Register Liaison Officer.

[FR Doc. 2011–16215 Filed 6–28–11; 8:45 am]

BILLING CODE 1610–02–P

FEDERAL COMMUNICATIONS COMMISSION**Information Collections Being Submitted for Review and Approval to the Office of Management and Budget**

AGENCY: Federal Communications Commission.

ACTION: Notice and request for comments.

SUMMARY: The Federal Communications Commission (FCC), as part of its continuing effort to reduce paperwork