

the two-year period; and (4) the requirements at 49 CFR 1105.12 (newspaper publication) and 49 CFR 1152.50(d)(1) (notice to governmental agencies) have been met.

As a condition to this exemption, any employee adversely affected by the discontinuance of service shall be protected under *Oregon Short Line Railroad—Abandonment Portion Goshen Branch Between Firth & Ammon, in Bingham & Bonneville Counties, Idaho*, 360 I.C.C. 91 (1979). To address whether this condition adequately protects affected employees, a petition for partial revocation under 49 U.S.C. 10502(d) must be filed.

Provided no formal expression of intent to file an offer of financial assistance (OFA)<sup>2</sup> to subsidize continued rail service has been received, this exemption will be effective on April 25, 2020, unless stayed pending reconsideration.<sup>3</sup> Petitions to stay that do not involve environmental issues must be filed by April 3, 2020, and formal expressions of intent to file an OFA to subsidize continued rail service under 49 CFR 1152.27(c)(2)<sup>4</sup> must be filed by April 6, 2020.<sup>5</sup> Petitions to reopen must be filed by April 15, 2020, with the Surface Transportation Board, 395 E Street SW, Washington, DC 20423-0001. A copy of any petition filed with the Board should be sent to CNR's representative, Thomas J. Litwiler, Fletcher & Sippel LLC, 29 North Wacker Drive, Suite 800, Chicago, IL 60606-3208.

If the verified notice contains false or misleading information, the exemption is void ab initio.

Board decisions and notices are available at [www.stb.gov](http://www.stb.gov).

Decided: March 23, 2020.

By the Board, Allison C. Davis, Director, Office of Proceedings.

**Kenyatta Clay,**  
Clearance Clerk.

[FR Doc. 2020-06349 Filed 3-25-20; 8:45 am]

**BILLING CODE 4915-01-P**

<sup>2</sup> Persons interested in submitting an OFA to subsidize continued rail service must first file a formal expression of intent to file an offer indicating the intent to file an OFA for subsidy and demonstrating that they are preliminarily financially responsible. See 49 CFR 1152.27(c)(2)(i).

<sup>3</sup> CNR states that it intends to consummate the discontinuance of its trackage rights on the Line on April 26, 2020, or upon consummation of the transaction proposed in Docket No. FD 36347, whichever is later.

<sup>4</sup> The filing fee for OFAs can be found at 49 CFR 1002.2(f)(25).

<sup>5</sup> Because this is a discontinuance proceeding and not an abandonment, interim trail use/rail banking and public use conditions are not appropriate. Because there will be an environmental review during abandonment, this discontinuance does not require an environmental review.

## OFFICE OF THE UNITED STATES TRADE REPRESENTATIVE

### Adjustment to Specialty Sugar Tariff-Rate Quota Tranches and Opening Dates

**AGENCY:** Office of the United States Trade Representative.

**ACTION:** Notice.

**SUMMARY:** The Office of the United States Trade Representative (USTR) is providing notice of a change in the quantity, and opening dates, for the fourth and fifth tranches of the specialty sugar tariff-rate quota (TRQ).

**DATES:** This notice is applicable on March 30, 2020.

**FOR FURTHER INFORMATION CONTACT:** Dylan Daniels, Office of Agricultural Affairs, at (202) 395-9583 or [Dylan.Daniels@ustr.eop.gov](mailto:Dylan.Daniels@ustr.eop.gov).

**SUPPLEMENTARY INFORMATION:** Pursuant to Additional U.S. Note 5 to Chapter 17 of the Harmonized Tariff Schedule of the United States (HTSUS), the United States maintains TRQs for imports of raw cane and refined sugar.

Section 404(d)(3) of the Uruguay Round Agreements Act (19 U.S.C. 3601(d)(3)) authorizes the President to allocate the in-quota quantity of a TRQ for any agricultural product among supplying countries or customs areas. The President delegated this authority to the U.S. Trade Representative under Presidential Proclamations 6763 and 7235 (60 FR 1007 and 64 FR 197).

On July 15, 2019, USTR announced that the FY2020 specialty sugar TRQ of 171,656 MTRV would be administered in the following way. See 84 FR 33798. The first tranche of 1,656 MTRV was to open October 1, 2019, and all types of specialty sugars would be eligible for entry under this tranche. The second tranche of 50,000 MTRV was to open on October 9, 2019. The third tranche of 50,000 MTRV was to open on January 22, 2020. The fourth tranche of 35,000 MTRV was to open on April 15, 2020. The fifth tranche of 35,000 MTRV was to open on July 15, 2020.

When the third tranche opened on January 22, 2020, U.S. Customs and Border Protection allowed the tranche to be filled in the quantity of 55,000 MTRV, rather than the 50,000 MTRV intended, based on a typo in the U.S. Department of Agriculture's announcement of June 27, 2019. See 84 FR 30691. To correct this quantity in order to limit entries to the total amount established at 171,656 MTRV, USTR is reducing the quantity of the fifth tranche by 5,000 MTRV to 30,000 MTRV. USTR is combining the fourth tranche of 35,000 MTRV, and the fifth

tranche of 30,000 MTRV, into a combined special tranche of 65,000 MTRV, which will open on March 30, 2020.

**Gregory Doud,**

*Chief Agricultural Negotiator, Office of the United States Trade Representative.*

[FR Doc. 2020-06284 Filed 3-25-20; 8:45 am]

**BILLING CODE 3290-F0-P**

## OFFICE OF THE UNITED STATES TRADE REPRESENTATIVE

### Notice of Product Exclusions: China's Acts, Policies, and Practices Related to Technology Transfer, Intellectual Property, and Innovation

**AGENCY:** Office of the United States Trade Representative.

**ACTION:** Notice of product exclusions.

**SUMMARY:** In September of 2018, the U.S. Trade Representative imposed additional duties on goods of China with an annual trade value of approximately \$200 billion as part of the action in the Section 301 investigation of China's acts, policies, and practices related to technology transfer, intellectual property, and innovation. The U.S. Trade Representative initiated a product exclusion process in June 2019, and interested persons have submitted requests for the exclusion of specific products. This notice announces the U.S. Trade Representative's determination to grant certain exclusion requests, as specified in the Annex to this notice, and corrects technical errors in previously announced exclusions.

**DATES:** The product exclusions announced in this notice will apply as of September 24, 2018, the effective date of the \$200 billion action, to August 7, 2020. The amendments announced in this notice are retroactive to the date the original exclusions were published.

**FOR FURTHER INFORMATION CONTACT:** For general questions about this notice, contact Assistant General Counsels Philip Butler or Megan Grimball, or Director of Industrial Goods Justin Hoffmann at (202) 395-5725. For specific questions on customs classification or implementation of the product exclusions identified in the Annex to this notice, contact [traderemedy@cbp.dhs.gov](mailto:traderemedy@cbp.dhs.gov).

#### **SUPPLEMENTARY INFORMATION:**

##### **A. Background**

For background on the proceedings in this investigation, please see the prior notices including 82 FR 40213 (August 24, 2017), 83 FR 14906 (April 6, 2018),

83 FR 28710 (June 20, 2018), 83 FR 33608 (July 17, 2018), 83 FR 38760 (August 7, 2018), 83 FR 47974 (September 21, 2018), 83 FR 49153 (September 28, 2018), 83 FR 65198 (December 19, 2018), 84 FR 7966 (March 5, 2019), 84 FR 20459 (May 9, 2019), 84 FR 29576 (June 24, 2019), 84 FR 38717 (August 7, 2019), 84 FR 46212 (September 3, 2019), 84 FR 49591 (September 20, 2019), 84 FR 57803 (October 28, 2019), 84 FR 61674 (November 13, 2019), 84 FR 65882 (November 29, 2019), 84 FR 69012 (December 17, 2019), 85 FR 549 (January 6, 2020), 85 FR 6674 (February 5, 2020), 85 FR 9921 (February 20, 2020), and 85 FR 15015 (March 16, 2020).

Effective September 24, 2018, the U.S. Trade Representative imposed additional 10 percent duties on goods of China classified in 5,757 full and partial subheadings of the Harmonized Tariff Schedule of the United States (HTSUS), with an approximate annual trade value of \$200 billion. *See* 83 FR 47974, as modified by 83 FR 49153. In May 2019, the U.S. Trade Representative increased the additional duty to 25 percent. *See* 84 FR 20459. On June 24, 2019, the Trade Representative established a process by which U.S. stakeholders could request exclusion of particular products classified within an 8-digit HTSUS subheading covered by the \$200 billion action from the additional duties. *See* 84 FR 29576 (the June 24 notice).

Under the June 24 notice, requests for exclusion had to identify the product subject to the request in terms of the physical characteristics that distinguish the product from other products within the relevant 8-digit subheading covered by the \$200 billion action. Requestors also had to provide the 10-digit subheading of the HTSUS most applicable to the particular product requested for exclusion, and could submit information on the ability of U.S. Customs and Border Protection to administer the requested exclusion. Requestors were asked to provide the quantity and value of the Chinese-origin product that the requestor purchased in the last three years. With regard to the

rationale for the requested exclusion, requestors had to address the following factors:

- Whether the particular product is available only from China and specifically whether the particular product and/or a comparable product is available from sources in the United States and/or third countries.
- Whether the imposition of additional duties on the particular product would cause severe economic harm to the requestor or other U.S. interests.
- Whether the particular product is strategically important or related to “Made in China 2025” or other Chinese industrial programs.

The June 24 notice stated that the U.S. Trade Representative would take into account whether an exclusion would undermine the objective of the Section 301 investigation.

The June 24 notice required submission of requests for exclusion from the \$200 billion action no later than September 30, 2019, and noted that the U.S. Trade Representative periodically would announce decisions. In August 2019, the U.S. Trade Representative granted an initial set of exclusion requests. *See* 84 FR 38717. The U.S. Trade Representative granted additional exclusions in September 2019, October 2019, November 2019, December 2019, January 2020, February 2020, and March 2020. *See* 84 FR 49591, 84 FR 57803, 84 FR 61674, 84 FR 65882, 84 FR 69012, 85 FR 549, 85 FR 6674, 85 FR 9921, and 85 FR 15015. The Office of the United States Trade Representative regularly updates the status of each pending request on the Exclusions Portal at <https://exclusions.ustr.gov/s/docket?docketNumber=USTR-2019-0005>.

#### **B. Determination To Grant Certain Exclusions**

Based on the evaluation of the factors set forth in the June 24 notice, which are summarized above, pursuant to sections 301(b), 301(c), and 307(a) of the Trade Act of 1974, as amended, and in accordance with the advice of the interagency Section 301 Committee, the

U.S. Trade Representative has determined to grant the product exclusions set forth in the Annex to this notice. The U.S. Trade Representative’s determination also takes into account advice from advisory committees and any public comments on the pertinent exclusion requests.

As set forth in the Annex, the exclusions are reflected in one 10-digit HTSUS subheading, which covers one exclusion request, and 176 specially prepared product descriptions, which cover 202 separate exclusion requests.

In accordance with the June 24 notice, the exclusions are available for any product that meets the description in the Annex, regardless of whether the importer benefitting from the product exclusion filed an exclusion request. Further, the scope of each exclusion is governed by the scope of the product descriptions in the Annex, and not by the product descriptions found in any particular request for exclusion.

Paragraph A, subparagraphs 3 through 5 of the Annex contain conforming amendments to the HTSUS reflecting the modifications made by the Annex. Paragraph B of the Annex contains amendments reflecting technical corrections to certain notes to the HTSUS, specifically U.S. note 20(pp), published at 85 FR 549 (January 6, 2020). Paragraph C of the Annex contains amendments reflecting technical corrections to certain notes to the HTSUS, specifically U.S. note 20(qq)(4) and U.S. note 20(qq)(6), published at 85 FR 6674 (February 5, 2020).

As stated in the September 20, 2019 notice, the exclusions will apply from September 24, 2018, to August 7, 2020. U.S. Customs and Border Protection will issue instructions on entry guidance and implementation.

The U.S. Trade Representative will continue to issue determinations on pending requests on a periodic basis.

**Joseph Barloon,**

*General Counsel, Office of the U.S. Trade Representative.*

**BILLING CODE 3290-F0-P**

ANNEX

A. Effective with respect to goods entered for consumption, or withdrawn from warehouse for consumption, on or after 12:01 a.m. eastern daylight time on September 24, 2018, subchapter III of chapter 99 of the Harmonized Tariff Schedule of the United States (HTSUS) is modified:

1. by inserting the following new heading 9903.88.43 in numerical sequence, with the material in the new heading inserted in the columns of the HTSUS labeled “Heading/Subheading”, “Article Description”, and “Rates of Duty 1-General”, respectively:

Heading/ Subheading	Article Description	Rates of Duty		
		1		2
		General	Special	
“9903.88.43	Articles the product of China, as provided for in U.S. note 20(vv) to this subchapter, each covered by an exclusion granted by the U.S. Trade Representative . . . . .	The duty provided in the applicable subheading”		

2. by inserting the following new U.S. note 20(vv) to subchapter III of chapter 99 in numerical sequence:

“(vv) The U.S. Trade Representative determined to establish a process by which particular products classified in heading 9903.88.03 and provided for in U.S. notes 20(e) and (f) to this subchapter could be excluded from the additional duties imposed by heading 9903.88.03. See 83 Fed. Reg. 47974 (September 21, 2018) and 84 Fed. Reg. 29576 (June 24, 2019). Pursuant to the product exclusion process, the U.S. Trade Representative has determined that the additional duties provided for in heading 9903.88.03 shall not apply to the following particular products, which are provided for in the enumerated statistical reporting numbers:

- 1) 7002.10.2000
- 2) Tilapias, frozen, each weighing not more than 115 g (described in statistical reporting number 0304.61.0000)
- 3) Shells of oysters (*Crassostrea angulate*) (described in statistical reporting number 0508.00.0000)
- 4) Honeydew melon seeds (described in statistical reporting number 1207.70.0075)

- 5) Hot pepper seeds, of a kind used for sowing (described in statistical reporting number 1209.91.6090)
- 6) F1 hybrid pumpkin seeds, oval in shape, with a white outer husk, measuring not more than 10 mm, of a kind used for sowing (described in statistical reporting number 1209.91.8055)
- 7) Eggplant seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090)
- 8) Endive seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090)
- 9) Gourd seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090)
- 10) Tomatillo seeds, of a kind used for sowing (described in statistical reporting number 1209.91.8090)
- 11) Crabmeat of red swimming crabs (*Portunus haanii*) packed fresh and pasteurized or frozen in airtight containers (described in statistical reporting number 1605.10.2059)
- 12) Synthetic silica gel, in amorphous granules, of a kind used as a catalyst support (described in statistical reporting number 2811.22.1000)
- 13)  $\alpha$ -Naphthol (CAS number 90-15-3) (described in statistical reporting number 2907.15.1000)
- 14) Glyoxal (CAS No. 107-22-2) (described in statistical reporting number 2912.19.3000)
- 15) (2-Hydroxy-4-methoxyphenyl)phenylmethanone (CAS No. 131-57-7) (Oxybenzone (INN)) and (2-Hydroxy-4-octoxyphenyl)phenylmethanone (CAS No. 1843-05-6) (Octabenzene (INN)) (described in statistical reporting number 2914.50.3000)
- 16) 2,2-Dichloroacetyl chloride (CAS No. 79-36-7) (described in statistical reporting number 2915.40.5050)
- 17) Sodium adipate (1,4-butanedicarboxylic acid, disodium salt) (IUPAC name: disodium hexanedioate) (CAS No. 7486-38-6) (described in statistical reporting number 2917.12.5000)
- 18) 4-Aminophenol (CAS No. 123-30-8) (described in statistical reporting number 2922.29.8190)
- 19) Diuron (IUPAC name: 3-(3,4-dichlorophenyl)-1,1-dimethylurea) (CAS No. 330-54-1) (described in statistical reporting number 2924.21.1600)
- 20) 2-((3-Fluoro-4-(methylcarbamoyl)-phenyl)amino)-2-methylpropanoic acid (CAS No. 1289942-66-0) (described in statistical reporting number 2924.29.7100)
- 21) 3,4-Difluorobenzonitrile (CAS No. 64248-62-0) (described in statistical reporting number 2926.90.4300)
- 22) Octocrylene (IUPAC name: 2-ethylhexyl 2-cyano-3,3-diphenylprop-2-enoate) (CAS No. 6197-30-4) (described in statistical reporting number 2926.90.4801)
- 23) 3-Cyclopentylacrylonitrile (IUPAC name: (E)-3-Cyclopentylprop-2-enenitrile) (CAS No. 591769-05-0) (described in statistical reporting number 2926.90.5050)
- 24) Acetonitrile (CAS No. 75-05-8) (described in statistical reporting number 2926.90.5050)

- 25) N-(n-Butyl)thiophosphoric triamide (IUPAC name: N-Diaminophosphinothioylbutan-1-amine) (CAS No. 94317-64-3) (described in statistical reporting number 2929.90.5090)
- 26) (4-Chloro-2-fluoro-3-methoxyphenyl) boronic acid (CAS No. 944129-07-1) (described in statistical reporting number 2931.90.3000)
- 27) 2-Phosphonobutane-1,2,4-tricarboxylic acid and its salts (CAS #40372-66-5) (described in statistical reporting number 2931.90.7000)
- 28) Clothianidin technical (CAS No. 210880-92-5) (IUPAC name: E-1-[(2-Chloro-1,3-thiazol-5-yl)methyl]-3-methyl-2-nitroguanidine) (described in statistical reporting number 2934.10.9000)
- 29) 2-Mercaptobenzothiazole (CAS No. 149-30-4) (described in statistical reporting number 2934.20.1500)
- 30) Flux powder consisting wholly of inorganic substances, including but not limited to silicon dioxide, titanium oxide, manganese oxide, aluminum oxide, and calcium fluoride, for submerged arc welding (described in statistical reporting number 3810.90.2000)
- 31) Chitosan (CAS No. 9012-76-4) (described in statistical reporting number 3913.90.2090)
- 32) Boxes, cases, crates or similar articles of plastics certified under UN (United Nations) standard 4H2 as suitable for the conveyance of lithium ion batteries and equipment powered by lithium ion batteries (described in statistical reporting number 3923.10.9000)
- 33) Parts of fences fabricated from profile shapes of heading 3916 (described in statistical reporting number 3925.90.0000)
- 34) Gaskets, washers and other seals (other than O-rings) of silicone plastic, each weighing at least 5 g but not more than 400 g (described in statistical reporting number 3926.90.4590)
- 35) Hoses of vulcanized rubber other than hard rubber, not reinforced or otherwise combined with other materials, without fittings, each weighing at least 10 g but not more than 1,000 g and measuring at least 2 cm but not more than 500 cm in length (described in statistical reporting number 4009.11.0000)
- 36) Hoses of vulcanized rubber other than hard rubber, reinforced or otherwise combined only with textile materials, without fittings (described in statistical reporting number 4009.31.0000)
- 37) Hoses of vulcanized rubber other than hard rubber, reinforced or otherwise combined with materials other than metals or textiles, without fittings (described in statistical reporting number 4009.41.0000)
- 38) New tubeless pneumatic tires of rubber having a "herring-bone" tread and a tire ply rating of 6R, measuring not more than 61 cm in outside diameter and at least 20.3 cm but not more than 25.4 cm in width, for mounting on a rim measuring 35.6 cm in diameter (described in statistical reporting number 4011.90.1010)
- 39) New radial pneumatic tires of rubber, each with an 8 ply rating, measuring not more than 67 cm in outside diameter and at least 22 cm but not over 28 cm in width,

- suitable for mounting on a rim measuring 30.5 cm in diameter (described in statistical reporting number 4011.90.2010)
- 40) New radial pneumatic tires of rubber, measuring 66 cm or more but not exceeding 82 cm in diameter, and 22 cm or more but not exceeding 39 cm in width, with steel internal carcass and sidewalls reinforced with three belts (described in statistical reporting number 4011.90.2010)
  - 41) New bias-ply pneumatic tires of rubber, with a 6 ply rating, each measuring at least 61 cm but not more than 62 cm in diameter, and at least 20 cm but not more than 31 cm in width, suitable for mounting on a rim measuring 30.5 cm in diameter (described in statistical reporting number 4011.90.8010)
  - 42) Compression molded floor mats for golf carts, of vulcanized rubber other than hard rubber or cellular rubber, each measuring not more than 1,038 mm by 605 mm (described in statistical reporting number 4016.91.0000)
  - 43) Grommets, vibration dampers, and similar protective separators, of molded ethylene-propylene-non-conjugated diene monomer rubber (EPDM), each weighing not more than 2.27 kg, of a kind used in motorcycles or personal watercraft (PWC) (described in statistical reporting number 4016.99.6050)
  - 44) Backpacks and duffel bags with an outer surface of a blend of hemp and organic cotton, each measuring not less than 38 cm by 30 cm by 15 cm and not more than 36 cm by 72 cm by 34 cm (described in statistical reporting number 4202.92.2000)
  - 45) Backpacks with outer surface of textile materials of man-made fibers, each measuring at least 35 cm but not more than 75 cm in height, at least 19 cm but not more than 34 cm in width, and at least 5 cm but not more than 26 cm in depth (described in statistical reporting number 4202.92.3120)
  - 46) Fishing tackle bags of man-made fibers, each measuring at least 5 cm but not more than 17 cm in width, at least 23 cm but not more than 27 cm in height and at least 37 cm but not more than 43 cm in depth, with a shoulder strap and carrying handles (described in statistical reporting number 4202.92.3131)
  - 47) Surfboard covers, each with an outer surface of polyester, weighing at least 0.85 kg but not more than 6 kg, measuring at least 150 cm but not more than 307 cm in height and at least 55 cm but not more than 66 cm in width (described in statistical reporting number 4202.92.3131)
  - 48) Tote bags with outer surface of man-made fibers, with handles, with printing on front and back, each bag measuring more than 20 cm but not more than 36 cm in width and more than 22 cm but not more than 39 cm in height, with a gusset measuring not more than 16 cm (described in statistical reporting number 4202.92.3131)
  - 49) Bags with outer surface of textile materials of man-made fibers, each with a base of plastics and a coil zipper, weighing 0.22 kg or more but not over 4.6 kg, shaped to fit powersports vehicles (including but not limited to off-road vehicles, all-terrain vehicles, snowmobiles and motorcycles) (described in statistical reporting number 4202.92.9100)
  - 50) Pouches and tool holsters of woven man-made fibers, each measuring at least 13 cm but not more than 19 cm in height, at least 4 cm but not more than 11 cm in width and

- at least 3 cm but not more than 5 cm in depth, valued not over \$16 each, designed to fit over the wearer's belt or attach to belt loops to provide hands-free carrying of mobile phones, tools, flashlights and articles of similar size (described in statistical reporting number 4202.92.9100)
- 51) Gun cases (boots) of plastics, each with interior padding, dust-proof and water-resistant shell and steel brackets for mounting (described in statistical reporting number 4202.99.9000)
  - 52) Women's, girls', and infants' pants, skirts and dresses, of polyurethane-coated leather of swine or of polyurethane-coated composition leather of swine (described in statistical reporting number 4203.10.4095)
  - 53) Printed cartons, boxes or cases of corrugated paper or paperboard, other than sanitary food or beverage containers (described in statistical reporting number 4819.10.0040)
  - 54) Notebooks of paper or paperboard, each incorporating a plastic toy building block on the cover, measuring at least 13 cm but not more than 16 cm on the short side, at least 15 cm but not more than 22 cm on the long side and at least 1 cm but not more than 3 cm in thickness, with at least 192 but no more than 352 ruled or blank pages (described in statistical reporting number 4820.10.2060)
  - 55) Plates, bowls or cups of molded or pressed bamboo pulp, each weighing at least 3 g but not more than 92 g (described in statistical reporting number 4823.70.0020)
  - 56) Clamshell containers, pizza pans, lids, compartmentalized and other trays of molded or pressed bamboo pulp, each weighing at least 3 g but not more than 95 g (described in statistical reporting number 4823.70.0040)
  - 57) Yarn of cashmere or camel hair, carded but not combed, not put up for retail sale (described in statistical reporting number 5108.10.8000)
  - 58) Polyester filament tow, weighing at least 225 ktex but not more than 275 ktex (described in statistical reporting number 5501.20.0000)
  - 59) Polypropylene fiber tow weighing at least 225 ktex but not more than 275 ktex (described in statistical reporting number 5501.40.0000)
  - 60) Textile fabrics of woven polyester or of a blend of cotton and polyester, coated on one side with expanded polyurethane which comprises more than 70 percent of the total weight of the product, the entire thickness of the fabric measuring at least 0.8 mm but not more than 1.22 mm in thickness and weighing at least 350 g/m<sup>2</sup> or more but not more than 425 g/m<sup>2</sup> (described in statistical reporting number 5903.20.2000)
  - 61) Circular single knitted fabric, containing by weight 96 percent polyester and 4 percent spandex, dyed (described in statistical reporting number 6006.32.0080)
  - 62) Freestanding bathtubs carved from solid marble blocks, not laminated or glued, each with dimensions not over 215 cm by 125 cm by 70 cm and weighing not more than 1,600 kg (described in statistical reporting number 6802.91.1500)
  - 63) Sinks and sink pedestals of marble for bathroom and kitchen use, each measuring not more than 110 cm by 95 cm by 95 cm and weighing not more than 415 kg (described in statistical reporting number 6802.91.1500)

- 64) Worked monumental or building stone articles of genuine geological granite, birdbaths, benches, fountains, and fire pits (described in statistical reporting number 6802.93.0090)
- 65) Sandstone known as brown wave, of a kind used in outdoor living spaces, containing one textured side and up to four chiseled edges with a density of 2,750 kg/m<sup>3</sup> (described in statistical reporting number 6802.99.0060)
- 66) Sandstone with a flamed finish on one side and a length of 200 mm or more but not over 3,100 mm, a width of 100 mm or more but not over 1,380 mm and a thickness of 30 mm or more but not over 180 mm (described in statistical reporting number 6802.99.0060)
- 67) Figurines and statuettes of agglomerated stone, each measuring at least 100 mm but not more than 310 mm in height and weighing at least 0.1 kg but not more than 2.1 kg (described in statistical reporting number 6810.99.0080)
- 68) Synthetic graphite, in the form of rounds measuring at least 5 cm but not more than 153 cm in diameter and at least 25 cm but not more than 204 cm in length, or rectangles measuring at least 40 cm but not more than 61 cm in width, at least 40 cm but not more than 94 cm in height, and 152 cm or more but not more than 280 cm in length (described in statistical reporting number 6815.10.0100)
- 69) Articles of ceramics, other than porcelain or china, having a hardness equivalent of 9 or more on the Mohs scale, machined to shape, weighing not more than 2.4 kg and measuring not more than 45.5 cm by 3.1 cm by 8.9 cm (described in statistical reporting number 6909.12.0000)
- 70) Inert ceramic rings and spheres, of a kind used for bed grading in mixed-layered filtering and purification columns (described in statistical reporting number 6909.19.5095)
- 71) Screen protectors of tempered safety glass, with adhesive on one side, in rectangular sheets having rounded corners, each measuring at least 55 mm by 120 mm but no more than 212 mm by 278 mm and at least 0.51 mm but no more than 0.55 mm in thickness (described in statistical reporting number 7007.19.0000)
- 72) Sheets of tempered safety glass, coated with silicone oxide, having a surface area of less than 2.5 m<sup>2</sup>, designed to be placed over solar cell panels for protection from external damage (described in statistical reporting number 7007.19.0000)
- 73) Windshields of laminated safety glass, of a size and shape for vehicles, each weighing at least 10.9 kg but not over 15.4 kg (described in statistical reporting number 7007.21.1010)
- 74) Rear-view mirrors for vehicles, composed of stainless steel, aluminum, glass filled nylon, polyethylene, and acrylonitrile-butadiene-styrene, each weighing at least 500 g but not more than 1 kg, with mirrors measuring at least 180 mm but not more than 400 mm in length (described in statistical reporting number 7009.10.0000)
- 75) Rear-view mirrors for vehicles, each consisting of a multi-curvature convex glass mirror, a steel case and a heating element (described in statistical reporting number 7009.10.0000)



- 76) Replacement kits for rear-view mirrors for vehicles, each consisting of a multi-curvature convex mirror, a gasket and a heating element (described in statistical reporting number 7009.10.0000)
- 77) Windows of stainless steel incorporating tempered glass, each fitted with a rubber gasket that provides a water-tight seal when closed, designed for installation in ships and boats of chapter 89 (described in statistical reporting number 7308.30.1000)
- 78) Steel tanks, each of a capacity of at least 477 liters but not over 23,848 liters and weighing at least 100 kg but not more than 2,250 kg, whether or not lined or heat insulated, but not fitted with mechanical or thermal equipment (described in statistical reporting number 7309.00.0030)
- 79) Square-shaped barrels of stainless steel, each with slatted sides and a maximum capacity of 228 liters (described in statistical reporting number 7310.10.0010)
- 80) Skid chains of steel, with links measuring not over 8 mm in diameter, to fit off-road vehicle tires measuring 63 cm or more but not over 67 cm in diameter (described in statistical reporting number 7315.20.1000)
- 81) Steel cooking grates comprising parts of stoves and ranges, each weighing not less than 1 kg, measuring not less than 40 cm in length, not less than 48 cm in width, and not less than 5 cm in height (described in statistical reporting number 7321.90.1000)
- 82) Bird feeders, predominantly of iron or steel, with glass elements, each feeder measuring at least 25 cm but not more than 36 cm in height, and weighing at least 0.6 kg but not more than 1.4 kg (described in statistical reporting number 7323.99.9080)
- 83) Parts of showers, comprising shower wand adjustable slide bars, of stainless steel, with or without finishes of other metals, each weighing 0.44 kg or less, measuring at least 48.3 cm but not more than 91.5 cm in length and at least 1.9 cm but not more than 2.6 cm in diameter (described in statistical reporting number 7324.90.0000)
- 84) Shower arms of stainless steel, with or without finishes of other metals, threaded at both ends, each weighing not less than 0.08 kg but not more than 0.35 kg, measuring at least 15 cm but not more than 64 cm in length and not more than 2 cm in diameter (described in statistical reporting number 7324.90.0000)
- 85) Carabiners of stainless steel, not suitable for climbing applications (described in statistical reporting number 7326.90.8688)
- 86) Housings of steel designed for oil or natural gas wellheads, each with threaded or welded bottom and threaded top, each weighing at least 284 kg but not more than 1,200 kg, measuring at least 52 cm but not more than 105 cm in length, at least 42 cm but not more than 60 cm in outer diameter, with a bore diameter of not less than 20 cm (described in statistical reporting number 7326.90.8688)
- 87) Tubing heads of steel for oil or natural gas wellheads, each measuring at least 39 cm but not more than 107 cm in length, at least 57 cm but not more than 78 cm in outer diameter, with a bore diameter of not less than 13 cm (described in statistical reporting number 7326.90.8688)
- 88) Escutcheons of brass, with or without other metal finishes, each weighing not more than 0.5 kg, measuring not more than 23 cm by 23 cm by 3 cm, designed as trim

- around faucets or shower fixtures (described in statistical reporting number 7419.99.5010)
- 89) Faucet parts, of brass, designed for holding the aerator, each not over 4 cm in height (described in statistical reporting number 7419.99.5010)
- 90) Shower arms of brass, each for connecting the showerhead to the water supply (described in statistical reporting number 7419.99.5010)
- 91) Carabiners of aluminum, not suitable for climbing applications (described in statistical reporting number 7616.99.5190)
- 92) Key rings of zinc, with leather adornment (described in statistical reporting number 7907.00.6000)
- 93) Kits of auger bits for woodworking of high carbon steel (with cutting part containing by weight over 0.2 percent of chromium, molybdenum, or tungsten or over 0.1 percent of vanadium), each bit measuring not less than 0.95 cm but not more than 3.81 cm in diameter and not less than 15.24 cm but not more than 45.72 cm in length (described in statistical reporting number 8207.50.2070)
- 94) Kits of spade bit blades of high carbon steel (with cutting part not containing by weight over 0.2 percent of chromium, molybdenum, or tungsten or over 0.1 percent of vanadium), each bit measuring at least 0.635 cm but not more than 3.81 cm in diameter and at least 15.24 cm but not more than 45.72 cm in length (described in statistical reporting number 8207.50.6000)
- 95) Castors with mountings of steel with wheels of rubber or plastic, each having a wheel diameter (including tires) of more than 60 mm but less than 210 mm (described in statistical reporting number 8302.20.0000)
- 96) Mountings and fittings suitable for motor vehicles of iron or steel, of aluminum or of zinc, other than pneumatic cylinders (described in statistical reporting number 8302.30.3060)
- 97) Cleats and chocks of stainless steel for boats and ships (described in statistical reporting number 8302.49.6055)
- 98) Screen door cross bars of aluminum, each adjustable, measuring at least 53 cm but not more than 74 cm in length, weighing not more than 0.6 kg, with polypropylene end caps (described in statistical reporting number 8302.49.6085)
- 99) Pistons of cast aluminum, of a kind used in spark-ignition internal combustion piston engines for vehicles of heading 8703, each measuring 73 mm in diameter and 45 mm in height (described in statistical reporting number 8409.91.5085)
- 100) Cylinder heads of aluminum for motorcycle engines, each weighing at least 3.6 kg but not more than 6.4 kg (described in statistical reporting number 8409.91.9990)
- 101) Cooling medium pumps for internal combustion piston engines of the motor vehicles of headings 8703 or 8704 (described in statistical reporting number 8413.30.9090)
- 102) Stationary air compressors (not reciprocating, not rotary), each powered by 12 V DC motor, with maximum output pressure of 1.04 MPa and maximum output volume of 57 liters/min, weighing not more than 6 kg, with braided output leader hose and one-way check valve attached to the cylinder head (described in statistical reporting number 8414.80.1680)

- 103) Hydraulic jacks of a kind for raising vehicles, with a lifting capacity of not more than 550 kg (described in statistical reporting number 8425.42.0000)
- 104) Hydraulic lifts of steel weighing not more than 30 kg, comprising a base, two lift arms and a hydraulic bottle jack, with a weight limit of not more than 250 kg (described in statistical reporting number 8425.42.0000)
- 105) Screw jacks and scissor jacks, each comprising a base, two lift arms and adjustable wheel pads, weighing at least 22 kg but not more than 42 kg, with a weight limit of not more than 342 kg (described in statistical reporting number 8425.49.0000)
- 106) Bandsaws for working wood, bench top, each valued under \$1,000, with 115 V motor, measuring not more than 88 cm in height, not more than 54 cm in width and not more than 42 cm in depth, weighing not more than 36 kg with a cutting capacity not exceeding 36 cm in width (described in statistical reporting number 8465.91.0064)
- 107) Bandsaws for working wood, floor standing, each valued under \$1,000, with 115 V motor, measuring not more than 190 cm in height, at least 63 cm but not more than 88 cm in width and at least 63 cm but not more than 66 cm in depth, weighing at least 99 kg but not more than 130 kg with a cutting capacity not exceeding 36 cm in width (described in statistical reporting number 8465.91.0064)
- 108) Bandsaws for working wood, valued under \$1,000 each, floor standing, with 115 V motor, measuring not over 190 cm in height, at least 63 cm but not more than 88 cm in width and at least 63 cm but not more than 66 cm in depth, weighing at least 99 kg but not more than 130 kg with a cutting capacity not exceeding 36 cm in width (described in statistical reporting number 8465.91.0064)
- 109) Straps for securing articles, each consisting of a polyester webbing strap of a width not exceeding 26 mm with steel hooks at the ends and a ratchet mechanism for tightening the strap, in lengths not over 2.5 m (described in statistical reporting number 8479.89.9499)
- 110) Handwheel-operated gate valves of forged steel, each measuring at least 37 cm but not more than 102 cm in width (at the circular connector flanges) and at least 55 cm but not more than 288 cm in height (from the bottom of the valve to the top of the handwheel), having a bore measuring at least 5 cm but not more than 18 cm in diameter, weighing at least 79 kg but not more than 3,015 kg (described in statistical reporting number 8481.80.3055)
- 111) Camshafts designed for use solely or principally with spark-ignition internal combustion piston engines for off-road vehicles and snowmobiles (described in statistical reporting number 8483.10.1030)
- 112) Crankshafts designed for use with diesel engines having a displacement of not more than 12 liters (described in statistical reporting number 8483.10.3050)
- 113) Toothed wheels and sprockets other than chain sprockets for motorcycles, off-road vehicles and snowmobiles constituting an integral component of an engine or motor (described in statistical reporting number 8483.90.5090)
- 114) Single phase AC electric motors (other than gear motors), of an output of 56 W or more but not exceeding 69 W, each measuring no more than 9 cm in length and no

- more than 11.5 cm in diameter, weighing no more than 2 kg, in a housing of base metals, with a switch (described in statistical reporting number 8501.40.2040)
- 115) Single-phase AC electric motors incorporating permanent split capacitors, each of an output range of 367 W or more but not exceeding 565 W, operating at not less than 115 V of alternating current (VAC) but not more than 230 VAC, capable of operating while submerged in water, each weighing at least 7 kg but not more than 11 kg, measuring not more than 10 cm in diameter and at least 22 cm but not exceeding 34 cm in length (described in statistical reporting number 8501.40.4040)
- 116) Single-phase AC electric motors, other than gear motors, incorporating permanent split capacitors, each of an output range of 746 W or more but not exceeding 1.13 kW, operating at not less than 115 V of alternating current (VAC) but not more than 250 VAC, capable of operating while submerged in water, each weighing at least 9 kg but not more than 12.5 kg, measuring not more than 10 cm in diameter and at least 25 cm but not exceeding 36 cm in length (described in statistical reporting number 8501.40.6040)
- 117) Battery chargers designed to charge the batteries in electrically powered golf carts and similar utility vehicles for a voltage not exceeding 48 V, measuring no more than 20 cm in width, 30 cm in length, and 15 cm in height (described in statistical reporting number 8504.40.9550)
- 118) Static converters, each with input voltage range of 10 V or more but not exceeding 26 V and a power output range of at least 5 A but not more than 240 A, weighing not more than 23 kg (described in statistical reporting number 8504.40.9550)
- 119) Inductors, each with inductance of 22 microhenrys ( $\mu\text{H}$ ), a tolerance of no greater than 20 percent, with a DC resistance of 198 milliohms ( $\text{m}\Omega$ ) and a DC current of 1.9 A (described in statistical reporting number 8504.50.8000)
- 120) Inductors, each with inductance of 220 microhenrys ( $\mu\text{H}$ ), a tolerance of no greater than 20 percent, with a DC resistance of 550 milliohms ( $\text{m}\Omega$ ) and a DC current of 510 milliamperes (mA) (described in statistical reporting number 8504.50.8000)
- 121) Inductors, each with inductance of 470 microhenrys ( $\mu\text{H}$ ), a tolerance of no greater than 20 percent, with a DC resistance of 700 milliohms ( $\text{m}\Omega$ ) and a DC current of 540 milliamperes (mA) (described in statistical reporting number 8504.50.8000)
- 122) Lead-acid storage batteries, 12 V, of a kind used in starting piston engines, each measuring not more than 167 cm in height, at least 91 cm but not more than 92 cm in width and weighing at least 4.8 kg but not more than 5.3 kg (described in statistical reporting number 8507.10.0030)
- 123) Ignition coils for spark-ignition or compression-ignition engines of a kind designed to be mounted in powersports vehicles, including off-road vehicles, all-terrain vehicles, snowmobiles and motorcycles (described in statistical reporting number 8511.30.0080)
- 124) Lighting equipment designed for illuminating the interior of the vehicles of subheading 8701.20 or heading 8702, 8703, 8704, 8705 or 8711 incorporating LED lamps, each measuring not more than 128 mm by 75 mm by 36 mm (described in statistical reporting number 8512.20.2040)

- 125) Color television cameras of a kind used with vehicle displays (described in statistical reporting number 8525.80.3010)
- 126) Radiobroadcast receiver kits, each comprising a radiobroadcast receiver not capable of operating without an external source of power, the foregoing of a kind used in motor vehicles, not combined with sound recording or reproducing apparatus, incorporating an FM only or AM/FM only tuner, two speakers measuring not more than 135 mm in diameter, a 45 W 4-channel amplifier and an external antenna (described in statistical reporting number 8527.29.4000)
- 127) Indicator panels incorporating segmented liquid crystal devices (LCDs) suitable for use in motor vehicles and designed to display a limited number of characters or icons, each panel measuring not more than 99 mm in width and not more than 61 mm in height (described in statistical reporting number 8531.20.0020)
- 128) Indicator panels incorporating LEDs, designed for use in medical infusion equipment (described in statistical reporting number 8531.20.0040)
- 129) Printed circuit boards, with a base of glass reinforced epoxy laminate material that is compliant with NEMA grade FR-4 fire resistance, not flexible, with 10 layers, designed for use in a flow meter, and measuring not more than 6.35 cm by 6.35 cm by 0.1575 cm (described in statistical reporting number 8534.00.0020)
- 130) Printed circuit board, 2 layers, LED left-handed tail light, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder with a glass transition temperature of 150 degrees C, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095)
- 131) Printed circuit board, 2 layers, LED left-handed tail stop light, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095)
- 132) Printed circuit board, 2 layers, LED right-handed tail stop light, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095)
- 133) Printed circuit board, 2 layers, overhead council assembly of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper, with lead free HASL finish (described in statistical reporting number 8534.00.0095)
- 134) Printed circuit board, 2 layers, overhead council unit, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with lead free HASL finish (described in statistical reporting number 8534.00.0095)
- 135) Printed circuit board, 2 layers, with high- or low-side driver pulse width modulation, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder with a glass transition temperature of 150 degrees C with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095)
- 136) Printed circuit board, 4 layers, rear view mirror utilized, of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder, with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095)
- 137) Printed circuit boards, formed as 2 layers, DS video mirror of FR-4 woven fiberglass cloth with a flame resistant epoxy resin binder with a glass transition temperature of

- 150 degrees C with not more than 0.03 kg of copper (described in statistical reporting number 8534.00.0095)
- 138) Digital sound processing apparatus capable of connecting to a wired or wireless network for the mixing of sound, each capable of mixing 16, 24, 32 or 64 channel, each measuring not more than 17 cm in height, not more than 60 cm in depth, and not more than 83 cm in width (described in statistical reporting number 8543.70.9100)
- 139) Electric conductors, for a voltage not exceeding 1,000 V, with stranded 18-gauge copper wire and SPT-2 outer insulation, with either a 2-prong polarized plug or a 3-prong grounded plug on one end, such plugs with an integrated non-replaceable fuse, such conductors measuring at least 210 cm but not more than 250 cm in length (described in statistical reporting number 8544.42.9090)
- 140) Bumpers of steel or aluminum, other than stampings, for off-road vehicles of headings 8701 to 8705 (described in statistical reporting number 8708.10.3050)
- 141) Vent insulators to fit a standard vent opening of 35.56 cm by 35.56 cm on a recreational vehicle, each composed of foam encased in polyester fleece fabric, whether or not also featuring reflective foil (described in statistical reporting number 8708.29.5060)
- 142) Road wheels of steel for vehicles of heading 8703, each measuring at least 32 cm but not more than 37 cm in diameter, at least 11 cm but not more than 21 cm in width and weighing at least 5.2 kg but not over 6.7 kg (described in statistical reporting number 8708.70.4560)
- 143) Road wheels of steel for vehicles of heading 8703, each measuring at least 37 cm but not more than 46 cm in diameter and at least 19 cm but not over 26 cm in width (described in statistical reporting number 8708.70.4560)
- 144) Wheel spacers of aluminum for the motor vehicles of heading 8703, measuring at least 25 mm but not more than 45 mm in thickness (described in statistical reporting number 8708.70.6060)
- 145) Parts of suspension systems of off-road vehicles of headings 8701 through 8705 and snowmobiles of heading 8703 (described in statistical reporting number 8708.80.6590)
- 146) Torque rods, also known as torque arms, radius rods or radius arms (described in statistical reporting number 8708.80.6590)
- 147) Radiators of aluminum, each measuring at least 335 mm but not more than 630 mm in length, at least 167.5 mm but not more than 355 mm in width, and at least 37.5 mm but not more than 60 mm in height (described in statistical reporting number 8708.91.5000)
- 148) Mufflers and exhaust pipes for all-terrain vehicles (ATVs) and snowmobiles of heading 8703 (described in statistical reporting number 8708.92.5000)
- 149) Steering boxes and steering columns of steel for all-terrain vehicles (ATVs) of heading 8703 and other off-road vehicles (described in statistical reporting number 8708.94.5000)
- 150) Parts of the motor vehicles of headings 8701, 8702, 8704 and 8705, consisting of housings of cast iron for steering gears, each weighing not more than 20 kg,

- measuring at least 11 cm but not more than 29 cm in length, at least 9 cm but not more than 19 cm in width, and at least 14 cm but not more than 24 cm in height (described in statistical reporting number 8708.94.7000)
- 151) Steering cylinder heads of cast iron for motor vehicles of chapter 87, each weighing at least 1 kg but not more than 3 kg (described in statistical reporting number 8708.94.7000)
- 152) Housing covers (with or without bearings) of carbon steel for steering gears of the motor vehicles of headings 8701 to 8705 (except for tractors other than road tractors) (described in statistical reporting number 8708.94.7550)
- 153) Pitman arm retainers of carbon steel designed for steering gears for the vehicles of heading 8701, 8702, 8704, or 8705, other than steering gears for tractors for agricultural use but including those for road tractors (described in statistical reporting number 8708.94.7550)
- 154) Castings of aluminum for hub lock assemblies of motor vehicles of heading 8703 (described in statistical reporting number 8708.99.6890)
- 155) Shift lever weldments, sprockets, shafts, bearing carriers, and rod shifters, all the foregoing being parts of power trains for the motor vehicles of headings 8701 to 8705 (described in statistical reporting number 8708.99.6890)
- 156) Covers for automobile seats or passenger compartments, of textile fabric, with or without fastening hardware, presented separately or in sets put up for retail sale (described in statistical reporting number 8708.99.8180)
- 157) Intercooler pipes of cast aluminum, each weighing at least 0.37 kg but not more than 0.643 kg (described in statistical reporting number 8708.99.8180)
- 158) Racks designed to fit into receiver hitches of vehicles of headings 8701 to 8705, for transporting bicycles (described in statistical reporting number 8708.99.8180)
- 159) Trailer hitch kits of alloy steel or carbon steel, for the vehicles of headings 8701 to 8705, other than tractors, except including road tractors (described in statistical reporting number 8708.99.8180)
- 160) Bicycles, including mountain-type, with drop bar, tubeless, folding (described in statistical reporting number 8712.00.4800)
- 161) Trailers with steel or aluminum frames, single axle, each measuring at least 1.5 m but not more than 2.5 m in width, at least 2.4 m but not more than 5.8 m in length, and weighing at least 110 kg but not more than 730 kg (described in statistical reporting number 8716.40.0000)
- 162) Castors, each comprising a polyurethane tread over a polypropylene hub, measuring at least 7.5 cm but not more than 20.5 cm in diameter and at least 2.5 cm but not more than 5.5 cm in width, for use with retail shopping carts, material handling carts, light industrial carts, baker carts, laboratory carts, medical carts or pharmaceutical carts (described in statistical reporting number 8716.90.3000)
- 163) Mounted camera lenses, each with a M12 mount configuration, with an 8.46 mm sensor format and focal lengths between 2.8 mm and 16.0 mm, focal ratio (F/No) of 1.4 or greater but not exceeding 6.6 and a fixed iris (described in statistical reporting number 9002.11.9000)

- 164) Seats of a kind used for automobiles, not reclining, incorporating padding of polymeric foam and seat covers of PVC (described in statistical reporting number 9401.20.0000)
- 165) Adjustable wire shelving units of steel, other than for household use, comprising vertical poles, foot caps or casters, clips and shelves, each when fully assembled measuring at least 35 cm or more but not more than 183 cm in width, at least 35 cm but not more than 77 cm in depth, and at least 137 cm but not more than 183 cm in height (described in statistical reporting number 9403.20.0081)
- 166) Storage racks of steel, powder-coated, designed to hang from overhead support, each weighing not more than 37 kg, measuring not more than 123 cm in width, not more than 123 cm in height and not more than 245 cm in length (described in statistical reporting number 9403.20.0081)
- 167) Shelving units of chrome plated steel, each consisting of wire shelves measuring at least 35 cm but not more than 62 cm in width and at least 61 cm but not more than 183 cm in length and supporting posts, with leveling feet, measuring not more than 30 cm in length (described in statistical reporting number 9403.20.0090)
- 168) Cabinets of wood with glass fronts, each measuring at least 208 cm but not more than 234 cm in height, at least 86 cm but no more than 128 cm in width and at least 40 cm but not more than 49 cm in depth (described in statistical reporting number 9403.60.8081)
- 169) Cabinets of wood with glass fronts, each measuring at least 91 cm but not more than 117 cm in height, at least 165 cm but no more than 216 cm in width and at least 38 cm but not more than 59 cm in depth (described in statistical reporting number 9403.60.8081)
- 170) Outdoor tables of artificial stone, each measuring no more than 93 cm by 93 cm by 63 cm, with a built-in gas-burning fire pit (described in statistical reporting number 9403.89.6015)
- 171) Sets of rectangular laundry organizers consisting of at least six, but not more than nine collapsible hampers of ethylene-vinyl acetate (EVA) fabric, each with a drawstring top, an exterior zip pocket, and rope handles, designed to stand on the floor and fold up when not in use (described in statistical reporting number 9403.89.6020)
- 172) Parts of counters, racks, display cases, and similar fixtures of wood other than cane, osier, bamboo or similar materials (described in statistical reporting number 9403.90.7080)
- 173) Parts of counters, racks, display cases, and similar fixtures of base metal, other than welded wire rack decking (described in statistical reporting number 9403.90.8041)
- 174) Lamps with bases of agglomerated stone that are figurines, each measuring at least 45 cm but not more than 77 cm in height, weighing at least 1.3 kg but not more than 2.8 kg, with a decorated fabric shade (described in statistical reporting number 9405.20.8010)
- 175) LED lamps other than of base metal, each with height adjustable from at least 19 cm to not more than 38 cm, with touch switch controlling power, brightness and three



- color modes (warm, bright and natural daylight illumination), 5 V, 2.1 A USB charging port, and digital LCD display featuring time, date, and temperature display (described in statistical reporting number 9405.20.8010)
- 176) LED backlight modules, each measuring at least 90 mm but not more than 105 mm in length and at least 45 mm but not more than 55 mm in width (described in statistical reporting number 9405.40.8200)
- 177) Flameless pillar candles with LED lamps powered by batteries, each measuring at least 7.6 cm but not more than 20 cm in diameter and having a wax exterior (described in statistical reporting number 9405.40.8440)
3. by amending the last sentence of the first paragraph of U.S. note 20(e) to subchapter III of chapter 99:
- by deleting the word “or” where it appears after the phrase “U.S. note 20(ss) to subchapter III of chapter 99;”; and
  - by inserting the phrase “; or (11) heading 9903.88.43 and U.S. note 20(vv) to subchapter III of chapter 99” after the phrase “U.S. note 20(tt) to subchapter III of chapter 99”.
4. by amending U.S. note 20(f) to subchapter III of chapter 99;
- by deleting the word “or” where it appears after the phrase “U.S. note 20(ss) to subchapter III of chapter 99;”; and
  - by inserting the phrase “; or (11) heading 9903.88.43 and U.S. note 20(vv) to subchapter II of chapter 99” after the phrase “U.S. note 20(tt) to subchapter III of chapter 99”.
5. by amending the Article Description of heading 9903.88.03:
- by deleting “9903.88.408 or” and inserting “9903.88.408,” in lieu thereof; and
  - by inserting “or 9903.88.43,” after “9903.88.41,”.
- B. Effective with respect to goods entered for consumption, or withdrawn from warehouse for consumption, on or after 12:01 a.m. eastern daylight time on September 24 2018, U.S. note 20(pp) to subchapter III of chapter 99 of the Harmonized Tariff Schedule of the United States (HTSUS) is modified by inserting the following exclusions in numerical order after exclusion (68):
- (69) Ventilation fans for motor vehicles, consisting of a 12 V DC non-reversible multiple speed electric motor drawing 5 A, with axial fan blade, electric keypad

- and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)
- b. (70) Ventilation fans for motor vehicles, consisting of a 12 V DC non-reversible multiple speed electric motor drawing 5 A, with axial fan blade, keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)
  - c. (71) Ventilation fans for motor vehicles, consisting of a 12 V DC non-reversible multiple speed electric motor drawing 5 A, with axial fan blade, keypad or remote control and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)
  - d. (72) Ventilation fans for motor vehicles, consisting of a 12 V DC non-reversible multiple speed electric motor drawing 5 A, with axial fan blade, network control system and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)
  - e. (73) Ventilation fans for motor vehicles, consisting of a 12 V DC reversible multiple speed electric motor drawing 5 A, with axial fan blade, electric keypad and circuit board and wire mesh screen, measuring no more than 36 cm by 36 cm (described in statistical reporting number 8414.59.6540)
- C. Effective with respect to goods entered for consumption, or withdrawn from the warehouse for consumption, on or after 12:01 a.m. eastern daylight time on September 24, 2018:
- a. U.S. note 20(qq)(4) to subchapter III of chapter 99 of the Harmonized Tariff Schedule of the United States is modified by deleting “Sole fillets, individually frozen, each fillet weighing more than 50 g but less than 150 g (described in statistical reporting number 0304.83.5015)” and inserting “0304.83.5015” in lieu thereof.
  - b. U.S. note 20(qq)(6) to subchapter III of chapter 99 of the Harmonized Tariff Schedule of the United States is modified by deleting “Individually frozen fillets of flounder, including Arrowtooth Flounder (*Atheresthes stomias*) and Kamchatka Flounder (*Atheresthes evermanni*), each weighing 80 g or more but not exceeding 200 g (described in statistical reporting number 0304.83.5020)” and inserting “0304.83.5020” in lieu thereof.

[FR Doc. 2020-06276 Filed 3-25-20; 8:45 am]

BILLING CODE 3290-F0-C

---

**DEPARTMENT OF TRANSPORTATION**

**Federal Aviation Administration**

**Notice of Opportunity for Public  
Comment on Change in Use of  
Aeronautical Property at Perry Foley  
Airport**

**AGENCY:** Federal Aviation  
Administration (FAA), DOT.

**ACTION:** Request for public comment.

**SUMMARY:** The Federal Aviation Administration is requesting public comment on a request by the Taylor County, Florida to release federally obligated land from conditions of the Surplus Property Quitclaim Deed dated April 11, 1947 at the Perry Foley Airport, Perry, Florida. This property was transferred to Taylor County under the authority of the April 11th, 1947, the United States, War Assets Administration and Section 13 of the Surplus Property Act of 1944 (58 Stat. 765). The request includes five (5) parcels adjacent to the airport totaling approximately 17.28 acres. Fair market

value of the commercial properties at time of sale was \$94,470.

Documents reflecting the Sponsor's request are available, by appointment only, for inspection at the Perry Foley Airport and the FAA Airports District Office.

**SUPPLEMENTARY INFORMATION:** Section 125 of The Wendell H. Ford Aviation Investment and Reform Act for the 21st Century (AIR-21) requires the FAA to provide an opportunity for public notice and comment prior to the “waiver” or “modification” of a sponsor's Federal obligation to use certain airport land for non-aeronautical purposes.